

Intel Core i9-13900K processor 36 MB Smart Cache

Brand : Intel Product family: Core Product code: CM8071505094011

Product name: i9-13900K

Intel® Core ™ i9-13900K Processor (36M Cache, up to 5.80 GHz) FC-LGA16A, Tray
Intel Core i9-13900K. Processor family: Intel® Core™ i9, Processor socket: LGA 1700, Processor
manufacturer: Intel. Memory channels: Dual-channel, Maximum internal memory supported by
processor: 128 GB, Memory types supported by processor: DDR4-SDRAM, DDR5-SDRAM. On-board
graphics card model: Intel UHD Graphics 770, On-board graphics card outputs supported: Embedded
DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1, On-board graphics card base frequency: 300 MHz.
Market segment: Desktop, Use conditions: PC/Client/Tablet, Workstation, PCI Express slots version: 4.0,
5.0. Intel® Turbo Boost Max Technology 3.0 frequency: 5.7 GHz, Intel® Thermal Velocity Boost
Frequency: 5.8 GHz







Processor Features Processor manufacturer * Intel Commodity Classification Processor generation 13th gen Intel® Core™ i9 Automated Tracking System (CCATS) 740.17B1 (CCATS) Processor model * i9-13900K Processor special features	
Processor generation 13th gen Intel® Core™ i9 Automated Tracking System 740.17B1 (CCATS) Processor model * i9-13900K	
Processor model * i9-13900K (CCATS)	
Burney and the state of the sta	
processor family * Intel® Core ** 19	
24	
Processor cores * 24 Intel® Hyper Threading Technology (Intel® HT Technology)	
FIGURESSOI SOURCE LOA 1700	
FIGURESSOI UIIEGUS 32	
Processor operating modes * 64-bit Intel® Quick Sync video Technology Performance cores 8 Intel® Clear Video HD Technology	
Efficient cores 16 (Intel® CVT HD)	
Processor boost frequency 5.8 GHz	
Intel® AES New Instructions (Intel®	
Porformance care base frequency 2 CUI	
Efficient-core boost frequency 4.3 GHz Enhanced Intel SpeedStep Technology	
Efficient-core base frequency 2.2 GHz Intel Trusted Execution Technology ✓	
Processor cache 36 MB Intel® Speed Shift Technology Intel® Speed Shift Technology	
Processor cache type Smart Cache Intel® Thermal Velocity Boost	
Box * Intel® Adaptive Boost Technology ✓	
Processor hase nower 125 W Intel® Turbo Roost May Technology	
Maximum turbo power 253 W Interest turbo boost Max rectifiology 5.7 GHz	
Stepping BO Intel® Gaussian & Neural	
Accelerator (Intel® GNA) 3.0	
Maximum number of DMI lanes 8 Intel® Thermal Velocity Boost Frequency 5.8 GHz	
Memory bandwidth supported by 89.6 GB/s Intel® Control-flow Enforcement	
processor (max) 89.6 GB/S Technology (CET)	
Processor codename Raptor Lake Intel® Thread Director	
Processor ARK ID 230496 Intel VT-x with Extended Page	
Memory Tables (EPT)	
Maximum internal memory 120 CP Intel® Secure Key ✓	
supported by processor IL28 GB Intel® Active Management Technology (Intel® AMT)	
Memory types supported by processor DDR4-SDRAM, DDR5-SDRAM Intel Stable Image Platform Program (SIPP)	
Memory channels * Dual-channel Intel® OS Guard ✓	
ECC / Intel 64	
Memory bandwidth (max) 89.6 GB/s Intel Virtualization Technology (VT-	
Graphics X)	
On-board graphics card * Intel Virtualization Technology for Directed I/O (VT d)	
Discrete graphics card *	
On-board graphics card model * Intel UHD Graphics 770 Intel Turbo Boost Max Technology 3.0	
On-board graphics card outputs	

Graphics		Processor special features	
On-board graphics card base frequency	300 MHz	Intel® Deep Learning Boost (Intel® DL Boost)	✓
On-board graphics card dynamic frequency (max)	1650 MHz	Intel® Volume Management Device (VMD)	✓
Number of displays supported (on-	4	Mode-based Execute Control (MBE)	✓
board graphics)		Intel® vPro™ Platform Eligibility	✓
On-board graphics card DirectX version	12.0	Intel® Standard Manageability (ISM)	✓
On-board graphics card OpenGL	4.5	Intel® One-Click Recovery	√
version	4.5	Intel® Stable IT Platform Program (SIPP)	✓
On-board graphics card maximum resolution (DisplayPort)	7680 x 4320 pixels	Intel® Remote Platform Erase (RPE)	✓
On-board graphics card maximum resolution (eDP - Integrated Flat	5120 x 3200 pixels	Intel® Virtualization Technology with Redirect Protection (VT-rp)	✓
Panel) On-board graphics card maximum	·	Intel vPro® Enterprise Platform Eligibility	✓
resolution (HDMI) On-board graphics card refresh rate	4096 x 2160 pixels	Intel® Threat Detection Technology (TDT)	✓
at maximum resolution	60 Hz	Intel® Hardware Shield Eligibility	✓
(DisplayPort) On-board graphics card refresh rate		Intel® Total Memory Encryption - Multi Key	✓
at maximum resolution (eDP - Integrated Flat Panel)	120 Hz	Intel vPro® Essentials Platform Eligibility	√
On-board graphics card refresh rate at maximum resolution (HDMI)	60 Hz	Operational conditions	
On-board graphics card ID	0xA780	Tjunction	100 °C
Discrete graphics card model *	Not available	Technical details	
Number of execution units	32	Target market	Gaming, Content Creation
Multi-Format Codec Engines	2	OpenCL version	3.0
Features		Launch date	Q4'22
Execute Disable Bit	1	Status	Launched
Idle States	✓	Logistics data	
Thermal Monitoring Technologies	✓	Harmonized System (HS) code	8542310001
Market segment	Desktop		0342310001
Use conditions	PC/Client/Tablet, Workstation	Packaging data	
Maximum number of PCI Express lanes	20	Package type	Retail box
PCI Express slots version	4.0, 5.0	Other features	
PCI Express configurations	1x16+1x4, 2x8+1x4	L2 cache	32768 KB
Supported instruction sets	SSE4.1, SSE4.2, AVX 2.0	Maximum internal memory	128 GB
Scalability	15	Graphics output	eDP 1.4b, DP 1.4a, HDMI 2.1
CPU configuration (max)	1		
Embedded options available	×		
Direct Media Interface (DMI) Revision	4.0		
Export Control Classification Number (ECCN)	5A992C		

