

Fujitsu PRIMERGY TX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic

Brand : Fujitsu **Product family:** PRIMERGY **Product code:** VFY:T1335SC041IN

Product name: PRIMERGY TX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic

ports quantity

PRIMERGY TX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic

Fujitsu PRIMERGY TX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic. Processor family: Intel Xeon E, Processor frequency: 3.2 GHz, Processor model: E-2388G. Internal memory: 32 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 32 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 500 W, Redundant power supply (RPS) support. Chassis type: Tower









Processor		Expansion slots	
Processor family * Ir	Intel Intel Xeon E E-2388G 3.2 GHz	PCI Express x4 (Gen 3.x) slots PCI Express x8 (Gen 4.x) slots PCI slots	2 2 1
Processor frequency *		Design	
Processor boost frequency Processor cores Processor cache Motherboard chipset Number of processors installed	4.6 GHz 8 16 MB Intel C256 1	Chassis type * Product colour Rack mounting Redundant fans support	Tower Black ✓
Maximum number of SMP processors	1	Performance	
Memory		Noise level Trusted Platform Module (TPM) Trusted Platform Module (TPM)	22 dB ✓
Internal memory * Internal memory type *	32 GB DDR4-SDRAM	version	2.0
Memory slots	4x DIMM 3200 MHz 1 x 32 GB 128 GB	Software	
ECC Memory clock speed Memory layout (slots x size) Maximum internal memory *		Operating system installed *	Windows Server 2022 Datacenter, Windows Server 2022 Standard, Windows Server 2022 Essentials, Windows Server 2019 Datacenter,
Storage		Compatible operating systems *	Windows Server 2019 Standard, Windows Server 2019 Essentials,
Number of HDDs supported Supported HDD sizes RAID support *	8 2.5"		VMware vSphere 7.0, Red Hat Enterprise Linux 8, Univention Corporate Server 4
RAID levels	0, 1, 5, 6	Power	
Hot-Plug support	✓	Redundant power supply (RPS)	√
Network		support * Power supply *	500 W
LAN controller Ethernet LAN	Intel I210	Power supply input voltage Power supply input frequency	100 - 240 V 50 / 60 Hz
Cabling technology	10/100/1000Base-T(X)	Operational conditions	
Ethernet interface type Ports & interfaces	Gigabit Ethernet	Operating temperature (T-T)	5 - 45 °C 10 - 85%
Ethernet LAN (RJ-45) ports * USB 2.0 ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A	3 4 2	Operating relative humidity (H-H)	

Ports & interfaces		Certificates	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Certification	CB, GS, CE, NRTLc/us, FCC, ICES-003, NMB-003, VCCI, JIS 61000-3-2, EAC, KC, CCC, RCM, BSMI
VGA (D-Sub) ports quantity	1	Sustainability	
DisplayPorts quantity	1	Sustainability compliance	1
Total number of SATA connectors	7	Sustainability certificates	RoHS, WEEE
		Weight & dimensions	
		Width	177.2 mm
		Depth	521.7 mm
		Height	456.2 mm
		Weight	26.4 kg



4065221880509

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.