FUJITSU

Fujitsu PRIMERGY TX1330 M5 server Tower Intel Xeon E E-2236 3.4 GHz 16 GB DDR4-SDRAM 500 W

**Brand :** Fujitsu   **Product family:** PRIMERGY   **Product code:**
VFY:T1335SC031IN

Product name : TX1330 M5

- No OS
- Intel Xeon E-2236 (12MB Cache, 3.4GHz)
- 16GB (3200MHz) DDR4-SDRAM (1 x 16)
Intel Xeon E-2236 (12MB Cache, 3.4GHz), 16GB DDR4-SDRAM (3200MHz), LAN (Intel I210), 500W, No OS
Fujitsu PRIMERGY TX1330 M5. Processor family: Intel Xeon E, Processor frequency: 3.4 GHz, Processor model: E-2236. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 500 W, Redundant power supply (RPS) support. Chassis type: Tower

Processor

Processor manufacturer *	Intel
Processor family *	Intel Xeon E
Processor model *	E-2236
Processor frequency *	3.4 GHz
Processor boost frequency	4.8 GHz
Processor cores	6
Processor cache	12 MB
Motherboard chipset	Intel C256
Number of processors installed	1
Maximum number of SMP processors	1
Execute Disable Bit	✓
Idle States	✓
Embedded options available	✗
Intel® Optane™ Memory Ready	✓

Memory

Internal memory *	16 GB
Internal memory type *	DDR4-SDRAM
Memory slots	4x DIMM
ECC	✓
Memory clock speed	3200 MHz
Memory layout (slots x size)	1 x 16 GB
Maximum internal memory *	128 GB

Storage

Number of HDDs supported	8
Supported HDD sizes	2.5"
RAID support *	✓
Optical drive type *	✗

Network

LAN controller	Intel I210
Ethernet LAN	✓
Cabling technology	10/100/1000Base-T(X)
Ethernet interface type	Gigabit Ethernet

Design

Product colour	Black
Rack mounting	✓
Redundant fans support	✓

Performance

Noise level	22 dB
Trusted Platform Module (TPM)	✓
Trusted Platform Module (TPM) version	2.0

Software

Operating system installed *	✗
Compatible operating systems *	Windows Server 2022 Datacenter, Windows Server 2022 Standard, Windows Server 2022 Essentials, Windows Server 2019 Datacenter, Windows Server 2019 Standard, Windows Server 2019 Essentials, VMware vSphere 7.0, Red Hat Enterprise Linux 8, Univention Corporate Server 4

Processor special features

CPU configuration (max)	1
Enhanced Intel SpeedStep Technology	✓
Intel Virtualization Technology for Directed I/O (VT-d)	✓
Intel Trusted Execution Technology	✓
Intel VT-x with Extended Page Tables (EPT)	✓
Intel Software Guard Extensions (Intel SGX)	✓
Intel 64	✓
Intel Virtualization Technology (VT-x)	✓

Power

Redundant power supply (RPS) support *	✓
Power supply *	500 W

Ports & interfaces

Ethernet LAN (RJ-45) ports *	3
USB 2.0 ports quantity	4
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
VGA (D-Sub) ports quantity	1
DisplayPorts quantity	1
Total number of SATA connectors	7

Expansion slots

PCI Express x4 (Gen 3.x) slots	2
PCI Express x8 (Gen 4.x) slots	2
PCI slots	1

Design

Chassis type *	Tower

Power

Number of redundant power supplies supported	2
Number of main power supplies	1
Power supply input voltage	100 - 240 V
Power supply input frequency	50 / 60 Hz

Operational conditions

Operating temperature (T-T)	5 - 45 °C
Operating relative humidity (H-H)	10 - 85%

Certificates

Certification	CB, GS, CE, NRTLc/us, FCC, ICES-003, NMB-003, VCCI, JIS 61000-3-2, EAC, KC, CCC, RCM, BSMI

Sustainability

Sustainability compliance	✔
Sustainability certificates	RoHS, WEEE

Weight & dimensions

Width	177.2 mm
Depth	521.7 mm
Height	456.2 mm
Weight	26.4 kg

4065221880301