

Fujitsu PRIMERGY TX1320 M5 server Tower Intel Xeon E E-2356G 3.2 GHz 16 GB DDR4-SDRAM 500 W



Brand : Fujitsu

Product family: PRIMERGY

Product code:
VFY:T1325SC031IN

Product name : TX1320 M5


- Intel Xeon E-2356G (12MB Cache, 3.2GHz)
- 16GB (3200MHz) DDR4-SDRAM (1 x 16)

Intel Xeon E-2356G (12MB Cache, 3.2GHz), 16GB DDR4-SDRAM (3200MHz), Intel UHD Graphics P750, LAN (Intel I210), 500W

Fujitsu PRIMERGY TX1320 M5. Processor family: Intel Xeon E, Processor frequency: 3.2 GHz, Processor model: E-2356G. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. HDD size: 2.5". Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 500 W, Redundant power supply (RPS) support. Chassis type: Tower

Processor		Ports & interfaces	
Processor manufacturer *	Intel	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Processor family *	Intel Xeon E	VGA (D-Sub) ports quantity	1
Processor model *	E-2356G	DisplayPorts quantity	1
Processor frequency *	3.2 GHz	Expansion slots	
Processor boost frequency	5 GHz	PCI Express x4 (Gen 3.x) slots	2
Processor cores	6	PCI Express x8 (Gen 4.x) slots	2
Processor cache	12 MB	Design	
Motherboard chipset	Intel C256	Chassis type *	Tower
Number of processors installed	1	Product colour	Black, Red
Memory		Performance	
Internal memory *	16 GB	Trusted Platform Module (TPM)	✓
Internal memory type *	DDR4-SDRAM	Trusted Platform Module (TPM) version	2.0
Memory slots	4x DIMM	Software	
ECC	✓	Compatible operating systems *	
Memory clock speed	3200 MHz	Windows Server 2022 Datacenter	
Memory layout (slots x size)	1 x 16 GB	Windows Server 2022 Standard	
Maximum internal memory *	128 GB	Windows Server 2022 Essentials	
Storage		Windows Server 2019 Datacenter	
HDD size	2.5"	Windows Server 2019 Standard	
RAID support *	✓	Windows Server 2019 Essentials	
RAID levels	0, 1, 5, 6	SUSE Linux Enterprise Server 15	
Optical drive type *	✗	Processor special features	
Graphics		CPU configuration (max)	1
On-board graphics card	✓	Power	
On-board graphics card family	Intel® UHD Graphics	Redundant power supply (RPS) support *	✓
On-board graphics card model	Intel UHD Graphics P750	Power supply *	500 W
Network		Operational conditions	
LAN controller	Intel I210	Operating temperature (T-T)	5 - 45 °C
Ethernet LAN	✓	Operating relative humidity (H-H)	10 - 85%
Cabling technology	10/100/1000Base-T(X)		
Ethernet interface type	Gigabit Ethernet		
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	2		

Ports & interfaces		Certificates	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Certification	CE, GS, CB, RoHS, WEEE NRTLc/us FCC Class A ICES-003 / NMB-003 Class A VCCI Class A + JIS 61000-3-2 VCCI Class B + JIS 61000-3-2 EAC KC CCC RCM BSMI
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2		
Weight & dimensions			
Width			98 mm
Depth			400 mm
Height			340 mm
Weight			11.1 kg



4065221880172

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-APR-2024. Prints or copies of Information are only valid on the printed Publication date