![BenQ logo]

BenQ W2710i data projector Standard throw projector 2200 ANSI lumens DLP 2160p (3840x2160) 3D White

Brand : BenQ

Product name : W2710i

Product code: 9H.JR977.38E

BenQ W2710i. Projector brightness: 2200 ANSI lumens, Projection technology: DLP, Projector native resolution: 2160p (3840x2160). Light source type: LED, Service life of light source: 4000 h, Service life of light source (economic mode): 15000 h. Focal length range: 12 - 15.6 mm, Aperture range (F-F): 1.9 - 2.47, Zoom ratio: 1.3:1. Video colour modes: Bright cinema, Cinema. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 2.0b

Projector

Smart projector *	✔
Screen size compatibility *	762 - 7620 mm (30 - 300")
Projector brightness *	2200 ANSI lumens
Projection technology *	DLP
Projector native resolution *	2160p (3840x2160)
Contrast ratio (typical) *	50000:1
Native aspect ratio *	16:9
Number of colours	1.07 billion colours
Horizontal scan range	15 - 135 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, horizontal	- 30 - 30°
Keystone correction, vertical	- 30 - 30°

Light source

Light source type *	LED
Service life of light source *	4000 h
Service life of light source (economic mode)	15000 h

Lens system

Focal length range	12 - 15.6 mm
Aperture range (F-F)	1.9 - 2.47
Zoom capability	✔
Zoom ratio	1.3:1
Throw ratio	1.13 - 1.47
Vertical lens shift range	0 - 10%
Offset	100%

Video

Full HD *	✔
3D *	✔

Network

Ethernet LAN *	✘
Wi-Fi *	✘

Storage

Card reader integrated *	✘

Features

Interactive *	✘
Noise level (economic mode)	28 dB
HDCP	✔
Preset modes	3D, Bright, Cinema, ISF Day, ISF Night
Noise level *	30 dB
High Dynamic Range (HDR) supported	✔
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Works with the Google Assistant	✔
Operating system installed	Android

Multimedia

Built-in speaker(s) *	✔
RMS rated power	5 W
Number of built-in speakers	2
Audio decoders	Dolby Atmos

Design

Market positioning *	Home cinema
Product type *	Standard throw projector
Product colour *	White
Placement	Ceiling, Desktop

Video

Video colour modes	Bright cinema, Cinema

Ports & interfaces

HDMI connector type	Full-size
HDMI version	2.0b
USB 2.0 ports quantity *	3
USB 2.0 Type-B ports quantity	1
Audio (L/R) in *	1
Serial interface type *	RS-232
PC Audio out	✔
VGA (D-Sub) ports quantity *	1
S/PDIF out port	✔
HDMI ports quantity *	3
DVI port *	✘
DC-in jack	✔
Audio Return Channel (ARC)	✔

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	330 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Cord length	1.8 m

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	380 mm
Depth	263 mm
Height	127 mm
Weight *	4.2 kg

Packaging content

Remote control included *	✔
Cables included	Power
Manual	✔

4718755089602