
Sony ZV-1F 1" Compact camera 20.1 MP Exmor RS CMOS 5472 \times 3648 pixels Black

Brand : Sony Product code: ZV1FBDI.EU

Product name : ZV-1F







Picture quality		Display	
Image sensor size * Image sensor aspect ratio Camera type * Megapixel (approx.) *	1" 3:2 Compact camera 20.1 MP	Display aspect ratio Vari-angle LCD display Viewing angle, horizontal Viewing angle, vertical	4:3 ✓ 270° 176°
Sensor type *	Exmor RS CMOS	3 3 .	170
Maximum image resolution *	5472 x 3648 pixels	Ports & interfaces USB version *	2.0
Still image resolution(s) * Image formats supported *	5472 x 3648, 3888 x 2592, 2736 x 1824, 4864 x 3648, 3648 x 2736, 2592 x 1944, 5472 x 3080, 3648 x 2056, 2720 x 1528, 3648 x 3648, 2544 x 2544, 1920 x 1920 IPEG	USB connector HDMI * HDMI connector type Microphone in	USB Type-C ✓ Micro ✓
Lens system		Headphone connectivity	3.5 mm
•	4	Network	
Digital zoom * Fixed focal length Maximum aperture number Lens structure (elements/groups)	4x 7.6 mm 2 6/6	Bluetooth * Bluetooth version Wi-Fi * Wi-Fi standards	4.1 4.1 4.1 Wi Fi 4 (002 11a)
Focusing		Near Field Communication (NFC) *	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Focus adjustment *	Auto/Manual	, ,	^
Auto focusing (AF) modes *	Centre weighted Auto Focus, Continuous Auto Focus, Contrast Detection Auto Focus, Flexible Spot Auto Focus, Single Auto Focus	Camera White balance * Shooting modes *	Auto, Cloudy, Daylight, Incandescent, Shade, Underwater Aperture priority, Auto, Manual,
Auto Focus (AF) object detection	Animal, Eye, Face	3	Movie, Shutter priority
Exposure		Self-timer delay * Saturation adjustment	2,5,10 s
ISO sensitivity (min) *	125	Camera playback	Movie, Slide show
ISO sensitivity (max) * ISO sensitivity	12800 125, 160, 200, 320, 400, 500, 640, 800, 1000, 1250, 1600, 2000, 2500, 3200, 4000, 5000, 6400, 8000, 10000, 12800	Camera file system Image quality adjustment Playback modes Camera drive modes	DCF, Exif, MPF Contrast, Saturation, Sharpness Fast forward, Rewind Continuous high, Self-timer, Single
Light exposure modes *	Aperture priority AE, Shutter priority AE	Tripod mounting supported *	✓
Light exposure correction *	± 3EV (1/3EV step)	Design	
Light metering *	Centre-weighted, Highlight- weighted, Spot	Product colour *	Black
	weighted, spot	Battery	
Shutter		Battery life (CIPA standard)	540 shots
Camera shutter type	Electronic	Battery life (max)	4.5 h

Video		Battery	
HD type * 4K Ultra	✓	Battery type	NP-BX1
	3840 x 2160 pixels 4K Ultra HD 1920 x 1080,3840 x 2160 pixels NTSC, PAL	Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
Analog signal format system		Weight & dimensions	
Video formats supported	XAVC S	Width	105.5 mm
Memory		Depth	46.4 mm
Compatible memory cards *	MS Duo, MS Micro (M2), MS PRO, MS Pro-HG Duo, SD, SDHC, SDXC	Weight	60 mm 229 g
Display		Weight (including battery)	256 g
Display *	LCD	Packaging content	
Touchscreen *	✓	Cables included	USB
Display diagonal *	7.62 cm (3")	Batteries included	✓
Display diagonal (metric)	7.5 cm	User guide	✓
Display resolution	921600 dot		





5013493456426

4548736147188

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.