iiyama

iiyama ProLite XU2494HSU-B2 computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : iiyama | **Product family:** ProLite | **Product code:** XU2494HSU-B2

Product name : XU2494HSU-B2

iiyama ProLite XU2494HSU-B2. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Display surface: Matt, Response time: 4 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black

Display

Display diagonal *	60.5 cm (23.8")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	VA
Touchscreen *	✗
Display brightness (typical)	250 cd/m²
Response time	4 ms
Display surface	Matt
Screen shape *	Flat
Contrast ratio (typical) *	3000:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	75 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Horizontal scan range	30 - 85 kHz
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
sRGB coverage (typical)	96%
NTSC coverage (typical)	72%

Performance

NVIDIA G-SYNC *	✗
AMD FreeSync *	✗
Flicker-free technology	✓
Low Blue Light technology	✓

Multimedia

Built-in speaker(s) *	✓
Built-in camera *	✗

Ports & interfaces

HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out *	✓
HDCP	✓

Ergonomics

VESA mounting *	✓
Panel mounting interface	100 x 100 mm
Cable management	✓
Cable lock slot *	✓
Cable lock slot type	Kensington
Height adjustment *	✗
Tilt angle range	4 - 22°
On Screen Display (OSD)	✓
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Russian
Number of OSD languages	10
Tilt adjustment	✓

Power

Energy efficiency class (SDR) *	E
Energy consumption (SDR) per 1000 hours *	16 kWh
Power consumption (typical) *	19 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Packaging content

Stand included	✓
Cables included	AC, HDMI, USB

Multimedia

Number of speakers	2
RMS rated power	4 W

Design

Market positioning *	Home
Product colour *	Black
Frameless design	✔
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)
HDMI *	✔

Packaging content

Manual	✔

Weight & dimensions

Width (with stand)	540 mm
Depth (with stand)	200 mm
Height (with stand)	400.5 mm
Weight (with stand)	3.2 kg

Packaging data

Package width	613 mm
Package depth	403 mm
Package height	125 mm
Package weight	4 kg

4948570120819