

Fujitsu PRIMERGY RX1330 M5 server Rack Intel Xeon E E-2336 2.9 GHz 16 GB DDR4-SDRAM 500 W



Brand : Fujitsu

Product family: PRIMERGY

Product code:
VFY:R1335SC022IN

Product name : RX1330 M5

- No OS
- Intel Xeon E-2336 (12MB Cache, 2.9GHz)
- 16GB (3200MHz) DDR4-SDRAM (1 x 16)
- iRMC S6



Intel Xeon E-2336 (12MB Cache, 2.9GHz), 16GB DDR4-SDRAM (3200MHz), Intel UHD Graphics P750, LAN (Intel I210), iRMC S6, 500W, No OS

Fujitsu PRIMERGY RX1330 M5. Processor family: Intel Xeon E, Processor frequency: 2.9 GHz, Processor model: E-2336. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 500 W, Redundant power supply (RPS) support. Chassis type: Rack

Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express x8 (Gen 4.x) slots	2
Processor family *	Intel Xeon E	PCI slots	1
Processor model *	E-2336	Design	
Processor frequency *	2.9 GHz	Chassis type *	Rack
Processor boost frequency	4.8 GHz	Product colour	Black, Stainless steel
Processor cores	6	Rack mounting	✓
Processor cache	12 MB	Bezel	✓
Motherboard chipset	Intel C256	Performance	
Number of processors installed	1	Remote administration	iRMC S6
Maximum number of SMP processors	1	Noise level	22 dB
Memory		BIOS type	UEFI
Internal memory *	16 GB	Trusted Platform Module (TPM)	✓
Internal memory type *	DDR4-SDRAM	Trusted Platform Module (TPM) version	2.0
Memory slots	4x DIMM	Software	
ECC	✓	Operating system installed *	✗
Memory clock speed	3200 MHz	Compatible operating systems *	Windows Server 2022 Datacenter, Windows Server 2022 Standard, Windows Server 2022 Essentials, Windows Server 2019 Datacenter, Windows Server 2019 Standard, Windows Server 2019 Essentials, VMware vSphere 7.0, Red Hat Enterprise Linux 8
Memory layout (slots x size)	1 x 16 GB		
Maximum internal memory *	128 GB	Processor special features	
Storage		CPU configuration (max)	1
Number of HDDs supported	4	Power	
Supported HDD sizes	2.5"	Redundant power supply (RPS) support *	✓
RAID support *	✓	Power supply *	500 W
Hot-Plug support	✓	Power supply input voltage	100 - 240 V
Optical drive type *	✗	Power supply input frequency	50 / 60 Hz
Graphics		Operational conditions	
On-board graphics card	✓	Operating temperature (T-T)	5 - 45 °C
On-board graphics card model	Intel UHD Graphics P750	Operating relative humidity (H-H)	10 - 85%
Network			
LAN controller	Intel I210		
Ethernet LAN	✓		
Cabling technology	10/100/1000Base-T(X)		
Ethernet interface type	Gigabit Ethernet		
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	3		
USB 2.0 ports quantity	2		

Ports & interfaces		Certificates	
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4	Certification	CB, GS, CE, NRTLc/us, FCC, ICES-003, NMB-003, VCCI, JIS 61000-3-2, EAC, KC, CCC, RCM, BSMI
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
VGA (D-Sub) ports quantity	1		
Expansion slots		Sustainability	
PCI Express x4 (Gen 3.x) slots	1	Sustainability compliance	✓
		Sustainability certificates	RoHS, WEEE
		Weight & dimensions	
		Width	482.6 mm
		Depth	612 mm
		Height	43 mm
		Weight	13 kg



4065221880288

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-APR-2024. Prints or copies of Information are only valid on the printed Publication date