



Fujitsu PRIMERGY RX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic



Brand : Fujitsu

Product family: PRIMERGY

Product code:
VFY:R1335SC044IN


Product name : PRIMERGY
RX1330 M5 / SFF / Hot-Plug PSU
500W / Intel Xeon E-2388G / 1x
32GB DDR4-3200 U ECC / NO
HDD / RMK / iRMCs6 eLCM Lic



PRIMERGY RX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic
Fujitsu PRIMERGY RX1330 M5 / SFF / Hot-Plug PSU 500W / Intel Xeon E-2388G / 1x 32GB DDR4-3200 U ECC / NO HDD / RMK / iRMCs6 eLCM Lic. Processor family: Intel Xeon E, Processor frequency: 3.2 GHz, Processor model: E-2388G. Internal memory: 32 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 32 GB. Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 500 W, Redundant power supply (RPS) support. Chassis type: Rack

Processor		Expansion slots	
Processor manufacturer *	Intel	PCI Express x4 (Gen 3.x) slots	1
Processor family *	Intel Xeon E	PCI Express x8 (Gen 4.x) slots	2
Processor model *	E-2388G	PCI slots	1
Processor frequency *	3.2 GHz	Design	
Processor boost frequency	5.1 GHz	Chassis type *	Rack
Processor cores	4	Product colour	Black, Stainless steel
Processor cache	16 MB	Rack mounting	✓
Motherboard chipset	Intel C256	Bezel	✓
Number of processors installed	1	Performance	
Maximum number of SMP processors	1	Remote administration	iRMC S6
Memory		Noise level	22 dB
Internal memory *	32 GB	BIOS type	UEFI
Internal memory type *	DDR4-SDRAM	Trusted Platform Module (TPM)	✓
Memory slots	4x DIMM	Trusted Platform Module (TPM) version	2.0
ECC	✓	Software	
Memory clock speed	3200 MHz	Operating system installed *	✗
Memory layout (slots x size)	1 x 32 GB	Compatible operating systems *	Windows Server 2022 Datacenter, Windows Server 2022 Standard, Windows Server 2022 Essentials, Windows Server 2019 Datacenter, Windows Server 2019 Standard, Windows Server 2019 Essentials, VMware vSphere 7.0, Red Hat Enterprise Linux 8
Maximum internal memory *	128 GB		
Storage		Power	
Number of HDDs supported	4	Redundant power supply (RPS) support *	✓
Supported HDD sizes	2.5"	Power supply *	500 W
RAID support *	✓	Power supply input voltage	100 - 240 V
Hot-Plug support	✓	Power supply input frequency	50 / 60 Hz
Optical drive type *	✗	Operational conditions	
Graphics		Operating temperature (T-T)	5 - 45 °C
On-board graphics card	✓	Operating relative humidity (H-H)	10 - 85%
On-board graphics card model	Intel UHD Graphics P750		
Network			
LAN controller	Intel I210		
Ethernet LAN	✓		
Cabling technology	10/100/1000Base-T(X)		
Ethernet interface type	Gigabit Ethernet		
Ports & interfaces			
Ethernet LAN (RJ-45) ports *	3		

Ports & interfaces		Certificates	
USB 2.0 ports quantity	2	Certification	CB, GS, CE, NRTLc/us, FCC, ICES-003, NMB-003, VCCI, JIS 61000-3-2, EAC, KC, CCC, RCM, BSMI
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	4		
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1		
VGA (D-Sub) ports quantity	1		
		Sustainability	
		Sustainability compliance	✓
		Sustainability certificates	RoHS, WEEE
		Weight & dimensions	
		Width	482.6 mm
		Depth	612 mm
		Height	43 mm
		Weight	13 kg



4065221880134

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-APR-2024. Prints or copies of Information are only valid on the printed Publication date