

## Fujitsu PRIMERGY TX1320 M5 server Tower Intel Xeon E E-2336 2.9 GHz 16 GB DDR4-SDRAM 500 W

Brand : Fujitsu

Product family: PRIMERGY

Product code: VFY:T1325SC021IN

Product name : TX1320 M5

- Intel Xeon E-2336 (12MB Cache, 2.9GHz)

- 16GB (3200MHz) DDR4-SDRAM (1 x 16)

Intel Xeon E-2336 (12MB Cache, 2.9GHz), 16GB DDR4-SDRAM (3200MHz), Intel UHD Graphics P750, LAN (Intel I210), 500W

Fujitsu PRIMERGY TX1320 M5. Processor family: Intel Xeon E, Processor frequency: 2.9 GHz, Processor model: E-2336. Internal memory: 16 GB, Internal memory type: DDR4-SDRAM, Memory layout (slots x size): 1 x 16 GB. HDD size: 2.5". Ethernet LAN, Cabling technology: 10/100/1000Base-T(X). Power supply: 500 W, Redundant power supply (RPS) support. Chassis type: Tower







Processor		Ports & interfaces	
Processor manufacturer * Processor family * Processor model * Processor frequency * Processor boost frequency Processor cores Processor cache	Intel Intel Xeon E E-2336 2.9 GHz 4.8 GHz 6 12 MB	VGA (D-Sub) ports quantity	1
		DisplayPorts quantity	1
		Expansion slots	
		PCI Express x4 (Gen 3.x) slots	2
		PCI Express x8 (Gen 4.x) slots	2
		Design	
Motherboard chipset	Intel C256	Chassis type *	Tower
Number of processors installed	1	Product colour	Black, Red
Memory		Performance	
Internal memory *	16 GB	Trusted Platform Module (TPM)	<
Internal memory type *	DDR4-SDRAM	Trusted Platform Module (TPM)	2.0
Memory slots	4x DIMM	version	
ECC	✓	Software	
Memory clock speed	3200 MHz 1 x 16 GB		Windows Server 2022 Datacenter
Memory layout (slots x size) Maximum internal memory *	1 X 10 GB 128 GB		Windows Server 2022 Standard Windows Server 2022 Essentials Windows Server 2019 Datacenter Windows Server 2019 Standard Windows Server 2019 Essentials
Storage	120 00	Compatible operating systems *	
HDD size	2.5"		SUSE Linux Enterprise Server 15
RAID support *	1	Processor special features	
RAID levels	0, 1, 5, 6	CPU configuration (max)	1
Optical drive type *	×	Power	-
Graphics			
On-board graphics card	<b>v</b>	Redundant power supply (RPS) support *	✓
On-board graphics card model	Intel UHD Graphics P750	Power supply *	500 W
Network		Operational conditions	
LAN controller	Intel I210	Operating temperature (T-T)	5 - 45 °C
Ethernet LAN		Operating relative humidity (H-H)	10 - 85%
Cabling technology Ethernet interface type	10/100/1000Base-T(X)	Certificates	
5.	Gigabit Ethernet		CE, GS, CB, RoHS, WEEE NRTLc/us
Ports & interfaces			FCC Class A ICES-003 / NMB-003
Ethernet LAN (RJ-45) ports *	2	Certification	Class A VCCI Class A + JIS 61000-3-2 VCCI Class B + JIS
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3		61000-3-2 EAC KC CCC RCM BSMI

Ports & interfaces		Weight & dimensions	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Width	98 mm
		Depth	400 mm
	1	Height	340 mm
		Weight	11.1 kg



4065221880165

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.