*ii*yama

iiyama ProLite T2336MSC-B3 LED display 58.4 cm (23") 1920 x 1080 pixels Full HD Touchscreen Black

Brand : iiyama   **Product family:** ProLite   **Product code:** T2336MSC-B3

Product name : T2336MSC-B3

iiyama ProLite T2336MSC-B3. Display diagonal: 58.4 cm (23"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting. Product colour: Black

Display

Display diagonal *	58.4 cm (23")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Touchscreen *	✔
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (typical)	250 cd/m²
Response time	5 ms
Screen shape *	Flat
Contrast ratio (typical) *	1000:1
Contrast ratio (dynamic)	5000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.2652 x 0.2652 mm
Horizontal scan range	30 - 80 kHz
Viewable size, horizontal	50.9 cm
Viewable size, vertical	28.6 cm
Display diagonal (metric)	58.4 cm

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✔
Built-in camera *	✘
Number of speakers	2
RMS rated power	4 W

Ports & interfaces

VGA (D-Sub) ports quantity	1
DVI port	✔
HDMI *	✔
HDMI ports quantity	1
Headphone out *	✔
Headphone outputs	1
Headphone connectivity	3.5 mm

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✘
Tilt angle range	5 - 90°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Japanese, Portuguese, Russian
Number of OSD languages	9
Plug and Play	✔
Tilt adjustment	✔

Power

Energy efficiency class (SDR) *	E
Energy consumption (SDR) per 1000 hours *	17 kWh
Power consumption (typical) *	16 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G

Design

Market positioning *	Home
Product colour *	Black
Front bezel colour	Black
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	3.2 Gen 1 (3.1 Gen 1)

Packaging content

Stand included	✔
Cables included	AC, HDMI, USB
Manual	✔

Weight & dimensions

Width (with stand)	561 mm
Depth (with stand)	254 mm
Height (with stand)	379 mm
Weight (with stand)	6.3 kg

4948570121083