## Samsung Odyssey LS32AG550E computer monitor 81.3 cm (32") 2560 x 1440 pixels Wide Quad HD Black

**Brand :** Samsung **Product family:** Odyssey **Product code:** LS32AG550EPXEN

**Product name:** LS32AG550E

- QHD resolution brings an ultra-wide gaming space with lifelike detail
- The 165Hz refresh rate eliminates lag for smooth gameplay

32" WQHD 2560x1440 165Hz, 1ms, 16:9, 1000R, HDR10, 1xHDMI 2.0, 1xDisplay Port 1.4,

710.1x533.6x272.6mm, 33.2W, 48kWh, 5.2kg

Samsung Odyssey LS32AG550E. Display diagonal: 81.3 cm (32"), Display resolution: 2560 x 1440 pixels, HD type: Wide Quad HD, Response time: 1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. VESA mounting, Height adjustment. Product colour: Black







| Display  |   | Ergonomics  |   |
|--|---|---|---|
| Display diagonal * Display resolution * HD type * Native aspect ratio * Panel type * Display brightness (typical) Response time Screen shape * Screen curvature rating Contrast ratio (typical) *  | 81.3 cm (32") 2560 x 1440 pixels Wide Quad HD 16:9 VA 300 cd/m² 1 ms Curved 1000R 2500:1                      | Wall mountable Height adjustment * Tilt adjustment Tilt angle range  Power  Energy efficiency class (SDR) * Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per  | ✓<br>✓<br>✓<br>-2 - 18°<br>G<br>G<br>33 kWh   |
| Dynamic contrast ratio marketing name  Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Viewable size, horizontal Viewable size, vertical High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Contrast enhancer | Mega Infinity DCR  165 Hz  178°  178°  16.7 million colours  69.7 cm  39.2 cm   High Dynamic Range 10 (HDR10) | 1000 hours * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Energy efficiency scale  Operational conditions  Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) | 33.2 W<br>0.5 W<br>0.3 W<br>100 - 240 V<br>50 - 60 Hz<br>A to G<br>10 - 40 °C<br>-20 - 45 °C<br>10 - 80%<br>5 - 95% |
| Performance  |   | Packaging content   |   |
| AMD FreeSync * AMD FreeSync type Brand specific technologies   | ✓<br>FreeSync Premium<br>Black Equalizer  | Stand included Cables included Weight & dimensions  | <b>√</b><br>DisplayPort, Power  |
| VESA Adaptive Sync support   | ✓   | -   | 710.1   |
| Multimedia  Built-in speaker(s) *  Built-in camera *   | x<br>x  | Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)   | 710.1 mm<br>272.6 mm<br>533.6 mm<br>5.2 kg<br>710.1 mm<br>135.9 mm  |

| Design                                   |                        | Weight & dimensions  |                    |
|--|------------------------|--|--------------------|
| Product colour *                         | Gaming<br>Black<br>✓   | Height (without stand)<br>Weight (without stand)               | 439.4 mm<br>4.8 kg |
|  |                        | Packaging data   |                    |
| Ports & interfaces                       |                        | Package width  | 794 mm             |
| Built-in USB hub *                       | ×                      | Package depth  | 200 mm             |
| HDMI *                                   | ✓                      | Package height   | 494 mm             |
| HDMI ports quantity                      | 1                      | Package weight   | 7.5 kg             |
| HDMI version                             | 2.0                    | Package type   | Box                |
| DisplayPorts quantity 1                  | 1                      | Sustainability   |                    |
| DisplayPort version Headphone out *      | 1.4<br><b>X</b>        | European Product Registry for<br>Energy Labelling (EPREL) code | 1398421            |
| Ergonomics                               |                        |  |                    |
| VESA mounting * Panel mounting interface | <b>√</b><br>75 x 75 mm |  |                    |



8806094786453

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.