

PHILIPS

Philips 42M2N8900/00 computer monitor 105.5 cm (41.5") 3840 x 2160 pixels 4K Ultra HD OLED White

Brand : Philips

Product code: 42M2N8900/00

Product name : 42M2N8900/00



Gaming Monitor 42M2N8900 OLED gaming monitor

Philips 42M2N8900/00 computer monitor 105.5 cm (41.5") 3840 x 2160 pixels 4K Ultra HD OLED White:

Be prepared to get stunned by the precise colour reproduction of the Evnia OLED gaming monitor. The innovative Ambiglow redefines what a gaming environment usually is, levelling up not only your game gear, but also your gaming experience.

Philips 42M2N8900/00. Display diagonal: 105.5 cm (41.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: OLED, Response time: 0.1 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: White



Display		Ports & interfaces	
Display diagonal *	105.5 cm (41.5")	Audio output	✓
Display resolution *	3840 x 2160 pixels	HDCP	✓
HD type *	4K Ultra HD	HDCP version	1.4/2.3
Native aspect ratio *	16:9	Ergonomics	
Display technology *	OLED	VESA mounting *	✓
Touchscreen *	✗	Cable lock slot *	✓
Response time	0.1 ms	Cable lock slot type	Kensington
Anti-glare screen	✓	Height adjustment *	✓
Screen shape *	Flat	Height adjustment	12 cm
Contrast ratio (typical) *	15000000:1	Swivelling	✓
Dynamic contrast ratio marketing name	Mega Infinity DCR	Swivel angle range	-20 - 20°
Maximum refresh rate *	138 Hz	Tilt angle range	-5 - 15°
Viewing angle, horizontal	178°	Picture-in-Picture	✓
Viewing angle, vertical	178°	On Screen Display (OSD)	✓
Display number of colours *	1.07 billion colours	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Turkish, Ukrainian
Pixel pitch	0.2395 x 0.2395 mm	Plug and Play	✓
Pixel density	106.06 ppi	LED indicators	Operation, Stand-by
Horizontal scan range	30 - 255 kHz	Power	
Vertical scan range	48 - 138 Hz	Energy efficiency class (SDR) *	G
Viewable size, horizontal	92 cm	Energy consumption (SDR) per 1000 hours *	51 kWh
Viewable size, vertical	51.7 cm	Power consumption (typical) *	69.6 W
Display diagonal (metric)	105.5 cm	Power consumption (standby) *	0.5 W
High Dynamic Range (HDR) supported	✓	Power consumption (off)	0.3 W
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	AC input voltage	100 - 240 V
DDC/CI	✓	AC input frequency	50 - 60 Hz
Haze rate	25%	Power supply type	Internal
RGB colour space	DCI-P3	Energy efficiency scale	A to G
Colour gamut	98.5%		
sRGB coverage (typical)	131.3%		
NTSC coverage (typical)	110.3%		

Display		Operational conditions	
Adobe RGB coverage	93.6%	Operating temperature (T-T)	0 - 40 °C
Display sRGB	✓	Storage temperature (T-T)	-20 - 60 °C
Performance		Operating relative humidity (H-H)	20 - 80%
NVIDIA G-SYNC *	✗	Operating altitude	0 - 3658 m
AMD FreeSync *	✓	Non-operating altitude	3658 - 12192 m
AMD FreeSync type	FreeSync Premium	Packaging content	
Fast charging	✓	Stand included	✓
Fast charging technology	Power Delivery	Cables included	HDMI, DisplayPort, USB, USB Type-C to USB Type-C, AC
VESA Adaptive Sync support	✓	Remote control included	✓
Component video sync	Separate sync	Manual	✓
Flicker-free technology	✓	Weight & dimensions	
Low Blue Light technology	✓	Width (with stand)	932 mm
Low input lag	✓	Depth (with stand)	359 mm
Compatible operating systems	Mac OS X Windows 11/10/8.1/8	Height (with stand)	689 mm
Multimedia		Weight (with stand)	17.3 kg
Built-in speaker(s) *	✓	Width (without stand)	932 mm
Built-in camera *	✗	Depth (without stand)	79 mm
Number of speakers	2	Height (without stand)	535 mm
RMS rated power	20 W	Weight (without stand)	13.8 kg
Audio decoders	DTS	Packaging data	
Design		Package width	1070 mm
Market positioning *	Gaming	Package depth	188 mm
Product colour *	White	Package height	635 mm
Ports & interfaces		Package weight	21 kg
Built-in USB hub *	✓	Sustainability	
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Sustainability compliance	✓
USB upstream port type	USB Type-B, USB Type-C	Sustainability certificates	RoHS
Number of upstream ports	2	Doesn't contain	Mercury, PVC/BFR
Number of USB Type-B upstream ports quantity	1	European Product Registry for Energy Labelling (EPREL) code	1426504
Number of USB Type-C upstream ports quantity	1	Other features	
USB Type-A downstream ports quantity	4	DCI-P3 coverage	98.5%
USB Type-C DisplayPort Alternate Mode	✓	Picture-by-Picture (PbP)	✓
USB Power Delivery	✓	Exterior finish type	Textured
USB Power Delivery up to	90 W	Picture enhancement	SmartImage game
HDMI *	✓	Recyclable packaging material	100%
HDMI ports quantity	2	Regulatory Approvals	CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU RoHS; TUV/ISO9241-307; TUV-BAUART; cETLus
HDMI version	2.1	Delta E	2
DisplayPorts quantity	1	EasyRead mode	✓
DisplayPort version	1.4	LowBlue mode	✓
		Mean time between failures (MTBF)	30000 h
		Ambient lighting type	3-sided



8712581798703

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date