StarTech.com

StarTech.com USB-C Multiport Adapter - 4K 60Hz HDMI w/HDR - 3-Port USB Hub - 100W Power Delivery Pass-Through - Works With Chromebook certified - Windows/macOS/iPadOS/Android

Brand : StarTech.com

Product code: 104B-USBC-MULTIPORT

Product name : USB-C Multiport Adapter - 4K 60Hz HDMI w/HDR - 3-Port USB Hub - 100W Power Delivery Pass-Through - Works With Chromebook certified - Windows/macOS/iPadOS/Android

StarTech.com USB-C Multiport Adapter - 4K 60Hz HDMI w/HDR - 3-Port USB Hub - 100W Power Delivery Pass-Through - Works With Chromebook certified - Windows/macOS/iPadOS/Android (104B-USBC-MULTIPORT)
StarTech.com USB-C Multiport Adapter - 4K 60Hz HDMI w/HDR - 3-Port USB Hub - 100W Power Delivery Pass-Through - Works With Chromebook certified - Windows/macOS/iPadOS/Android. Connectivity technology: Wired, Host interface: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery up to: 100 W. Product colour: Black, Silver, Data transfer rate: 5 Gbit/s, HD type: 4K Ultra HD. Power consumption (typical): 14 W, USB cable length: 0.35 m. Windows operating systems supported: Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10..., Mac operating systems supported: Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Linux operating systems supported: Ubuntu 18.04 LTS, Ubuntu 20.04 LTS. Sustainability certificates: RoHS

RoHS
2002/95/EC

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C
USB 2.0 ports quantity *	2
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB Power Delivery	✔
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
HDMI version	2.0b
Microphone in *	✘
USB Type-C DisplayPort Alternate Mode	✔

Network

Ethernet LAN *	✘

Performance

Card reader integrated *	✘
Data transfer rate	5 Gbit/s
HD type	4K Ultra HD
Maximum digital resolution	4096 x 2160 pixels
Product colour *	Black, Silver
High Dynamic Range (HDR) supported	✔
High Dynamic Range 10 (HDR10)	✔
Housing material	Plastic

Power

Power consumption (typical)	14 W

Software

Mac operating systems supported	Mac OS X 10.15.3 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura
Linux operating systems supported	Ubuntu 18.04 LTS, Ubuntu 20.04 LTS
Mobile operating systems supported	Android
Other operating systems supported	ChromeOS

Operational conditions

Operating temperature (T-T)	0 - 45 °C
Storage temperature (T-T)	-25 - 65 °C
Operating relative humidity (H-H)	0 - 95%

Sustainability

Sustainability compliance	✔
Sustainability certificates	RoHS

Weight & dimensions

Width	48 mm
Depth	100 mm
Height	16 mm
Weight	105 g

Packaging data

Package width	115 mm
Package depth	180 mm
Package height	40 mm
Package weight	120 g

Packaging content

Quick start guide	✔

Power

USB cable length	0.35 m

Software

Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 IoT Enterprise, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 11, Windows 11 x64

Logistics data

Products per master (outer) case	20 pc(s)
Master (outer) case width	230 mm
Master (outer) case length	368 mm
Master (outer) case height	230 mm

Other features

Chipset	Analogix - ANX7327, Analogix - ANX7518, VIA - VL817-Q7

0065030895569

065030895569