



Canon MAXIFY GX3050 Inkjet A4 600 x 1200 DPI Wi-Fi

Brand : Canon

Product family: MAXIFY

Product code: 5777C008

Product name : GX3050

Wi-Fi, Print, Copy, Scan & Cloud, 600 x 1.200 dpi, 1.35" LCD (Monochrome), USB, WLAN, 100-240 V, 50-60 Hz

Canon MAXIFY GX3050. Print technology: Inkjet, Printing: Colour printing, Maximum resolution: 600 x 1200 DPI. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 1200 x 2400 DPI. Duplex functions: Copy, Print. Maximum ISO A-series paper size: A4. Wi-Fi. Direct printing. Product colour: Black, White



| Printing | | Ports & interfaces | |
|---|-----------------|---|--|
| Duplex printing mode | Auto | USB connector | USB Type-B |
| Print technology * | Inkjet | Network | |
| Printing * | Colour printing | Wi-Fi * | ✓ |
| Duplex printing * | ✓ | Ethernet LAN * | ✗ |
| Maximum resolution * | 600 x 1200 DPI | Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) |
| Print speed (ISO/IEC 24734) mono | 18 ipm | Security algorithms | WPA-AES, WPA-EAP, WPA-PSK, WPA-TKIP, WPA2-AES, WPA2-EAP, WPA2-PSK, WPA2-TKIP, WPA3-EAP, WPA3-SAE |
| Print speed (ISO/IEC 24734) colour | 13 ipm | Mobile printing technologies | Apple AirPrint, Mopria Print Service, PIXMA Cloud Link |
| Duplex print speed (black, normal quality, A4/US Letter) | 10 ppm | Design | |
| Duplex print speed (colour, normal quality, A4/US Letter) | 8 ppm | Product colour * | Black, White |
| Time to first page (black, normal) | 8 s | Market positioning * | Business |
| Time to first page (colour, normal) | 9 s | Built-in display * | ✓ |
| Economical printing | ✓ | Display | LCD |
| Borderless printing | ✗ | Display diagonal | 3.43 cm (1.35") |
| DVD/CD printing | ✗ | Control type | Buttons |
| Copying | | Colour display | ✗ |
| Duplex copying * | ✓ | Power | |
| Duplex copying mode | Manual | Power consumption (copying) | 18 W |
| Copying * | Colour copying | Power consumption (standby) | 1.4 W |
| Maximum copy size | A4 | Power consumption (off) | 0.1 W |
| Maximum number of copies | 99 copies | Energy Star Typical Electricity Consumption (TEC) | 0.19 kWh/week |
| Copier resize | 25 - 400% | AC input voltage | 100 - 240 V |
| N-in-1 copy function | ✓ | AC input frequency | 50 - 60 Hz |
| N-in-1 copy function (N=) | 2, 4 | System requirements | |
| ID-card copy function | ✓ | Windows operating systems supported | Windows 10, Windows 11, Windows 8.1 |
| Auto fit function | ✓ | | |
| Scanning | | | |
| Duplex scanning * | ✗ | | |
| Scanning * | Colour scanning | | |
| Optical scanning resolution * | 1200 x 2400 DPI | | |
| Maximum scan area | 216 x 297 mm | | |

| | | | |
|------------------------------------|--|---|---|
| Scanning | | System requirements | |
| Scanner type * | Flatbed scanner | Mac operating systems supported | Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey |
| Scan technology | CIS | Server operating systems supported | Windows Server 2008 R2, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022 |
| Input colour depth | 16 bit | Mobile operating systems supported | Android, iOS, iPadOS |
| Output colour depth | 8 bit | Other operating systems supported | ChromeOS |
| Input greyscale depth | 16 bit | Operational conditions | |
| Output greyscale depth | 8 bit | Operating relative humidity (H-H) | 10 - 90% |
| Fax | | Operating temperature (T-T) | 5 - 35 °C |
| Faxing * | ✗ | Storage relative humidity (H-H) | 10 - 90% |
| Features | | Weight & dimensions | |
| Recommended duty cycle | 200 - 1000 pages per month | Width | 399 mm |
| Maximum duty cycle * | 33000 pages per month | Depth | 719 mm |
| Duplex functions * | Copy, Print | Height | 303 mm |
| Ink tank system | ✓ | Weight | 8.3 kg |
| Printing colours * | Black, Cyan, Magenta, Yellow | Packaging data | |
| Replacement cartridges | GI-56 Bk, GI-56 Y, GI-56 C, GI-56 M | Package width | 488.9 mm |
| Input & output capacity | | Package depth | 588 mm |
| Total number of input trays * | 3 | Package height | 313.7 mm |
| Total input capacity * | 350 sheets | Package weight | 13.2 kg |
| Paper tray 1 input capacity | 100 sheets | Packaging content | |
| Paper tray 2 input capacity | 250 sheets | Cartridge(s) included | ✓ |
| Auto document feeder (ADF) | ✗ | Included cartridge capacity (black) | 6000 pages |
| Paper handling | | Included cartridge capacity (CMY) | 14000 pages |
| Maximum ISO A-series paper size * | A4 | Included cartridge capacity (economy mode, black) | 9000 pages |
| Paper tray media types * | Envelopes, High resolution paper, Photo paper, Plain paper | Included cartridge capacity (economy mode, CMY) | 21000 pages |
| ISO A-series sizes (A0...A9) * | A4, A5, A6 | Cables included | AC |
| ISO B-series sizes (B0...B9) | B5 | Logistics data | |
| Non-ISO print media sizes | Legal, Letter | Pallet gross width | 98.6 cm |
| Envelopes sizes | Com-10, DL | Pallet gross length | 118.4 cm |
| Photo paper sizes | 10x15,13x18,18x25,20x25 | Pallet gross height | 94.6 cm |
| Custom media width | 89 - 216 mm | Pallet gross weight | 160.1 kg |
| Custom media length | 127 - 1200 mm | Products per pallet layer | 12 pc(s) |
| Paper tray media weight | 64 - 105 g/m ² | Products per pallet | 12 pc(s) |
| Ports & interfaces | | Technical details | |
| Direct printing * | ✓ | Warranty period | 2 year(s) |
| USB port | ✓ | Introduction month | December |
| | | Other features | |
| | | Software support | Canon PRINT Inkjet/SELPHY, Easy-PhotoPrint Editor, Creative Park, Easy-PhotoPrint Editor |



4549292204483

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-MAR-2024. Prints or copies of Information are only valid on the printed Publication date