



DELL UltraSharp U3423WE 86.7 cm (34.1") 3440 x 1440 pixels UltraWide Quad HD LCD Silver

Brand : DELL

Product family: UltraSharp

Product code: DELL-U3423WE

Product name : U3423WE

- 86.7cm (34.14") UltraWide Quad HD 3440 x 1440 Edge LED IPS

- 8ms, 21:9, 300cd/m², 2000:1

- USB, HDMI, DisplayPort

86.7cm (34.14") UltraWide Quad HD 3440 x 1440 Edge LED IPS, 21:9, 300cd/m², 8ms, 178°/178°, 2000:1

[DELL UltraSharp U3423WE 86.7 cm \(34.1"\) 3440 x 1440 pixels UltraWide Quad HD LCD Silver:](#)

Experience immersive productivity with superior contrast and color on a 34" curved WQHD monitor with IPS Black technology and ComfortView Plus.

DELL UltraSharp U3423WE. Display diagonal: 86.7 cm (34.1"), Display resolution: 3440 x 1440 pixels, HD type: UltraWide Quad HD, Display technology: LCD, Response time: 8 ms, Native aspect ratio: 21:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 2 (3.1 Gen 2). VESA mounting, Height adjustment. Product colour: Silver



Display		Ports & interfaces	
Display diagonal *	86.7 cm (34.1")	HDMI version	2.1
Display resolution *	3440 x 1440 pixels	DisplayPorts quantity	1
HD type *	UltraWide Quad HD	DisplayPort version	1.4
Native aspect ratio *	21:9	Audio output	✓
Display technology *	LCD	Headphone out *	✗
Panel type *	IPS	Built-in KVM switch	✓
Backlight type	Edge LED	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Display brightness (typical)	300 cd/m ²	Charging port type	USB Type-C
Response time	8 ms	AC (power) in	✓
Anti-glare screen	✓	Network	
Screen shape *	Curved	Wi-Fi	✗
Supported video modes	480p, 576p, 720p, 1080i, 1080p	Ergonomics	
Contrast ratio (typical) *	2000:1	VESA mounting *	✓
Maximum refresh rate *	60 Hz	Panel mounting interface	100 x 100 mm
Viewing angle, horizontal	178°	Cable management	✓
Viewing angle, vertical	178°	Cable lock slot *	✓
Response time (fast)	5 ms	Cable lock slot type	Kensington
Pixel pitch	0.2325 x 0.2325 mm	Height adjustment *	✓
Pixel density	109 ppi	Height adjustment	15 cm
Horizontal scan range	30 - 90 kHz	Pivot	✗
Vertical scan range	56 - 76 Hz	Swivelling	✓
Viewable size, horizontal	80 cm	Swivel angle range	-30 - 30°
Viewable size, vertical	33.5 cm	Tilt angle range	-5 - 21°
Viewable size diagonal	86.7 cm	On Screen Display (OSD)	✓
High Dynamic Range (HDR) supported	✗	LED indicators	✓
RGB colour space	DCI-P3	Tilt adjustment	✓
Colour gamut	98%		

Display		Power	
sRGB coverage (typical)	100%	Energy efficiency class (SDR) *	F
Multimedia		Energy consumption (SDR) per 1000 hours *	31 kWh
Built-in speaker(s) *	✓	Power consumption (typical) *	31 W
Built-in camera *	✗	Power consumption (standby) *	0.3 W
Number of speakers	2	Power consumption (max)	198 W
RMS rated power	10 W	Power consumption (off)	0.3 W
Design		AC input voltage	100 - 240 V
Market positioning *	Business	AC input frequency	50/60 Hz
Product colour *	Silver	Power supply type	Internal
Front bezel colour	Black	Weight & dimensions	
Detachable stand	✓	Width (with stand)	813.3 mm
Feet colour	Silver	Depth (with stand)	237.4 mm
Heavy metals free	Hg (mercury)	Height (with stand)	542.8 mm
Ports & interfaces		Weight (with stand)	11 kg
Built-in USB hub *	✓	Width (without stand)	81.3 cm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Depth (without stand)	6.01 cm
USB upstream port type	USB Type-C	Height (without stand)	35.9 cm
Number of USB Type-C upstream ports quantity	2	Weight (without stand)	7.72 kg
USB Type-A downstream ports quantity	4	Bezel width (side)	9.66 mm
USB Type-C downstream ports quantity	1	Bezel width (top)	1.03 cm
USB Type-C DisplayPort Alternate Mode	✓	Bezel width (bottom)	1.39 cm
USB Power Delivery	✓	Packaging data	
USB Power Delivery up to	90 W	Package weight	15.7 kg
HDMI *	✓	Sustainability	
HDMI ports quantity	2	Sustainability certificates	ENERGY STAR, RoHS
		Doesn't contain	PVC/BFR
		Other features	
		RJ-45 ports quantity	1



5397184656969

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 29-MAR-2023. Prints or copies of Information are only valid on the printed Publication date