

## Viewsonic X2-4K data projector Standard throw projector 2150 ANSI lumens LED 2160p (3840x2160) 3D Black

**Brand :** Viewsonic

**Product code:** X2-4K

**Product name :** X2-4K




- True 4K HDR immersive visual experience
- Advanced LED technology with 30,000 hours lifespan
- 2,900 Lumens for bright and clear images in any environment
- Easy Setup: 0.69-0.83 short throw ratio with H/V keystone & 4 corner adjustment
- Designed for Xbox for ultimate gaming experience
- Theater-level sound by Harman Kardon speakers

4K, 2900 LED Lum, 2150 ANSI, 3000000:1, 1.07 B, 1.2X, 16 GB, 6W Cube x2, Wi-fi, Bluetooth, HDMI, Audio-in/out, RS232, USB, 100-240 V, 3.6 kg

Viewsonic X2-4K. Projector brightness: 2150 ANSI lumens, Projection technology: LED, Projector native resolution: 2160p (3840x2160). Light source type: LED, Service life of light source: 30000 h. Focus: Manual, Focal length range: 10.2 - 12.25 mm, Aperture range (F-F): 2.53 - 2.73. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, Service port type: USB Type-A

Projector		Storage	
Projector brightness	2900 LED lumens	Card reader integrated *	✗
Smart projector *	✓	Internal storage capacity	16 GB
Screen size compatibility *	1524 - 3048 mm (60 - 120")	Internal memory	16 GB
Projection distance	0.92 - 2.2 m	Features	
Projector brightness *	2150 ANSI lumens	Interactive *	✓
Projection technology *	LED	Noise level (economic mode)	29 dB
Projector native resolution *	2160p (3840x2160)	HDCP	✓
Contrast ratio (typical) *	3000000:1	On Screen Display (OSD)	✓
Native aspect ratio *	16:9	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, INC, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Number of colours	1.07 billion colours	Number of OSD languages	24
Horizontal scan range	15 - 135 kHz	HDCP version	1.4/2.2
Vertical scan range	23 - 240 Hz	Noise level *	33 dB
Keystone correction, horizontal	-40 - 40°	High Dynamic Range (HDR) supported	✓
Keystone correction, vertical	-40 - 40°	Multimedia	
Light source		Built-in speaker(s) *	✓
Light source type *	LED	RMS rated power	12 W
Service life of light source *	30000 h	Number of built-in speakers	2
Lens system		Design	
Focus *	Manual	Market positioning *	Gaming
Focal length range	10.2 - 12.25 mm	Product type *	Standard throw projector
Aperture range (F-F)	2.53 - 2.73	Product colour *	Black
Zoom capability	✓	Cable lock slot	✓
Zoom type	Manual	Cable lock slot type	Kensington
Digital zoom	2x	Heavy metals free	Hg (mercury)
Optical zoom	1.2x	Display	
Throw ratio	0.69 - 0.83	Built-in display *	✗
Vertical lens shift range	0 - 10%	Power	
Offset	105%	Power source *	AC
Video		Power consumption (typical) *	236 W
Analog signal format system *	NTSC, PAL, SECAM	Power consumption (standby) *	0.5 W
Full HD *	✓		
3D *	✓		
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p		
Ports & interfaces			
HDMI connector type	Full-size		

Ports & interfaces		Power	
HDMI version	2.0	AC input voltage	100 - 240 V
Service port type	USB Type-A	AC input frequency	50/60 Hz
USB 2.0 ports quantity *	2	<b>Operational conditions</b>	
USB 2.0 Type-A ports quantity	1	Operating temperature (T-T)	0 - 40 °C
USB 2.0 Type-C ports quantity	1	<b>Weight &amp; dimensions</b>	
Serial interface type *	RS-232	Width	355 mm
PC Audio out	✓	Depth	251 mm
HDMI ports quantity *	2	Height	121 mm
DVI port *	✗	Weight *	3.6 kg
AC (power) in	✓	Package width	490 mm
<b>Network</b>		Package depth	376 mm
Smart TV *	✗	Package height	313 mm
Ethernet LAN *	✗	Package weight	5.5 kg
Wi-Fi *	✓	<b>Packaging content</b>	
Bluetooth	✓	Remote control included *	✓
Bluetooth version	4.2	Remote control type	Bluetooth
		Cables included	AC, USB Type-C
		Quick start guide	✓
		Warranty card	✓
		<b>Technical details</b>	
		Image lag time	4.2 ms
		<b>Logistics data</b>	
		Quantity per pack	1 pc(s)



0766907019551



766907019551

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-APR-2023. Prints or copies of Information are only valid on the printed Publication date