## Viewsonic LS751HD data projector Standard throw projector 5000 ANSI lumens 1080p (1920x1080) White

**Brand :** Viewsonic **Product code:** LS751HD

**Product name:** LS751HD

- 2nd generation laser phosphor technology with up to 30,000 hours lifespan
- 5,000 ANSI Lumens offering bright images in any environment
- Up to 300" ultra large screen with lower cost-per-inch
- Installation flexibility: V lens shift, 1.6x optical zoom, H/V keystone
- Versatile application: 360° projection, portrait mode
- HDMI 2.0b for accessibility of 4K contents with HDR/HLG support

Full HD, 5000 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg





| Projector   |   | Network  |   |
|---|---|--|---|
| Smart projector * Screen size compatibility * Projection distance Projector brightness * Projector native resolution * Contrast ratio (typical) * | 762 - 7620 mm (30 - 300")<br>0.93 - 14.88 m<br>5000 ANSI lumens<br>1080p (1920x1080)<br>3000000:1 | Ethernet LAN (RJ-45) ports<br>Wi-Fi *                                  | 1<br><b>X</b>   |
|   |   | Storage  |   |
|   |   | Card reader integrated *   | ×   |
|   |   | Features   |   |
| Native aspect ratio * Number of colours Horizontal scan range Vertical scan range Keystone correction, horizontal Keystone correction, vertical   | 16:9<br>1.07 billion colours<br>15 - 102 kHz<br>23 - 120 Hz<br>-30 - 30°<br>-30 - 30°             | Interactive * Noise level (economic mode) HDCP On Screen Display (OSD) | X 29 dB  ✓  Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, Corman Dutch English Spanish  |
| Light source  |   |  | German, Dutch, English, Spanish,<br>Finnish, French, Greek, Hungarian,  |
| Light source type * Service life of light source * Service life of light source (economic mode)   | Laser<br>20000 h<br>30000 h   | On Screen Display (OSD) languages                                      | Indonesian, Italian, Japanese,<br>Korean, Norwegian, Polish,<br>Portuguese, Romanian, Russian,<br>Slovak, Swedish, Thai, Turkish,<br>Vietnamese |
| Lens system   |   | Number of OSD languages  | 27  |
| Focus *   | Manual  | HDCP version   | 1.4/2.2   |
| Focal length range  | 20.911 - 32.62 mm   | Noise level *  | 32 dB   |
| Aperture range (F-F)  | 2.5 - 3.26  | Multimedia   |   |
| Zoom capability   | ✓   | Built-in speaker(s) *  | <b>√</b>  |
| Zoom type   | Manual  | RMS rated power  Number of built-in speakers                           | 30 W<br>2   |
| Digital zoom  | 2x  | ·  | 2   |
| Optical zoom Throw ratio  | 1.6x<br>1.4 - 2.24  | Design   | _   |
| Vertical lens shift range   | 0 - 18%   | Market positioning *   | Business  |
| Offset  | 136%  | Product type * Product colour *  | Standard throw projector White  |
| Video   |   | Cable lock slot  | <b>✓</b>  |
| Analog signal format system *   | NTSC, PAL, SECAM  | Cable lock slot type   | Kensington  |
| Full HD *   | <b>✓</b>  | Display  |   |
| 3D *  | ×   | Built-in display *   | x   |
| Supported video modes   | 480i, 480p, 576i, 576p, 720p, 1080i,<br>1080p, 2160p  | Power  |   |
| Ports & interfaces  |   | Power source *   | AC  |
| HDMI connector type   | Full-size   | Power consumption (typical) *  | 245 W   |
| HDMI version  | 2.0   | Power consumption (standby) *  AC input voltage                        | 0.5 W<br>100 - 240 V  |
| Service port type   | USB Type-A  | AC input frequency   | 50/60 Hz  |
| USB 2.0 ports quantity *  | 1   | Operational conditions   | ,   |
| USB 2.0 Type-A ports quantity   | 1   | •  | 0.40%   |
| Serial interface type *   | RS-232  | Operating temperature (T-T)  | 0 - 40 °C   |

| Ports & interfaces                 |            | Weight & dimensions       |          |
|------------------------------------|------------|---------------------------|----------|
| PC Audio out HDMI ports quantity * | ✓          | Width                     | 337 mm   |
|                                    | 2          | Depth                     | 265 mm   |
| DVI port *                         | ×          | Height                    | 131.5 mm |
| AC (power) in                      | ✓          | Weight *                  | 4.5 kg   |
| Network                            |            | Package width             | 496 mm   |
| Smart TV * Ethernet LAN *          | <b>×</b> ✓ | Package depth             | 195 mm   |
|                                    |            | Package height            | 387 mm   |
|                                    |            | Package weight            | 6.6 kg   |
|                                    |            | Packaging content         |          |
|                                    |            | Remote control included * | ✓        |
|                                    |            | Quick start guide         | ✓        |
|                                    |            | Warranty card             | ✓        |
|                                    |            | Technical details         |          |
|                                    |            | Image lag time            | 49.9 ms  |
|                                    |            | Logistics data            |          |
|                                    |            | Quantity per pack         | 1 pc(s)  |





766907019940

0766907019940

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.