

Intel Core i5-13600 processor 24 MB Smart Cache

Brand : Intel Product family: Core Product code: CM8071505092702

Product name: i5-13600

CM8071505092702

Intel Core i5-13600. Processor family: Intel® Core™ i5, Processor socket: LGA 1700, Processor manufacturer: Intel. Memory channels: Dual-channel, Maximum internal memory supported by processor: 192 GB, Memory types supported by processor: DDR4-SDRAM, DDR5-SDRAM. On-board graphics card model: Intel UHD Graphics 770, On-board graphics card outputs supported: Embedded DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1, On-board graphics card base frequency: 300 MHz. Market segment: Desktop, Use conditions: PC/Client/Tablet, Workstation, PCI Express slots version: 5.0, 4.0. Processor package size: 45 x 37.5 mm







Processor		Features	
Processor manufacturer *	Intel	Embedded options available	×
Processor generation	13th gen Intel® Core™ i5	Direct Media Interface (DMI) Revision	4.0
Processor model *	i5-13600	Export Control Classification	
Processor family *	Intel® Core™ i5	Number (ECCN)	5A992C
Processor cores *	14	Commodity Classification	
Processor socket *	LGA 1700	Automated Tracking System	740.17B1
Processor threads	20	(CCATS)	
Processor operating modes *	64-bit	Processor special features	
Performance cores	6	Intel® Hyper Threading Technology	,
Efficient cores	8	(Intel® HT Technology)	•
Processor boost frequency	5 GHz	Intel® Turbo Boost Technology	2.0
Performance-core boost frequency	5 GHz	Intel® Quick Sync Video Technology	✓
Performance-core base frequency	2.7 GHz	Intel® Clear Video HD Technology	1
Efficient-core boost frequency	3.7 GHz	(Intel® CVT HD)	•
Efficient-core base frequency	2 GHz	Intel® AES New Instructions (Intel® AES-NI)	✓
Processor cache	24 MB	Enhanced Intel SpeedStep	
Processor cache type	Smart Cache	Technology	✓
Box *	×	Intel Trusted Execution Technology	✓
Processor base power	65 W	Intel® Speed Shift Technology	✓
Maximum turbo power	154 W	Intel® Gaussian & Neural	,
Stepping	CO	Accelerator (Intel® GNA) 3.0	•
Bus type	DMI4	Intel® Control-flow Enforcement	1
Maximum number of DMI lanes	8	Technology (CET)	
Memory bandwidth supported by processor (max)	76.8 GB/s	Intel® Thread Director	√
Processor codename	Raptor Lake	Intel VT-x with Extended Page Tables (EPT)	✓
Processor ARK ID	230574	Intel® Secure Key	1
	230374	Intel® Active Management	•
Memory		Technology (Intel® AMT)	✓
Maximum internal memory supported by processor	192 GB	Intel Stable Image Platform Program (SIPP)	✓
Memory types supported by	DDR4-SDRAM, DDR5-SDRAM	Intel® OS Guard	✓
processor Memory channels *	Dual channel	Intel 64	✓
Memory channels *	Dual-channel	Intel Virtualization Technology (VT-	1
ECC Memory bandwidth (may)	76.9 CD/c	x)	•
Memory bandwidth (max) Graphics	76.8 GB/s	Intel Virtualization Technology for Directed I/O (VT-d)	✓
On-board graphics card *	1	Intel Turbo Boost Max Technology	×
Discrete graphics card *	×	3.0	_
On-board graphics card model *	Intel UHD Graphics 770	Intel® Boot Guard	✓
On-board graphics card model	inter or in Graphics 170	Intel® Deep Learning Boost (Intel® DL Boost)	✓

Graphics		Processor special features	
On-board graphics card outputs supported	Embedded DisplayPort (eDP) 1.4b, DisplayPort 1.4a, HDMI 2.1	Intel® Volume Management Device (VMD)	√
On-board graphics card base frequency	300 MHz	Mode-based Execute Control (MBE)	✓
On-board graphics card dynamic	4550.444	Intel® vPro™ Platform Eligibility	√
frequency (max)	1550 MHz	Intel® Standard Manageability (ISM) Intel® One-Click Recovery	V
Number of displays supported (on- board graphics)	4	Intel® Remote Platform Erase (RPE)	•
On-board graphics card DirectX version	12.0	Intel® Virtualization Technology with Redirect Protection (VT-rp)	✓
On-board graphics card OpenGL version	4.5	Intel vPro® Enterprise Platform Eligibility	✓
On-board graphics card maximum resolution (DisplayPort)	7680 x 4320 pixels	Intel® Threat Detection Technology (TDT)	✓
On-board graphics card maximum		Intel® Hardware Shield Eligibility	✓
resolution (eDP - Integrated Flat Panel)	5120 x 3200 pixels	Intel® Total Memory Encryption - Multi Key	✓
On-board graphics card maximum resolution (HDMI)	4096 x 2160 pixels	Intel vPro® Essentials Platform Eligibility	1
On-board graphics card refresh rate at maximum resolution	60 Hz	Operational conditions	
(DisplayPort)	00 HZ	Tjunction	100 °C
On-board graphics card refresh rate at maximum resolution (eDP -	120 Hz	Technical details	
Integrated Flat Panel)		Target market	Gaming
On-board graphics card refresh rate at maximum resolution (HDMI)	60 Hz	OpenCL version Launch date	3.0 O1'23
On-board graphics card ID	0x4680	Status	Launched
Discrete graphics card model *	Not available	Supported memory types	DDR4-SDRAM, DDR5-SDRAM
Number of execution units	32	Logistics data	
Multi-Format Codec Engines	2	Harmonized System (HS) code	8542310001
Features		Weight & dimensions	03 12310001
Execute Disable Bit	✓	· ·	45 x 37.5 mm
Idle States	√	Processor package size	45 X 37.5 IIIIII
Thermal Monitoring Technologies	√ Dealter	Other features	
Market segment Use conditions	Desktop OCClient/Tablet Workstation	L2 cache	11776 KB
Maximum number of PCI Express	PC/Client/Tablet, Workstation	Maximum internal memory	192 GB
lanes	20	Graphics output	eDP 1.4b, DP 1.4a, HDMI 2.1
PCI Express slots version	5.0, 4.0		
PCI Express configurations	1x16+1x4, 2x8+1x4		
Supported instruction sets	SSE4.1, SSE4.2, AVX 2.0		
Scalability	1S		

CPU configuration (max)

