



ASUS ROG THOR 850W Platinum II power supply unit 20+4 pin ATX Black, Blue, Grey

Brand : ASUS

Product family: ROG

Product code: 90YE00L2-B0NA00



Product name : ROG THOR
850W Platinum II

- Lambda A++ Certification confirms the latest Thor wields menacing power in absolute stealth
- ROG heatsinks cover critical components, delivering lower temperatures and reduced noise
- A 135mm wing-blade fan with PWM control delivers lower noise and keeps thermals in check
- Built with low-ESR capacitors and other premium components to achieve 80 Plus Platinum Certification
- OLED display monitors power draw in real time
- Aura Sync compatibility lets you customize and sync lighting effects with other compatible hardware

ROG Thor 850W Platinum II is the quietest PSU in its class

ASUS ROG THOR 850W Platinum II. Total power: 850 W, AC input voltage: 100 - 240 V, Combined power (+3.3V): 100 W. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 61 cm, SATA power cable length: 120,400 mm. Purpose: PC, 80 PLUS certification: 80 PLUS Platinum. Product colour: Black, Blue, Grey, Cooling type: Active, Fan diameter: 13.5 cm. Cables included: CPU, PCIe, Peripheral (Molex), SATA



Power		Ports & interfaces	
Total power *	850 W	PCI Express power cable length	67.5 cm
AC input voltage *	100 - 240 V	CPU power connector (4+4 pin)	✓
Combined power (+3.3V)	100 W	CPU power cable length	65 cm
Combined power (+12V)	852 W	Performance	
Combined power (+5V)	100 W	80 PLUS certification *	80 PLUS Platinum
Combined power (-12V)	3.6 W	Purpose *	PC
Combined power (+5Vsb)	15 W	Silent mode	✓
Max output current (+3.3V)	20 A	Design	
Max output current (+12V)	71 A	Product colour	Black, Blue, Grey
Max output current (+5V)	20 A	Cooling type	Active
Max output current (-12V)	0.3 A	Fan diameter	13.5 cm
Max output current (+5Vsb)	3 A	Number of fans	1 fan(s)
Power protection features	Over current, Over power, Over voltage, Short circuit, Under voltage	Built-in display	✓
Ports & interfaces		Packaging content	
Motherboard power connector *	20+4 pin ATX	Cables included	CPU, PCIe, Peripheral (Molex), SATA
Motherboard power cable length	61 cm	Cable tie(s) included	✓
Number of SATA power connectors	10	Weight & dimensions	
SATA power cable length	120,400 mm	Width	160 mm
Peripheral (Molex) power connectors (4-pin) *	6	Depth	150 mm
Peripheral (Molex) power cable length	120,450 mm	Height	86 mm
PCI Express power connectors (6+2 pin)	3	Weight	1.86 kg
PCI Express power connectors (16-pin)	1	Packaging data	
		Package width	378 mm
		Package depth	240 mm
		Package height	130 mm
		Package weight	4.07 kg
		Package type	Box

Technical details

Sustainability certificates

RoHS



4711081236450

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-MAR-2023. Prints or copies of Information are only valid on the printed Publication date