



BenQ PD3205UA 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD LCD Black

Brand : Benq

Product code: 9H.LKGLA.TPE


Product name : PD3205UA



- Create with the comfort of ergo arm and enjoy the productivity
 - 32" 3840x2160 UHD 16:9 HDR IPS 4K Monitor
 - 99% sRGB and Rec.709 color spaces
 31.5", IPS (3840x2160), UHD, 4K, HDR10, 1000:1, 178°/178°, 5 ms, 60Hz, 16:9, 140 PPI, 1.07 billion colors, HDCP, 2.5Wx2, 100-240V, Puck G2, QSG, USB-C
 BenQ PD3205UA. Display diagonal: 80 cm (31.5"), Display resolution: 3840 x 2160 pixels, HD type: 4K Ultra HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black

Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	USB Type-C DisplayPort Alternate Mode	✓
Display resolution *	3840 x 2160 pixels	USB Power Delivery	✓
HD type *	4K Ultra HD	USB Power Delivery up to	65 W
Native aspect ratio *	16:9	HDMI *	✓
Display technology *	LCD	HDMI ports quantity	1
Panel type *	IPS	HDMI version	2.0
Backlight type	Direct LED	DisplayPorts quantity	1
Touchscreen *	✗	DisplayPort version	1.4
Display brightness (peak)	350 cd/m ²	Thunderbolt 3 ports quantity	1
Display brightness (typical)	250 cd/m ²	Headphone out *	✓
Response time	5 ms	Headphone outputs	1
Anti-glare screen	✓	Headphone connectivity	2.5 mm
Screen shape *	Flat	Built-in KVM switch	✓
Contrast ratio (typical) *	1000:1	KVM switch ports quantity	1
Maximum refresh rate *	60 Hz	HDCP	✓
Viewing angle, horizontal	178°	HDCP version	2.2
Viewing angle, vertical	178°		
Display number of colours *	1.07 billion colours	Ergonomics	
Pixel density	140 ppi	VESA mounting *	✓
High Dynamic Range (HDR) supported	✓	Panel mounting interface	100 x 100 mm
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Wall mountable	✓
RGB colour space	sRGB	Height adjustment *	✓
Colour gamut	99%	Height adjustment	15 cm
Hardware calibration	✓	Pivot	✓
sRGB coverage (typical)	99%	Pivot angle	0 - 90°
Performance		Swivelling	✓
Brand specific technologies	Eye Care+	Swivel angle range	270 - 275°
		Tilt angle range	-5 - 30°
		Picture-in-Picture	✓

Performance		Ergonomics	
Fast charging	✓	On Screen Display (OSD)	✓
ConnectShare (USB)	✓		Arabic, Simplified Chinese, Traditional Chinese, Czech, German, English, Spanish, French,
VESA Adaptive Sync support	✓	On Screen Display (OSD) languages	Hungarian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish
Flicker-free technology	✓		
Low Blue Light technology	✓		
Screen mirroring	✓		
Smart modes	Animation, M-Book, Personal	Number of OSD languages	18
Multimedia		Tilt adjustment	✓
Built-in speaker(s) *	✓	Power	
Built-in camera *	✗	Energy efficiency class (SDR) *	F
Number of speakers	2	Energy efficiency class (HDR) *	G
RMS rated power	5 W	Energy consumption (SDR) per 1000 hours *	30 kWh
Design		Energy consumption (HDR) per 1000 hours *	45 kWh
Market positioning *	Graphics design	Power consumption (typical) *	31.5 W
Product colour *	Black	Power consumption (standby) *	0.5 W
Frameless design	✓	Power consumption (max)	168 W
Front bezel colour	Black	AC input voltage	100 - 240 V
Detachable stand	✓	Power supply type	Internal
Feet colour	Black	Energy efficiency scale	A to G
Certification	TUV, Solidworks, calman , Pantone , Pantone SkinTone	Packaging content	
Ports & interfaces		Stand included	✓
Built-in USB hub *	✓	Quick start guide	✓
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Bundled software	Display Pilot
USB upstream port type	USB Type-B	Weight & dimensions	
Number of upstream ports	2	Width (with stand)	714.7 mm
Number of USB Type-B upstream ports quantity	2	Depth (with stand)	459.4 mm
USB Type-A downstream ports quantity	3	Height (with stand)	731.2 mm
USB Type-C downstream ports quantity	1	Weight (with stand)	10.1 kg
		Width (without stand)	71.5 cm
		Depth (without stand)	8.24 cm
		Height (without stand)	42.2 cm
		Weight (without stand)	6.3 kg
		Packaging data	
		Package type	Box



4718755090394

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.