## **PHILIPS**

## Philips 27M1C5200W/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Black

**Brand : Philips** Product code: 27M1C5200W/00

Product name: 27M1C5200W/00

Evnia 5000 27" (68.5 cm) Full HD gaming monitor

Philips 27M1C5200W/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Black:

Designed for high-intensity gameplay, this monitor is equipped with Sync Technology, a speedy 240 Hz refresh rate and a 0.5 ms response time for tear-free gameplay. In addition, SmartImage HDR delivers beautiful imagery.

Philips 27M1C5200W/00. Display diagonal: 68.6 cm (27"), Display resolution:  $1920 \times 1080$  pixels, Native aspect ratio: 16:9, Viewing angle, horizontal:  $178^{\circ}$ , Viewing angle, vertical:  $178^{\circ}$ . VESA mounting. Product colour: Black







Dianlass		Function	
Display		Ergonomics	
Display diagonal * Display resolution * Native aspect ratio * Panel type * Backlight type	68.6 cm (27") 1920 x 1080 pixels 16:9 VA W-LED	On Screen Display (OSD) languages	Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hungarian, Italian, Japanese Korean, Polish, Portuguese, Russiar Swedish, Turkish, Ukrainian
Display brightness (typical)	300 cd/m <sup>2</sup>	Plug and Play	✓
Anti-glare screen	✓	LED indicators	Operation, Stand-by
Screen shape *	Curved	Power	
Screen curvature rating Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Response time (fast) Pixel pitch Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal	1500R 3000:1 240 Hz 178° 16.7 million colours 0.5 ms 0.3114 x 0.3114 mm 81.59 ppi 30 - 255 kHz 48 - 240 Hz 59.8 cm	Energy efficiency class (SDR) * Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Power supply type  Operational conditions  Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Operating altitude	E 23.7 W 0.5 W 0.3 W 100 - 240 V 50 - 60 Hz Internal 0 - 40 °C -20 - 60 °C 20 - 80% 0 - 3658 m
Viewable size, vertical Display diagonal (metric)	33.6 cm 68.5 cm	Non-operating altitude	0 - 12192 m
DDC/CI	<b>√</b>	Packaging content	
Haze rate Surface hardness	25% 3H	Stand included Manual	<b>*</b>
Colour depth	8 bit	Weight & dimensions	
sRGB coverage (typical)	121%	Width (with stand)	611 mm
NTSC coverage (typical) Display sRGB	98% <b>✓</b>	Depth (with stand) Height (with stand)	236 mm 544 mm

Performance		Weight & dimensions	
VESA Adaptive Sync support Component video sync Flicker-free technology Low input lag	✓ Separate sync ✓	Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	5.61 kg 611 mm 83 mm 366 mm
Design		Weight (without stand)	4.15 kg
Product colour *	Black	Packaging data	
Ports & interfaces  Audio output  HDCP	✓ ✓ 1.4/2.2	Package width Package depth Package height Package weight	930 mm 188 mm 508 mm 10 kg
HIJCP Version			
HDCP version	1.4/2.2	Sustainability	
Ergonomics	•	Sustainability  Doesn't contain	Mercury, PVC/BFR
	√ 100 x 100 mm	•	Mercury, PVC/BFR
Ergonomics VESA mounting *	<b>✓</b>	Doesn't contain	Mercury, PVC/BFR Textured
Ergonomics  VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	✓ 100 x 100 mm ✓ Kensington	Doesn't contain  Other features  Exterior finish type Picture enhancement	Textured SmartImage game
Ergonomics  VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment	✓ 100 x 100 mm ✓ Kensington 13 cm	Doesn't contain  Other features  Exterior finish type	Textured SmartImage game 100%
Ergonomics  VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type	✓ 100 x 100 mm ✓ Kensington	Doesn't contain  Other features  Exterior finish type Picture enhancement	Textured SmartImage game
Ergonomics  VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment Swivel angle range	✓ 100 x 100 mm ✓ Kensington 13 cm -45 - 45°	Doesn't contain  Other features  Exterior finish type Picture enhancement Recyclable packaging material	Textured SmartImage game 100% CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU ROHS;
Ergonomics  VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment Swivel angle range	✓ 100 x 100 mm ✓ Kensington 13 cm -45 - 45°	Doesn't contain  Other features  Exterior finish type Picture enhancement Recyclable packaging material  Regulatory Approvals	Textured SmartImage game 100% CB; CE Mark; FCC Class B; ICES-003; CU-EAC; EAEU ROHS; TUV/ISO9241-307; TUV-BAUART



8712581800697

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.