

BenQ MW560 data projector Standard throw projector 4000 ANSI lumens DLP WXGA (1280x800) 3D White

Brand : BenQ Product code: 9H.JNF77.1JE

Product name : MW560



- Finest All Glass Lenses for the Best and Purest Image Clarity
- 4000 ANSI Lumens High Brightness and 20,000:1 High Contrast
- Exclusive Data Review Mode for Detailed Data Charts and Special SmartEco Mode Saving Lamp Power Up To 70%

WXGA Business Projector with All Glass Lenses for Presentations, DLP, 4000 ANSI Lumen, 1280 x 800, 20000:1, 16:10

BenQ MW560. Projector brightness: 4000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1280x800). Light source type: Lamp, Service life of light source: 6000 h, Service life of light source (economic mode): 10000 h. Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68, Zoom ratio: 1.1:1. Analog signal format system: NTSC, PAL, SECAM, Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size



Projector		Ports & interfaces	
,			
Smart projector * Screen size compatibility * Projector brightness * Projection technology * Projector native resolution * Contrast ratio (typical) * Native aspect ratio * Number of colours Horizontal scan range	1524 - 3810 mm (60 - 150") 4000 ANSI lumens DLP WXGA (1280x800) 20000:1 16:10 1.07 billion colours 15 - 102 kHz	Composite video in * DVI port * AC (power) in	1 X ✓
		Network	
		Smart TV * Ethernet LAN * Wi-Fi *	x x x
		Storage	
Vertical scan range	23 - 120 Hz	Card reader integrated *	×
Keystone correction, vertical	-40 - 40°	Features	
Matrix size	1.65 cm (0.65")	Noise level (economic mode)	29 dB
Light source		On Screen Display (OSD)	✓
Light source type * Service life of light source * Service life of light source (economic mode)	Lamp 6000 h 10000 h	On Screen Display (OSD) languages	Arabic, Bulgarian, Simplified Chinese, Traditional Chinese, Croatian, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Italian, Japanese, Korean, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Vietnamese
Lens system Focal length range	22 - 24.1 mm		
Aperture range (F-F)	2.56 - 2.68	Number of OSD languages	30
Zoom capability	✓	Noise level *	34 dB
Zoom ratio	1.1:1	Multimedia	
Throw ratio Offset	1.55~1.7:1 100%	Built-in speaker(s) *	✓
	100%	RMS rated power	10 W
Video		Number of built-in speakers	1
Analog signal format system *	NTSC, PAL, SECAM	Design	
Full HD * 3D *	×	Market positioning *	Presentation
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1200 (WUXGA)	Product type * Product colour *	Standard throw projector White
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Cable lock slot Cable lock slot type	Kensington

Video		Power	
Video colour modes	Presentation, sRGB	Power source *	AC
S-Video inputs quantity USB 2.0 ports quantity * Mini-USB 2.0 ports quantity Headphone outputs Microphone in Serial interface type * PC in (D-Sub) VGA (D-Sub) ports quantity *	Full-size 1 1 1 1 RS-232 1 2	Power consumption (typical) * Power consumption (standby) *	260 W 0.5 W
		Power consumption (max) Power consumption (economy mode)	280 W 215 W
		AC input voltage	100 - 240 V
		Operational conditions	
		Operating temperature (T-T)	0 - 40 °C
		Weight & dimensions	
		Width Depth Height Weight *	296 mm 221 mm 120 mm 2.3 kg
		Packaging content	
		Remote control included * Remote control type Cables included	✓ IR AC, VGA

