Viewsonic LS510W data projector Standard throw projector 3000 ANSI lumens LED WXGA (1280x800) White

Brand : Viewsonic Product code: LS510W

Product name: LS510W

- 3rd generation LED technology for greater sustainability
- Maintenance free: 30,000-hour light source life and less power consumption
- 3,000 ANSI Lumens offering bright images in any environment
- Ease of use: instant power on/off and convenient software update
- Wide color gamut to present the best

0.65" WXGA, 1280 x 800, LED, 3000 lm, 30" \sim 300", HDMI, 293 x 221 x 115 mm, 240 W Viewsonic LS510W. Projector brightness: 3000 ANSI lumens, Projection technology: LED, Projector native resolution: WXGA (1280x800). Light source type: LED, Service life of light source: 30000 h. Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68, Throw ratio: 1.55 - 1.70. Supported graphics resolutions: 640 x 480 (VGA), 1920 x 1080 (HD 1080), Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p. Serial interface type: RS-232, HDMI connector type: Full-size





Projector		Storage	
Smart projector *	compatibility * 762 - 7620 mm (30 - 300") istance 1 - 10.98 m	Card reader integrated *	×
Screen size compatibility *		Features	
Projection distance		Interactive *	×
Projector brightness * Projection technology *	3000 ANSI lumens LED	Noise level (economic mode)	28 dB
Projection technology * Projector native resolution *	WXGA (1280x800)	HDCP	✓
Contrast ratio (typical) *	300000:1	On Screen Display (OSD)	1
Number of colours Horizontal scan range Vertical scan range Keystone correction, vertical Matrix size	1.07 billion colours 15 - 102 kHz 23 - 120 Hz +/- 40° 1.65 cm (0.65")	On Screen Display (OSD) languages	Arabic, Simplified Chinese, Traditional Chinese, Czech, German, Dutch, English, Spanish, Finnish, French, Greek, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Polish, Portuguese, Russian, Swedish, Thai, Turkish, Vietnamese
Matrix type	DMD	Number of OSD languages	24
Light source		Noise level *	34 dB
Light source type *	LED	Multimedia	
Service life of light source *	30000 h	Built-in speaker(s) *	✓
Lens system		RMS rated power	2 W
Focal length range	22 - 24.1 mm	Number of built-in speakers	1
Aperture range (F-F)	2.56 - 2.68	Design	
Zoom capability	✓	Product type *	Standard throw projector
Throw ratio	1.55 - 1.70	Product colour *	White
Offset	1000%	LED indicators Cable lock slot	√
Video			•
Full HD *	X	Display	
3D *	X 640 × 400 (VCA) 1020 × 1000 (UD	Built-in display *	X
Supported graphics resolutions	640 x 480 (VGA), 1920 x 1080 (HD 1080)	Power	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p	Power source * Power consumption (typical) * Power consumption (standby) *	AC 240 W 0.5 W
Ports & interfaces			0.5 W
HDMI connector type	Full-size	Operational conditions	
HDMI version	1.4 1	Operating temperature (T-T)	0 - 40 °C -20 - 60 °C
USB 2.0 ports quantity * Audio (L/R) in *	1	Storage temperature (T-T) Operating relative humidity (H-H)	0 - 90%
Audio (L/R) out	1	Storage relative humidity (H-H)	0 - 90%
Serial interface type *	RS-232	Operating altitude	0 - 3000 m
VGA (D-Sub) ports quantity *	1	Weight & dimensions	
HDMI ports quantity *			

Ports & interfaces		Weight & dimensions	
IR input ports quantity AC (power) in	1 ✓	Width Depth	293 mm 221 mm
Network		Height Weight *	115 mm 2.65 kg
Smart TV * Ethernet LAN * Wi-Fi *	× ×	Package width Package depth Package height Package weight	365 mm 300 mm 188 mm 2.85 kg
		Packaging content	
		Remote control included *	✓
		Cables included	AC
		Manual	✓





766907018073

0766907018073

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.