



## TP-Link ER707-M2 wired router 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet Black

**Brand :** TP-Link

**Product code:** ER707-M2

**Product name :** ER707-M2



Omada Multi-Gigabit VPN Router, 1 x 2.5G RJ45 WAN, 1 x 2.5G RJ45 WAN/LAN, 1 x Gigabit SFP WAN/LAN, 4 x Gigabit RJ45 WAN/LAN, 1 x USB 2.0

TP-Link ER707-M2 wired router 2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet Black:

Two 2.5G Ports: 1x 2.5G WAN and 1x 2.5G WAN/LAN ports provide high-bandwidth aggregation connectivity.

Up to 6 WAN Ports: 2.5G RJ45, gigabit Fiber, and gigabit RJ45 WAN ports with load balance raise the utilization rate of multi-line broadband.

Highly Secure VPN: Enterprise-standard SSL/IPSec/GER\$/PPTP/L2TP VPN & OpenVPN are ideal for use across multiple branches and for WFH.

Integrated into Omada SDN: Supports Zero-Touch Provisioning (ZTP),\*\* Centralized Cloud Management, Intelligent Monitoring, and more.

Centralized Management: Cloud access and Omada app provide the utmost in management convenience.

Extensive Security Features: Protect your network and data with advanced firewall policies, DoS defense, IP/MAC/URL filtering, and more security functions.



WAN connection		Technical details	
Ethernet WAN *	✓	Sustainability compliance	✓
SFP WAN *	✓	Sustainability certificates	CE, Federal Communications Commission (FCC), RoHS
Network		Features	
Networking standards *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3q, IEEE 802.3u, IEEE 802.3x	Flash memory	128 MB
Ethernet interface type *	2.5 Gigabit Ethernet, Fast Ethernet, Gigabit Ethernet	Internal memory	1000 MB
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Internal memory type	DDR4
Throughput	1.44 Gbit/s	Windows operating systems supported	Windows 10, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Static route	✓	Mac operating systems supported	✓
VLAN support	✓	Linux operating systems supported	✓
Policy-based routing	✓	Design	
Management features		Product colour *	Black
Web-based management *	✓	Housing material	Steel
Universal Plug and Play (UPnP)	✓	Wall mountable	✓
Reset button	✓	LED indicators	LAN, Link, Power, Speed, System, USB, WAN
Ports & interfaces		Power	
Ethernet LAN (RJ-45) ports *	6	Power source type	DC
WAN/Ethernet LAN ports quantity	6	Output voltage	12 V
WAN ports quantity	1	Output current	1.5 A
Installed SFP modules quantity	1	Operational conditions	
USB ports quantity	1	Operating temperature (T-T)	0 - 40 °C
USB version	2.0	Storage temperature (T-T)	-40 - 70 °C
Protocols		Operating relative humidity (H-H)	10 - 90%
DHCP client *	✓	Storage relative humidity (H-H)	5 - 90%
DHCP server *	✓		
Supported network protocols	TCP/IP, DHCP, ICMP, NAT, PPPoE, NTP, HTTP, HTTPS, DNS, IPSec, PPTP, L2TP, OpenVPN, SNMP		

Security		Weight & dimensions	
Security algorithms *	3DES, 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SNMP, SNMPv2, SNMPv3	Width	226 mm
URL filtering	✓	Depth	131 mm
ICMP attack prevention	✓	Height	35 mm
Network address translation (NAT)	✓	Packaging data	
System event log	✓	AC adapter included	✓
VPN tunnels quantity	66	Quick installation guide	✓



4895252500745



4895252500738

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.