Brand : Veho

Product code: VHS-010-OC

Product name : Cave Wireless IP outdoor camera

- Professional grade full HD 1080 wireless IP Camera

- Cmos 3 Mega Pixel 30fps @ 1920 x 1080 Resolution
- Auto Nightvision
- Weather resistant IP 65

- Supports up to 128gb SD Memory

Cave Wireless IP outdoor camera

Veho Cave Wireless IP outdoor camera:

The Veho Cave VHS-010-OC is a professional grade fixed wireless IP Camera with nightvision and full HD 1080 recording

Veho Cave Wireless IP outdoor camera. Type: IP security camera, Placement supported: Indoor & outdoor, Connectivity technology: Wireless. Mounting type: Wall, Product colour: Black, Form factor: Bullet. Field of view (FOV) angle: 114°. Sensor type: CMOS, Optical sensor size: 25.4 / 2.7 mm (1 / 2.7"). Fixed focal length: 4 mm





Performance Network Type * Indoor Soutdoor Wi-Fi * Ø Placement supported * Indoor Soutdoor Wi-Fi * Ø02.11b, 802.11g, Wi-Fi 4 (802.11g) Connectivity technology * Wireless Frequency band 2.4 GHz Daylight mode I Storage - Daylight mode III Storage - Form factor Bullet Compatible memory cards MicroSD (TransFlash) Mounting type * Wall Compatible memory cards MicroSD (TransFlash) Prodection features Water resistant Controy of origin Storage Prodection features Vecentry Power consumption (typical) Storage Field of view (FOV) angle 144 Power consumption (typical) Storage Padoramic camera Veco toput voltage Coutput of tage Storage Digital wide Dynamic Range (Digital wide Dynamic Range (WDR) (panoramic Camera) Storage Addroid 10.0, Android 11.0, Android 1				
Pracement supported*Indoor & outdoorWi-Fi standards802.11b, 802.11g, Wi-Fi 4 (802.11n)Connectivity technology*WirelessFrequency band2.4 GHzDay/night mode✓StorageDesignBuiltein HDD *XForm factor*BulletCard reader integrated✓Mounting type *WallCompatible memory cardsMicroSD (TransFlash)Product colour*BlackMaximum memory card size128 GBProduct colour*BlackMaximum memory card size128 GBProtection featuresWater resistantSecurityVideo motion detectionCountry of originChinaPowerPowerCameraIta*Power onsumption (typical)5 WIntege sensor25.4 / 2.7 mm (1 / 2.7*)DC output voltage12Optical sensor size25.4 / 2.7 mm (1 / 2.7*)DC output voltage12Digital Wide Dynamic Range (WWOR) (panoramic camera)✓StorageStorageUWOB of features1StorageStorageStorageInternational perture number2.4Mobile operating systems supportedAndroid 1.0, Android 5.0, Android 7.0, Android 7.1, Android 5.0, Android 7.0, Android 7.1, Android 5.0, Android 7.1, Android 7.1, Android 5.0, Android 7.0, Android 7.1, Android 7.1, Android 7.1, Android 7.1, Android 7.1, 	Performance		Network	
Besign Builte Builte Form factor * Builte Card reader integrated ✓ Mounting type * Wall Compatible memory cards MicroSD (TransFlash) Product colour * Black Maximum memory card size 128 GB Product colour * Black Maximum memory card size 128 GB Product colour * Black Maximum memory card size 128 GB Protection features Water resistant Security Video motion detection ✓ Comera Power Power consumption (typical) 5 W Power Field of view (FOV) angle 114° Power consumption (typical) 5 W Image sensor DC output voltage 12 Optical sensor size 25.4 / 2.7 mm (1 / 2.7") DC output current 1 A Sensor type * CMOS Certificates Vaster seistent ✓ System requirements Ibigtal Wide Dynamic Range (WDS) (panoramic camera) ✓ Y System requirements Android 1.0, Android 5.0, Android 5.0, Android 5.1, Android 5.0, Android 5.1, So 15.1, IOS 1.2, IOS 1.2, IOS 1.2, IOS 1.2, IOS 1.2, IO	Placement supported * Connectivity technology *	Indoor & outdoor Wireless	Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)
Form factor * Bullet Card mabe Card mabe Mounting type * Wall Compatible memory cards MicroSD (TransFlash) Product colour * Black Maximum memory card size 128 GB Product colour * Black Maximum memory card size 128 GB Product colour * Black Maximum memory card size 128 GB Product colour * Black Maximum memory card size 128 GB Product colour * Water resistant Security Video motion detection ✓ Camera Power Power consumption (typical) 5 W Image sensor Cody consumption (typical) 5 W Optical sensor size 25 A / 2.7 mm (1 / 2.7") DC output voltage 12 Optical sensor size 25 A / 2.7 mm (1 / 2.7") DC output current 1 A Sensor type * CMOS Certificates Panoramic camera V Yesten requirements UWDRN (panoramic camera) ✓ Settentical and Electronic Equipment (WEEE) compliance Android 10.0, Android 11.0, Android 12.0, Android 5.0, I.0, IS 1.1, IOS 1.1, IOS 1.1, IOS 1.1, IOS 1.1, IOS 1.1, I	, .	1	Storage	
Mounting type *WallCompatible memory cardsMicroSD (TransFlash)Product colour *BlackMaximum memory card size128 GBProtection featuresWater resistantSecurityInternational Protection (IP) codeIP65Yideo motion detectionCountry of originChinaPowerCameraPower source type *DC consumption (typical)5 WInage sensorDC output voltage12Optical sensor size25.4 / 2.7 mm (1 / 2.7")DC output voltage12Optical sensor size25.4 / 2.7 mm (1 / 2.7")DC output voltage14Sensor type *CMOScertificatesPomer source type sizeCMOScertificatesDigital Wide Dynamic Range (WDWDR) (panoramic camera)1Addreside 1.0, Android 1.0, Android 1.0, Android 1.0, Android 5.0, Android 5.0, Android 5.0, Android 5.0, Android 5.0, Android 5.0, Android 5.1, Android 5.0, Android 5.1, Android 1.1, Android 5.1, Android 5.0, Android 5.1, An	-			
International Protection (IP) code IP65 Security Country of origin China Video motion detection ✓ Camera Power DC Field of view (FOV) angle 14° Power consumption (typical) 5 W Image sensor DC Power consumption (typical) 5 W Optical sensor size 25.4 / 2.7 mm (1 / 2.7") DC output voltage 1 A Sensor type * CMOS Certificates Certificates Panoramic camera Vaste Electrical and Electronic Equipment (WEEE) compliance ✓ Digital Wide Dynamic Range (DWDR) (panoramic camera) - Android 1.0, Android 1.0, Android 1.0, Android 1.0, Android 5.0, Android 1.2.0, Android 1.3.0, Android 5.0,	Mounting type *	Wall	Compatible memory cards	MicroSD (TransFlash)
Country of origin China Video motion detection Image sensor Field of view (FOV) angle 114° Power consumption (typical) 5 W Image sensor DC output voltage 12 Optical sensor size 25.4 / 2.7 mm (1 / 2.7") DC output voltage 1A Sensor type * CMOS Certificates Image sensor Digital Wide Dynamic Range (DWDR) (panoramic camera) Vaste Electrical and Electronic Equipment (WEEE) compliance Number of lenses * 1 System requirements Android 10.0, Android 1.0, Android 5.0, Android 5.1, Android 6.0, Android 5.0, Number of lenses * 1 Number of lenses * 1 Maximum aperture number 2.4 Fixed focus Maximum aperture number 2.4 Night vision * Maximum aperture number 2.4 Night vision * Support Support Night vision * Support Night vision * Support Night vision * Support Night vision * Depth 48 mm Maximum resolution * Depth 48 mm			Security	
Camera Power Camera Power source type * DC Field of view (FOV) angle 114° Power source type * DC Image sensor Coutput voltage 12 Optical sensor size 25.4 / 2.7 mm (1 / 2.7") DC output voltage 1A Sensor type * CMOS Certificates Image sensor Panoramic camera Vaste Electrical and Electronic Equipment (WEEE) compliance Image sensor Digital Wide Dynamic Range (DWDR) (panoramic camera) Image sensor Image sensor Image sensor Number of lenses * 1 System requirements Android 10.0, Android 1.0, Android 5.0, Android 1.0, Android 5.0, Android 1.1, Android 6.0, Android 5.0, Android 1.1, Android 6.0, Sensor Number of lenses * 1 Fixed focus Image sensor Night vision * Image sensor Video<			Video motion detection	1
Field of view (FOV) angle 114° Power source type * DC Field of view (FOV) angle 114° Power consumption (typical) 5 W Image sensor DC output voltage 12 Optical sensor size 25.4 / 2.7 mm (1 / 2.7") DC output current 1 A Sensor type * CMOS Certificates Certificates Panoramic camera Vaste Electrical and Electronic Equipment (WEEE) compliance System requirements Digital Wide Dynamic Range (DWDR) (panoramic camera) Image sensor Android 1.0, Android 1.0, Android 1.0, Android 5.0, Android 5.0, Android 5.0, Android 5.1, Android 1.0, Android 5.0, Android 5.1, Android 5.0, Android 5.0, Son 5.0, IOS 10.0, IOS 11.0, IOS 11.4, IOS 12.0 SO 1.0, IOS 10.0, IOS 11.4, IOS 12.0 SO 1.0, IOS 1.0, IOS 1.1, IOS 1.1, IOS 1.2, IOS 1.3, IOS 1.1, IOS 1.2, IOS 1.3, IOS 1.1, IOS 1.1, IOS 1.2, IOS 1.3, IOS 1.1, IOS 1.2, IOS 1.3, IOS 1.1, IOS 1.2, IOS 1.3, IOS 1.1, IOS 1	, .	china	Power	
Optical sensor size25.4 / 2.7 mm (1 / 2.7")DC output vurget12Optical sensor size25.4 / 2.7 mm (1 / 2.7")DC output current1 ASensor type *CMOSCertificatesPanoramic cameraVaste Electrical and Electronic Equipment (WEEE) complianceAndroid 10.0, Android 11.0, Android 1.0, Android 1.0, Android 1.1, Android 1.1, Android 1.0, Android 1.1, IOS 11.0, IOS 11.0, IOS 11.4, IOS 12, IOS 13, IOS 13.4, IOS 14, IOS 14.5, IOS 15, IOS 15, IOS 16, IOS 9.0, IOS 9.1, IOS 9.2, IOS 9.3Night vision *Night vision *Night vision distance30 mWidth188 mmDepth65 mmMaximum resolution *1920 x 1080 pixelsTotal megapixels *3 MPWidey385 g	Field of view (FOV) angle	114°		
Sensor type * CMOS Certificates Panoramic camera Waste Electrical and Electronic Equipment (WEEE) compliance * Digital Wide Dynamic Range (DWDR) (panoramic camera) * System requirements * Lens system * System requirements Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.0, Android 5.0, Android 5.1, Android 6.0, Android 5.0, Android 5.1, Android 6.0, Android 7.1, Android 6.0, Android 7.1, Android 6.0, Android 7.1, Android 9.0, IOS 11.0, IOS 11.4, IOS 12, IOS 13, IOS 13.4, IOS 14, IOS 14, IOS 12, IOS 13.4, IOS 14,	Image sensor		DC output voltage	12
Panoramic camera Waste Electrical and Electronic Digital Wide Dynamic Range Waste Electrical and Electronic Equipment (WEEE) compliance Lens system Mumber of lenses * 1 Fixed focus 	1			1 A
Digital Wide Dynamic Range (DWDR) (panoramic camera) Image: System camera) System requirements Lens system Android 10.0, Android 11.0, Android 12.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 5.1, Android 5.0, Android 5.1, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 8.0, And		CMOS		
System System requirements Lens system Android 10.0, Android 11.0, Android 12.0, Android 13.0, Android 5.0, Android 13.0, Android 5.0, Android 5.1, Android 6.0, Android 5.1, Android 6.0, Android 7.1, Android			Equipment (WEEE) compliance	4
Lens systemAndroid 10.0, Android 11.0, Android 12.0, Android 13.0, Android 11.0, Android 5.0, Android 5.1, Android 5.0, Android 5.1, Android		<		
Number of lenses *1Fixed focus✓Maximum aperture number2.4Fixed focal length4 mmMight vision✓Night vision *✓Night vision distance30 mVideo12.0, Android 5.0, Android 5.0, Android 7.1, Android 7.1.2, Mobile operating systems supportedMaximum resolution *1920 x 1080 pixelsTotal megapixels *3 MPVideo compression formatsH.265	Lens system			Android 10.0. Android 11.0. Android
Night vision * ✓ Night vision distance 30 m Video 30 m Video Width Maximum resolution * 1920 x 1080 pixels Total megapixels * 3 MP Video compression formats H.265	Fixed focus Maximum aperture number	✓ 2.4	Mobile operating systems supported	12.0, Android 13.0, Android 5.0, Android 5.1, Android 6.0, Android 7.0, Android 7.1, Android 7.1.2, Android 8.0, Android 8.1, Android 9.0, iOS 10.0, iOS 11.0, iOS 11.4, iOS 12, iOS 13, iOS 13.4, iOS 14,
Night vision * V Night vision distance 30 m Video Width Maximum resolution * 1920 x 1080 pixels Total megapixels * 3 MP Video compression formats H265				
Video Width 188 mm Maximum resolution * 1920 x 1080 pixels Depth 65 mm Total megapixels * 3 MP Height 60 mm Video compression formats H.265 Weight 385 g	5		Weight & dimensions	
Maximum resolution *1920 x 1080 pixelsDepth65 mmTotal megapixels *3 MPHeight60 mmVideo compression formatsH.265Weight385 g	5	50 m	-	188 mm
Total megapixels * 3 MP Height 60 mm Video compression formats H.265 Weight 385 g		1020 x 1090 pixela	Depth	65 mm
Video compression formats H.265 Weight 385 g			Height	60 mm
Package width 197 mm			Weight	385 g
	video compression formats	11.203	Package width	197 mm

Publication date: 10-JUN-2023. Prints or copies of Information are only valid on the printed Publication date

Video		Weight & dimensions	
Supported graphics resolutions	640 x 352, 1920 x 1080 (HD 1080)	Package depth	171 mm
Supported video modes	1080p	Package height	86 mm
Frame rate	30 fps	Package weight	558 g
Noise reduction	✓	Package type	Box
Noise reduction technology Bit rate	3D noise reduction 32Kbps~8Mbps	Packaging content	
Bit rate		Number of cameras *	1
Network		Manual	4
Ethernet LAN *	X "HTTP, FTP, TCP/IP, UDP, SMTP, DHCP, NTP, UPNP, RTSP, Onvif,	Logistics data	
Supported network protocols		Master (outer) case width	611 mm

Master (outer) case length

Master (outer) case height Master (outer) case gross weight

Products per master (outer) case

367 mm 364 mm

14.4 kg

24 pc(s)

Supported network protocols

DHCP, NTP, UPNP, RTSP, Onvif, DDNS"





811805031027

0811805031027



5060594760822

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.