BenQ LW550 data projector Standard throw projector 3000 ANSI lumens DLP WXGA (1200x800) 3D White

Brand : BenQ

Product code: 9H.JRT77.13E

Product name : LW550

- Support 98% REC.709 coverage for true and vibrant colors
- Up to 30,000 hours LED light source life with no lamp replacement
- Instant on/off and auto vertical keystone for quick and easy setup

DLP, 3000 ANSI lumens, WXGA (1280 x 800), 16:10, 2x HDMI, USB Type-A, RS-232, 3.5 mm, Keystone Adjustment

BenQ LW550. Projector brightness: 3000 ANSI lumens, Projection technology: DLP, Projector native resolution: WXGA (1200x800). Light source type: LED, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Zoom ratio: 1.1:1, Throw ratio: 1.55 - 1.7, Offset: 100%. Video colour modes: Bright cinema, Presentation, sRGB. Serial interface type: RS-232, HDMI version: 1.4a

Projector

Smart projector *	✖
Projector brightness *	3000 ANSI lumens
Projection technology *	DLP
Projector native resolution *	WXGA (1200x800)
Contrast ratio (typical) *	20000:1
Native aspect ratio *	16:10
Number of colours	1.07 billion colours
Horizontal scan range	15 - 102 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, horizontal	-30 - 30°
Keystone correction, vertical	-30 - 30°
Colour gamut	95%

Light source

Light source type *	LED
Service life of light source *	20000 h
Service life of light source (economic mode)	30000 h

Lens system

Zoom capability	✔
Zoom ratio	1.1:1
Throw ratio	1.55 - 1.7
Offset	100%

Video

Full HD *	✖
3D *	✔
Video colour modes	Bright cinema, Presentation, sRGB

Ports & interfaces

HDMI version	1.4a
USB 2.0 ports quantity *	1
Headphone outputs	1
Serial interface type *	RS-232

Storage

Card reader integrated *	✖

Features

Interactive *	✖
Noise level (economic mode)	28 dB
HDCP	✔
Noise level *	34 dB

Multimedia

Built-in speaker(s) *	✔
RMS rated power	10 W
Number of built-in speakers	1

Design

Market positioning *	Business
Product type *	Standard throw projector
Product colour *	White
Placement	Ceiling, Desktop

Display

Built-in display *	✖

Power

Power source *	AC
Power consumption (typical) *	215 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Cord length	1.8 m

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	303.5 mm
Depth	220.7 mm

Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	2	Height	107.4 mm
DVI port *	✖	Weight *	2.6 kg

Network		Packaging content	
Smart TV *	✖	Remote control included *	✔
Ethernet LAN *	✖	Batteries included	✔
Wi-Fi *	✖	Cables included	AC
		Manual	✔

Logistics data	
Quantity per pack	1 pc(s)

4718755091056