Gigabyte B760M H DDR4 (rev. 1.0) Intel B760 Express LGA 1700 micro ATX

Brand : Gigabyte Product code: B760M H DDR4

Product name: B760M H DDR4 (rev. 1.0)

- Intel® Socket LGA 1700□Support 13th and 12th Gen Series Processors
- Unparalleled Performance \square Hybrid 6+1+1 Phases Digital VRM Solution
- Dual Channel DDR4[]2*DIMMs XMP Memory Module Support
- Next Generation Storage 2*PCle 4.0 x4 M.2 Connectors
- EZ-Latch
 ☐PCle 4.0x16 Slot with Quick Release Design
- Fast Networks GbE LAN
- Extended Connectivity HDMI, D-Sub
- Smart Fan 6[]Features Multiple Temperature Sensors, Hybrid Fan Headers with FAN STOP B760M H DDR4 Intel LGA 1700 m-ATX Motherboard, 4x DDR4 ~128GB, 2x PCI-E x16, 2x M.2, 4x SATA, 3x USB 3.2, 2x USB 2.0, 1x Type-C





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	Intel LGA 1700	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold	Ethernet LAN (RJ-45) ports * VGA (D-Sub) ports quantity *	1
Maximum number of SMP processors Supported processor sockets	1 LGA 1700	HDMI ports quantity * HDMI version	1 1.4
Memory	LGA 1700	DisplayPorts quantity DisplayPort version	1 1.4
Supported memory types *	DDR4-SDRAM	Network	
Number of memory slots * Memory slots type Memory channels	2 DIMM Dual-channel	Ethernet LAN Ethernet interface type Wi-Fi *	✓ Gigabit Ethernet
Non-ECC	2122 2400 2666 2022 2000 2200	Features	
Supported memory clock speeds Supported memory clock speed (max) Maximum internal memory *	2133,2400,2666,2933,3000,3200 MHz 3200 MHz 64 GB	Motherboard chipset * Audio chip Audio output channels * Component for *	Intel B760 Express Realtek ALC897 7.1 channels PC
Storage controllers		Motherboard form factor *	micro ATX
Supported storage drive interfaces * RAID support RAID levels	M.2, SATA III ✓ 0, 1, 5, 10	Motherboard chipset family * Power source type Windows operating systems supported	Intel ATX Windows 10, Windows 11
Internal I/O	_	Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 4.x) slots Number of M.2 (M) slots	1 2
Number of SATA III connectors *	4	BIOS	
Front panel audio connector Front panel connector ATX Power connector (24-pin) CPU fan connector	4	BIOS type * BIOS memory size ACPI version Clear CMOS jumper	UEFI AMI 128 Mbit 5.0 ✓
EPS power connector (8-pin) TPM connector	✓	Desktop Management Interface (DMI) version	2.7

Internal I/O		BIOS		
Serial port headers RGB LED pin header	1	System Management BIOS (SMBIOS) version	2.7	
Rear panel I/O ports		Weight & dimensions	Weight & dimensions	
USB 2.0 ports quantity *	2	Width Depth	230 mm 215 mm	

