![BenQ logo]

BenQ MS550 data projector Standard throw projector 3600 ANSI lumens DLP SVGA (800x600) 3D White

Brand : BenQ

Product name : MS550

Product code: 9H.JJ477.1HE

- Dual HDMI port for reliable digital transmission
- Auto vertical keystone and retractable feet for easy setup
- SmartEco Mode saves lamp power up to 70%
MS550 3600AL SVGA Projector with SmartEco Power Saving
BenQ MS550. Projector brightness: 3600 ANSI lumens, Projection technology: DLP, Projector native resolution: SVGA (800x600). Light source type: Lamp, Service life of light source: 5000 h, Service life of light source (economic mode): 10000 h. Focus: Manual, Focal length range: 22 - 24.1 mm, Aperture range (F-F): 2.56 - 2.68. Analog signal format system: NTSC, PAL, SECAM. Serial interface type: RS-232, HDMI connector type: Full-size, HDMI version: 1.4a

Projector

Smart projector *	✘
Projector brightness *	3600 ANSI lumens
Projection technology *	DLP
Projector native resolution *	SVGA (800x600)
Contrast ratio (typical) *	20000:1
Native aspect ratio *	4:3
Number of colours	1.07 billion colours
Horizontal scan range	15 - 102 kHz
Vertical scan range	23 - 120 Hz
Keystone correction, vertical	-40 - 40°

Light source

Light source type *	Lamp
Service life of light source *	5000 h
Service life of light source (economic mode) *	10000 h
Lamp power	200 W
Lamps quantity	1 lamp(s)

Lens system

Focus *	Manual
Focal length range	22 - 24.1 mm
Aperture range (F-F)	2.56 - 2.68
Zoom capability	✔
Zoom ratio	1:1
Throw ratio	1.96 - 2.15
Offset	110%

Video

Analog signal format system *	NTSC, PAL, SECAM
Full HD *	✘
3D *	✔

Ports & interfaces

HDMI connector type	Full-size

Ports & interfaces

Composite video in *	1
DVI port *	✘
AC (power) in	✔

Network

Smart TV *	✘
Ethernet LAN *	✘
Wi-Fi *	✘

Storage

Card reader integrated *	✘

Features

Interactive *	✘
Noise level (economic mode)	29 dB
On Screen Display (OSD)	✔
Noise level *	34 dB

Design

Market positioning *	Presentation
Product type *	Standard throw projector
Product colour *	White
Placement	Desktop
Cable lock slot	✔
Cable lock slot type	Kensington

Display

Built-in display *	✘

Power

Power source *	AC
Power consumption (typical) *	270 W
Power consumption (standby) *	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Ports & interfaces

HDMI version	1.4a
S-Video inputs quantity	1
Mini-USB 2.0 ports quantity	1
Serial interface type *	RS-232
PC Audio in	✔
PC Audio out	✔
PC in (D-Sub)	✔
VGA (D-Sub) ports quantity *	2
HDMI ports quantity *	2

Operational conditions

Operating temperature (T-T)	0 - 40 °C

Weight & dimensions

Width	296 mm
Depth	221 mm
Height	120 mm
Weight *	2.3 kg

Packaging content

Remote control included *	✔
Cables included	AC, VGA
Quick start guide	✔
Manual	✔
Warranty card	✔

4718755074189

4718755074165