

Samsung LH75QMCEBGXEN Signage Display Digital signage flat panel 190.5 cm (75") LCD Wi-Fi 500 cd/m² 4K Ultra HD Black Tizen 24/7



Brand : Samsung

Product code: LH75QMCEBGXEN


Product name : LH75QMCEBGXEN

- Ultra Slim Depth
- Even Bezel
- Centered VESA Holes

Crystal UHD Signage QMC 75", 3840 x 2160 VA, 3 x HDMI, 1 x DisplayPort, Ethernet, Wi-Fi, Bluetooth Samsung LH75QMCEBGXEN. Product design: Digital signage flat panel. Display diagonal: 190.5 cm (75"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Tizen. Product colour: Black

Display		Design	
Panel type	VA	Anti-glare screen	✓
Display diagonal *	190.5 cm (75")	Mounting type	Wall
Display technology *	LCD	Performance	
Display resolution *	3840 x 2160 pixels	Purpose *	Universal
Display brightness *	500 cd/m ²	Operating hours (hours/days)	24/7
HD type *	4K Ultra HD	HDCP	✓
Touchscreen *	✗	HDCP version	2.2
Response time	8 ms	Power	
Contrast ratio (typical)	4000:1	Power consumption (typical) *	214.5 W
Dynamic contrast ratio marketing name	Mega Contrast	Power consumption (standby) *	0.5 W
Viewing angle, horizontal	178°	AC input voltage	100 - 240 V
Viewing angle, vertical	178°	AC input frequency	50/60 Hz
Pixel pitch	0.429 x 0.429 mm	Computer system	
Horizontal scan range	30 - 81 kHz	Internal memory	16 GB
Vertical scan range	48 - 75 Hz	Operating system installed	Tizen
Haze rate	25%	Operating system version	7.0
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	3	Display width	1682.3 mm
HDMI version	2.0	Display depth	28.5 mm
DVI port *	✗	Display height	960.4 mm
DisplayPorts quantity *	1	Display weight	33.4 kg
DisplayPorts in	1	Packaging data	
USB port *	✓	Package width	1839 mm
USB ports quantity	2	Package depth	180 mm
Ethernet LAN *	✓	Package height	1113 mm
Ethernet LAN (RJ-45) ports	1	Package weight	44.1 kg
Wi-Fi *	✓	Operational conditions	
RS-232 interface	✓	Operating temperature (T-T)	0 - 40 °C
Infrared data port	✓	Operating relative humidity (H-H)	10 - 80%
Card reader integrated	✗	Certificates	
Design		Certification	60950-1, 62368-1
Product design *	Digital signage flat panel	Features	
Product colour *	Black	Suitable for indoor use	✓
VESA mounting *	✓		
Panel mounting interface	400 x 400 mm		

Design		Features	
Bezel width (bottom)	1.34 cm	Wall mountable	✓
Bezel width (side)	1.34 cm	Technical details	
Bezel width (top)	1.34 cm	Sustainability compliance	✓
		Sustainability certificates	CE, ENERGY STAR, EPEAT Bronze, TUV
		Other features	
		Bluetooth	✓



8806094973976

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-OCT-2023. Prints or copies of Information are only valid on the printed Publication date