

Sony FW-65BZ30L Signage Display Digital signage flat panel 165.1 cm (65") LCD Wi-Fi 440 cd/m² 4K Ultra HD Black Android 24/7

Brand : Sony

Product code: FW-65BZ30L

Product name : FW-65BZ30L



LCD, 4K HDR, 65", 440 cd/m², 3840 x 2160, Wi-Fi, Wireless LAN, VESA 300 x 300, Black
 Sony FW-65BZ30L. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 440 cd/m², HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Android. Product colour: Black



Display		Design	
Panel type	IPS	Orientation	Horizontal/Vertical
LED backlight	✓	Product colour *	Black
LED backlighting type	Direct-LED	Screen shape	Flat
Display diagonal *	165.1 cm (65")	VESA mounting *	✓
Display technology *	LCD	Panel mounting interface	300 x 300 mm
Display resolution *	3840 x 2160 pixels	Anti-glare screen	✗
Display brightness *	440 cd/m ²	Performance	
HD type *	4K Ultra HD	Purpose *	Universal
Touchscreen *	✗	Apple AirPlay support	✓
Native aspect ratio	16:9	Operating hours (hours/days)	24/7
Response time	8 ms	HDCP	✓
Contrast ratio (typical)	1200:1	HDCP version	2.3
Contrast ratio (dynamic)	300000:1	Global-IPTV support	✓
Viewing angle, horizontal	178°	Power	
Viewing angle, vertical	178°	Power consumption (typical) *	230 W
Motion interpolation technology	Motionflow XR	Power consumption (standby) *	0.5 W
High Dynamic Range (HDR) supported	✓	Computer system	
High Dynamic Range (HDR) technology	Dolby Vision, High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)	Internal storage capacity	16 GB
Haze rate	1%	Operating system installed	Android
Ports & interfaces		Weight & dimensions	
HDMI ports quantity *	4	Display width	1462 mm
USB port *	✓	Display depth	71 mm
USB ports quantity	2	Display height	842 mm
Ethernet LAN *	✓	Display weight	21.2 kg
Ethernet LAN (RJ-45) ports	1	Width (with stand)	1462 mm
Wi-Fi *	✓	Depth (with stand)	338 mm
Composite video in	1	Height (with stand)	912 mm
PC Audio in	✓	Weight (with stand)	22.1 kg
PC Audio out	✓	Packaging data	
Audio		Package width	1588 mm
Built-in speaker(s) *	✓	Package depth	184 mm
Number of built-in speakers	2	Package height	965 mm
RMS rated power	20 W	Package weight	30 kg
Design		Packaging content	
Product design *	Digital signage flat panel	Stand included	✓
		Remote control included	✓
		Remote control type	RS-232C

Features

Wall mountable





4548736150058

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-AUG-2023. Prints or copies of Information are only valid on the printed Publication date