

## Hisense 55U6KQTUK TV 139.7 cm (55") 4K Ultra HD Smart TV Wi-Fi Grey

**Brand :** Hisense

**Product code:** 55U6KQTUK

**Product name :** 55U6KQTUK

- Mini LED (FALD - up to 192 zones, Peak Brightness 600 nits) - Wide Viewing Angle
  - Dolby Vision, HDR10+, HDR10+Adaptive, HDR10, HLG, 4k HDR Immersive
  - VIDAA U6 - Streaming Apps
  - Dolby Atmos 2.0, DTS Virtual X
- Hisense 55U6KQTUK 55in Mini LED QD 4K Smart TV with Freeview Play




Hisense 55U6KQTUK TV 139.7 cm (55") 4K Ultra HD Smart TV Wi-Fi Grey:

Mini-Led is a revolution in TV technology, offering superior colour and contrast. The U6 combines the benefits of Quantum Dot technology with Mini-LED with over a 100 dimming zones and Hisense' Hi-View engine which utilises the latest in AI processing technology by automatically optimising both images making the everyday extraordinary. The U6K Series brings the latest in TV technology to everyone at an uncompromising value.



Display		Ports & interfaces	
Display diagonal *	139.7 cm (55")	HDMI version	2.0
HD type *	4K Ultra HD	Audio Return Channel (ARC)	✓
Display technology *	QLED MiniLED	Ethernet LAN (RJ-45) ports *	1
LED backlight	✓	USB 2.0 ports quantity *	2
LED backlighting type	Mini LED	Component video (YPbPr/YCbCr) in	1
Screen shape *	Flat	Digital audio optical out	1
Native aspect ratio *	16:9	Headphone outputs *	1
Display brightness *	400 cd/m <sup>2</sup>	Common interface (CI) *	✓
Response time *	8 ms	Common interface Plus (CI+) *	✓
Native refresh rate	60 Hz	HDMI ports quantity *	3
Contrast ratio (typical) *	5000:1	PC in (D-Sub) *	✗
Viewing angle, horizontal	178°	Management features	
Viewing angle, vertical	178°	Voice control	✓
Display resolution *	3840 x 2160 pixels	Electronic Programme Guide (EPG)	✓
TV tuner		Programming period	8 day(s)
Tuner type *	Analog & digital	On Screen Display (OSD)	✓
Digital signal format system *	DVB-C, DVB-S, DVB-S2, DVB-T, DVB-T2	Number of OSD languages	33
Smart TV		Hotel mode	✓
Smart TV *	✓	Sleep timer	✓
Internet TV *	✗	Power	
Operating system installed *	VIDAA U	Energy efficiency class (SDR) *	F
Operating system version	6	Energy efficiency class (HDR) *	G
Timeshift	✓	Energy consumption (SDR) per 1000 hours *	77 kWh
Apple AirPlay 2 support	✓	Power consumption (typical) *	170 W
Hybrid Broadcast Broadband TV (HbbTV)	✓	Energy consumption (HDR) per 1000 hours *	110 kWh
Hybrid Broadcast Broadband TV (HbbTV) version	2.0.3	Power consumption (standby) *	0.5 W
		AC input voltage	100 - 240 V

<b>Smart TV</b>		<b>Power</b>	
Video apps	4oD, All 4, Amazon Prime Video, Apple TV, BBC iPlayer, BritBox, DAZN, Freeview Play, ITV Hub, My5, NOW TV, Netflix, Rakuten TV, YouTube	AC input frequency	50/60 Hz
Music apps	Amazon Music, BBC Sounds	Energy saving mode	✗
Sports apps	BBC Sports, DAZN, Red Bull TV	<b>Certificates</b>	
Lifestyle apps	Facebook	UN number	85287220
<b>Audio</b>		<b>Supplier features</b>	
Number of speakers *	2	Country of origin	China
RMS rated power *	20 W	<b>Technical details</b>	
Audio decoders	Dolby Atmos	Processor	Quad Core
Audio decoding technologies	Dolby MS12	<b>Weight &amp; dimensions</b>	
Equalizer	✓	Width (with stand)	1232 mm
Enhanced Audio Return Channel (eARC)	✓	Depth (with stand)	313 mm
<b>Network</b>		Height (with stand)	778 mm
Wi-Fi *	✓	Weight (with stand)	13.7 kg
Ethernet LAN *	✓	Width (without stand)	1232 mm
Bluetooth *	✓	Depth (without stand)	76 mm
Bluetooth version	4.2	Height (without stand)	711 mm
Miracast	✓	Weight (without stand)	13.2 kg
Web browser	✓	Stand width	100.4 cm
<b>Design</b>		<b>Packaging data</b>	
VESA mounting *	✓	Desktop stand	✓
Panel mounting interface	400 x 200 mm	Mounting kit	✗
Product colour *	Grey	Cables included	AV
Stand type	Legs stand	Remote control included	✓
<b>Performance</b>		Remote control type	Smart
High Dynamic Range (HDR) supported *	✓	Smart Remote included	✓
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)	Screws included	✓
Game mode	✓	Quick start guide	✓
Teletext function	✓	Manual	✓
Subtitles function	✓	Package width	1387 mm
Ambient light sensor	✓	Package depth	145 mm
Local dimming	✓	Package height	838 mm
Noise reduction *	✓	Package weight	18.8 kg
Game features	Auto Low Latency Mode (ALLM), Variable Refresh Rate (VRR)	<b>Logistics data</b>	
4K Ultra HD upscaling	✓	Export Control Classification Number (ECCN)	85287220
Parental control	✓		
USB recording *	✓		



6942147492901

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-SEP-2023. Prints or copies of Information are only valid on the printed Publication date