Gigabyte B550M AORUS ELITE AX Motherboard - Supports AMD Ryzen 5000 CPUs, 5+3 Phases Pure Digital VRM, up to 4733MHz DDR5 (OC), 1xPCle 4.0 M.2, Wi-Fi 6E, GbE LAN, USB 3.2 Gen 2

Brand: Gigabyte

Product code: B550M AORUS ELITE

Product name: B550M AORUS ELITE AX Motherboard -Supports AMD Ryzen 5000 CPUs, 5+3 Phases Pure Digital VRM, up to 4733MHz DDR5 (OC), 1xPCle 4.0 M.2, Wi-Fi 6E,

GbE LAN, USB 3.2 Gen 2

AMD B550, AMD AM4, 4x DDR4, DVI-D, HDMI, 1G LAN, M.2, SATA III, USB 3.2, PS.2, Mircro ATX, 244x244

Gigabyte B550M AORUS ELITE AX Motherboard - Supports AMD Ryzen 5000 CPUs, 5+3 Phases Pure Digital VRM, up to 4733MHz DDR5 (OC), 1xPCle 4.0 M.2, Wi-Fi 6E, GbE LAN, USB 3.2 Gen 2:

GIGABYTE B550 motherboards maximize your PC's potential with AMD StoreMI technology. StoreMI accelerates traditional storage devices to reduce boot times and enhance the overall user experience. This easy-to-use utility combines the speed of SSDs with the high capacity of HDDs into a single drive, enhances the read/write speeds of the device to match that of SSDs, bolsters data performance for incredible value, and transforms the everyday PC to a performance driven system.





Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	USB connector type	USB Type-A, USB Type-C
Processor socket *	sor socket * Socket AM4	Network	
Compatible processor series *	3rd Generation AMD Ryzen™ 3, 3rd Generation AMD Ryzen 5, 3rd Generation AMD Ryzen™ 7, 3rd Generation AMD Ryzen™ 9	Ethernet LAN Ethernet interface type Wi-Fi *	✓ Gigabit Ethernet
Maximum number of SMP processors	1	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported processor sockets	Socket AM4	Wi-Fi standards WLAN controller model	Wi-Fi 6E (802.11ax) Realtek RTL8852CE
Maximum internal memory supported by processor	128 GB	Bluetooth	✓
Memory Constitution Control		Bluetooth version	5.3
Supported memory types * DDR4-SDRAM Number of memory slots * 4		Features	
Supported memory clock speeds (max) Maximum internal memory * 128 GB Supported memory module capacities Unbuffered memory * 128 GB Unbuffered memory would capacities Unbuffered memory * 128 GB Supported storage drive types Supported storage drive interfaces * Number of HDDs supported Number of storage drives supported	HDD & SSD SATA III 4	Motherboard chipset * Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported Expansion slots PCI Express x1 (Gen 3.x) slots PCI Express x16 slots	AMD B550 7.1 channels Brown Fan, Temperature, Voltage PC micro ATX AMD Windows 10 x64, Windows 11 x64
RAID levels	0, 1, 10	PCI Express x16 (Gen 4.x) slots	1
Graphics		Number of M.2 (M) slots	2
Maximum resolution HDCP	4096 x 2160 pixels	BIOS	
	✓	BIOS type *	UEFI AMI
DirectX version	12.0	,,	128 Mbit
	12.0	BIOS memory size ACPI version	

Internal I/O		BIOS	
USB 3.2 Gen 1 (3.1 Gen 1) connectors * Number of SATA III connectors * Front panel audio connector Front panel connector ATX Power connector (24-pin) CPU fan connector Number of chassis fan connectors TPM connector Serial port headers	1 4 ✓ ✓ ✓ 1	Desktop Management Interface (DMI) version	2.7
		System Management BIOS (SMBIOS) version	2.7
		Logistics data	
		Country of origin	China
		Products per shipping (inner) case	1 pc(s)
		Battery	
		Battery weight	3 g
12V power connector	<u>-</u>	Lithium weight per battery	0.07 g
RGB LED pin header	✓	Number of battery cells	1
Rear panel I/O ports		Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 2.0 ports quantity *	4	Battery type	CR2032
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * Ethernet LAN (RJ-45) ports *	4	Packaging data	
	1	Package width	265 mm
PS/2 ports quantity	1	Package depth	265 mm
HDMI ports quantity *	1	Package height	65 mm
HDMI version	2.1	Package weight	1.27 kg
DVI-D ports quantity *	1	Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Bundled software	Norton Internet Security (OEM) Realtek 8118 Gaming LAN Bandwidth Control Utility
		Technical details	
		Warranty period	3 year(s)



4719331855055

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.