



ASUS PRIME H510M-E R2.0 Intel H470 LGA 1200 (Socket H5) micro ATX

Brand : ASUS

Product code: 90MB1FQ0-M0EAY0

Product name : PRIME H510M-E R2.0

- Intel® LGA 1200 socket: Ready for 11th and 10th Gen Intel® Processors
 - Comprehensive cooling: PCH heatsink and Fan Xpert
 - Ultrafast connectivity: 32Gbps M.2 slot, Realtek 1Gb Ethernet and USB 3.2 Gen 1
 - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB headers for RGB LED strips, easily synced with Aura Sync-capable hardware
 - 5X Protection III: Multiple hardware safeguards for all-round protection
- Prime H510M-E R2.0 motherboard socket Intel LGA1200 (Intel H470 chipset, mATX, DDR4, USB 3.2 Gen 1, M.2, 1Gb Ethernet, Aura Sync)



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Processor socket *	LGA 1200 (Socket H5)	Ethernet LAN (RJ-45) ports *	1
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	PS/2 ports quantity	2
		VGA (D-Sub) ports quantity *	1
Supported processor sockets	LGA 1200 (Socket H5)	HDMI ports quantity *	1
		HDMI version	2.1
Memory		DisplayPorts quantity	1
Supported memory types *	DDR4-SDRAM	DisplayPort version	1.4
Number of memory slots *	2	Headphone outputs	1
Memory slots type	DIMM	Line-in	✓
Memory channels	Dual-channel	Microphone in	✓
Non-ECC	✓	Network	
Supported memory clock speeds	2133,2400,2666,2800,2933,3000,3200 MHz	Ethernet LAN	✓
		Ethernet interface type	Gigabit Ethernet
Supported memory clock speed (max)	3200 MHz	Wi-Fi *	✗
Maximum internal memory *	64 GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel H470
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Component for *	PC
Supported storage drive interfaces *	M.2, SATA III	Motherboard form factor *	micro ATX
Number of HDDs supported	4	Motherboard chipset family *	Intel
Number of storage drives supported	5	Cooling type	Passive
Graphics		Power source type	ATX
Parallel processing technology support *	Not supported	Windows operating systems supported	Windows 10
Internal I/O		Expansion slots	
USB 2.0 connectors *	2	PCI Express x1 (Gen 3.x) slots	2
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	PCI Express x16 (Gen 4.x) slots	1
Number of SATA III connectors *	4	Number of M.2 (M) slots	1
S/PDIF out connector	✓		

Internal I/O		BIOS	
Front panel audio connector	✓	BIOS type *	UEFI AMI
ATX Power connector (24-pin)	✓	BIOS memory size	128 Mbit
CPU fan connector	✓	Packaging data	
Number of chassis fan connectors	1	Package width	260 mm
EPS power connector (8-pin)	✓	Package depth	270 mm
Number of COM connectors	1	Package height	51.5 mm
TPM connector	✓	Package weight	1.03 kg
12V power connector	✓	Weight & dimensions	
RGB LED pin header	✓	Width	226 mm
Rear panel I/O ports		Depth	211 mm
USB 2.0 ports quantity *	2	Packaging content	
		Cables included	SATA
		User guide	✓



4711387234945

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 15-FEB-2024. Prints or copies of Information are only valid on the printed Publication date