



## ASUS PRIME H510M-A R2.0 Intel H510 LGA 1200 (Socket H5) micro ATX

**Brand :** ASUS

**Product code:** 90MB1FP0-M0EAY0

**Product name :** PRIME H510M-A R2.0

- Intel® LGA 1200 socket: Ready for 11th and 10th Gen Intel® Processors
  - Comprehensive cooling: VRM heatsink, M.2 heatsink, PCH heatsink and Fan Xpert 2+
  - Ultrafast connectivity: 32Gbps M.2 slot, Realtek 1Gb Ethernet and USB 3.2 Gen 1
  - Aura Sync RGB Lighting: Onboard Addressable Gen 2 headers and Aura RGB headers for RGB LED strips, easily synced with Aura Sync-capable hardware
  - 5X Protection III: Multiple hardware safeguards for all-round protection
- Intel H470 (LGA 1200) micro ATX motherboard with PCIe 4.0, 32Gbps M.2 slot, DisplayPort/ HDMI/VGA, USB 3.2 Gen 1 ports, SATA 6 Gbps, AURA Addressable Gen 2 headers, AURA SYNC, Armoury Crate, Q-LED Core



Processor		Internal I/O	
Processor manufacturer *	Intel	12V power connector	✓
Processor socket *	LGA 1200 (Socket H5)	RGB LED pin header	✓
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9	Rear panel I/O ports	
Supported processor sockets	LGA 1200 (Socket H5)	USB 2.0 ports quantity *	2
Memory		USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4
Supported memory types *	DDR4-SDRAM	Ethernet LAN (RJ-45) ports *	1
Number of memory slots *	2	PS/2 ports quantity	2
Memory slots type	DIMM	VGA (D-Sub) ports quantity *	1
Memory channels	Dual-channel	HDMI ports quantity *	1
Non-ECC	✓	DisplayPorts quantity	1
Supported memory clock speeds	2133,2400,2666,2800,2933,3000,3200 MHz	Headphone outputs	1
Supported memory clock speed (max)	3200 MHz	Line-in	✓
Maximum internal memory *	64 GB	Microphone in	✓
Unbuffered memory	✓	Network	
Storage controllers		Ethernet LAN	✓
Supported storage drive types	HDD & SSD	Ethernet interface type	Gigabit Ethernet
Supported storage drive interfaces *	M.2, SATA III	Wi-Fi *	✗
Number of HDDs supported	4	Features	
Number of storage drives supported	5	Motherboard chipset *	Intel H510
Graphics		Audio output channels *	7.1 channels
Parallel processing technology support *	Not supported	Component for *	PC
Internal I/O		Motherboard form factor *	micro ATX
USB 2.0 connectors *	3	Motherboard chipset family *	Intel
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Windows operating systems supported	Windows 10 x64
Number of SATA III connectors *	4	Expansion slots	
S/PDIF out connector	✓	PCI Express x1 (Gen 3.x) slots	2
		Number of M.2 (M) slots	1
		BIOS	
		BIOS type *	UEFI AMI

Internal I/O		BIOS	
Audio connector	✓	BIOS memory size	128 Mbit
Front panel audio connector	✓	Packaging data	
ATX Power connector (24-pin)	✓	Package width	260 mm
CPU fan connector	✓	Package depth	270 mm
Number of chassis fan connectors	2	Package height	51.5 mm
EPS power connector (8-pin)	✓	Package weight	1.03 kg
Number of COM connectors	1	Weight & dimensions	
TPM connector	✓	Width	226 mm
		Depth	211 mm
		Packaging content	
		Cables included	SATA



4711387234891

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 07-MAY-2024. Prints or copies of Information are only valid on the printed Publication date