## Viewsonic LS711HD data projector Standard throw projector 4200 ANSI lumens 1080p (1920x1080) White

Brand : Viewsonic

Product code: LS711HD



Product name : LS711HD

Full HD, 4200 ANSI, 3000000:1, 1.07 B, 2, 15W x2, RJ45, HDMI, Audio-out, RS232, USB, 100-240 V, 4.5 kg Viewsonic LS711HD. Projector brightness: 4200 ANSI lumens, Projector native resolution: 1080p (1920x1080), Contrast ratio (typical): 300000:1. Light source type: Laser, Service life of light source: 20000 h, Service life of light source (economic mode): 30000 h. Focus: Manual, Fixed focal length: 7.51 mm, Zoom type: Manual. Analog signal format system: NTSC, PAL, SECAM, Supported video modes: 480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p. Serial interface type: RS-232, HDMI connector type: Full-size, Service port type: USB Type-A

Projector		Network	
Smart projector *	x	Wi-Fi *	×
Screen size compatibility *	1016 - 7620 mm (40 - 300")	Storage	
Projection distance	0.43 - 3.25 m	Card reader integrated *	×
Projector brightness * Projector native resolution *	4200 ANSI lumens 1080p (1920x1080)	Features	
Contrast ratio (typical) *	3000000:1	Interactive *	×
Native aspect ratio *	16:9	Noise level (economic mode)	29 dB
Number of colours	1.07 billion colours	HDCP	1
Horizontal scan range	15 - 102 kHz	On Screen Display (OSD)	1
Vertical scan range	23 - 120 Hz		Danish, German, Hungarian, Arabic,
Keystone correction, horizontal	-15 - 15°		Dutch, Norwegian, English, Indonesian, Swedish, Spanish,
Keystone correction, vertical	-15 - 15°		Italian, Polish, Thai, Japanese,
Light source		On Screen Display (OSD) languages	Simplified Chinese, Finnish, Korean,
Light source type *	Laser		Russian, Vietnamese, Traditional Chinese, French, Greek, Czech,
Service life of light source *	20000 h		Slovak
Service life of light source (economic mode)	30000 h	Number of OSD languages	27
Lens system		HDCP version	1.4/2.2
Focus *	Manual	Noise level *	32 dB
Fixed focal length	7.51 mm	Multimedia	
Fixed aperture	2.8	Built-in speaker(s) *	1
Zoom capability	✓	RMS rated power	30 W
Zoom type	Manual	Number of built-in speakers	2
Digital zoom	2x	Design	
Throw ratio	0.49	Market positioning *	Business
Offset	132%	Product type *	Standard throw projector
Video		Product colour *	White
Analog signal format system *	NTSC, PAL, SECAM	Cable lock slot	V Konstanton
Full HD *	4	Cable lock slot type	Kensington
3D *	X 400: 400- EZC: EZC- ZOD- 1000:	Display	
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p	Built-in display *	x
Ports & interfaces		Power	
HDMI connector type	Full-size	Power source *	AC
HDMI version	2.0	Power consumption (typical) *	245 W
Service port type	USB Type-A	Power consumption (standby) *	0.5 W
USB 2.0 ports quantity *	1	AC input voltage AC input frequency	100 - 240 V 50 - 60 Hz
USB 2.0 Type-A ports quantity	1		JU - UU TIZ
Serial interface type *	RS-232	Operational conditions	
PC Audio out	<b>√</b>	Operating temperature (T-T)	0 - 40 °C
HDMI ports quantity *	2		

Ports & interfaces		
DVI port *	×	
AC (power) in	<	
Network		
Smart TV *	×	
Ethernet LAN *	4	
Ethernet LAN (RJ-45) ports	1	

## Weight & dimensions

Weight & dimensions	
Width	337 mm
Depth	265 mm
Height	131.5 mm
Weight *	4.5 kg
Package width	496 mm
Package depth	195 mm
Package height	387 mm
Package weight	6.6 kg
Packaging content	
r dekuging concent	
Remote control included *	√
	1
Remote control included *	1 1 1
Remote control included * Quick start guide	1 1 1
Remote control included * Quick start guide Warranty card	<ul> <li>✓</li> <li>✓</li></ul>
Remote control included * Quick start guide Warranty card Technical details	49.9 ms





766907022780

0766907022780

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.