Samsung Galaxy Tab S9 FE 5G LTE 128 GB 27.7 cm (10.9") Samsung Exynos 8 GB Wi-Fi 6 (802.11ax) Android 13 Grey

Brand : Samsung

Product family: Galaxy Tab S9 Product code: SM-X516BZAAEUB

Product name : FE

Samsung Galaxy Tab S9 FE. Display diagonal: 27.7 cm (10.9"), Display resolution: 2304 x 1440 pixels, Display technology: LCD. Internal storage capacity: 128 GB. Processor family: Samsung Exynos, Processor model: 1380. Internal memory: 8 GB. Rear camera resolution (numeric): 8 MP, Front camera resolution (numeric): 12 MP. Top Wi-Fi standard: Wi-Fi 6 (802.11ax). Assisted GPS (A-GPS). Card reader integrated. Weight: 524 g. Operating system installed: Android 13. Product colour: Grey







Display		Battery	
Display diagonal *	27.7 cm (10.9")	Battery included	√
Display resolution *	2304 x 1440 pixels	Battery capacity *	8000 mAh
Display technology	LCD	Number of battery cells	2
Panel type	TFT	Battery voltage	10 V
Display brightness	600 cd/m ²	Battery weight	117.5 g
Display glass type	Gorilla Glass	Fast charging	1
Anti-glare screen	×	Battery recharge time	1.48 h
Pixel density	249 ppi	Battery life (max)	18 h
HD type	WUXGA+	Continuous video playback time	18 h
Native aspect ratio	16:10	Continuous audio playback time	113 h
Display number of colours	16 million colours	Browsing time (Wi-Fi)	16 h
Processor		Browsing time (4G)	16 h
Processor manufacturer *	Samsung	Rechargeable battery	4
Processor family *	Samsung Exynos	Battery level indicator	4
Processor model *	1380	Power	
Processor model * Processor boost frequency	1380 2 GHz	Power AC adapter power	45 W
Processor boost frequency Processor cores	2 GHz 8		45 W
Processor boost frequency	2 GHz	AC adapter power	45 W 254.3 mm
Processor boost frequency Processor cores	2 GHz 8	AC adapter power Weight & dimensions	
Processor boost frequency Processor cores Processor code	2 GHz 8	AC adapter power Weight & dimensions Width	254.3 mm
Processor boost frequency Processor cores Processor code Memory Internal memory *	2 GHz 8 1380	AC adapter power Weight & dimensions Width Depth	254.3 mm 6.5 mm
Processor boost frequency Processor cores Processor code Memory Internal memory * Storage	2 GHz 8 1380 8 GB	AC adapter power Weight & dimensions Width Depth Height	254.3 mm 6.5 mm 165.8 mm
Processor boost frequency Processor cores Processor code Memory Internal memory * Storage Internal storage capacity *	2 GHz 8 1380 8 GB 128 GB	AC adapter power Weight & dimensions Width Depth Height Weight Package width Package depth	254.3 mm 6.5 mm 165.8 mm 524 g
Processor boost frequency Processor cores Processor code Memory Internal memory * Storage Internal storage capacity * Card reader integrated *	2 GHz 8 1380 8 GB 128 GB ✓	AC adapter power Weight & dimensions Width Depth Height Weight Package width	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm
Processor boost frequency Processor cores Processor code Memory Internal memory * Storage Internal storage capacity * Card reader integrated * Compatible memory cards	2 GHz 8 1380 8 GB 128 GB ✓ MicroSD (TransFlash)	AC adapter power Weight & dimensions Width Depth Height Weight Package width Package depth	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm
Processor boost frequency Processor cores Processor code Memory Internal memory * Storage Internal storage capacity * Card reader integrated * Compatible memory card size	2 GHz 8 1380 8 GB 128 GB ✓	AC adapter power Weight & dimensions Width Depth Height Weight Package width Package depth Package height	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm
Processor boost frequency Processor cores Processor code Memory Internal memory * Storage Internal storage capacity * Card reader integrated * Compatible memory cards	2 GHz 8 1380 8 GB 128 GB ✓ MicroSD (TransFlash)	AC adapter power Weight & dimensions Width Depth Height Weight Package width Package depth Package height Package weight	254.3 mm 6.5 mm 165.8 mm 524 g 273.9 mm 184.5 mm 21.4 mm

Audio			Deelee alman as where the	
			Packaging content	
Built-in speaker(s)		1	Cables included	USB
Built-in microphone		V	Headphones included	×
Number of built-in speakers		2	Quick start guide	
Speakers manufacturer		AKG	Warranty card	×
Audio system		Dolby Atmos	Supplier features	
Camera			Number of packages	1
Rear camera		1	Logistics data	
Rear camera type *		Single camera	Products per shipping (inner) case	1 pc(s)
Rear camera resolution (nur		8 MP	Shipping (inner) cases per master	
Rear camera aperture numb	ber	1.9	(outer) case	10 pc(s)
Built-in camera	01/1	4	Shipping (inner) case length	27.4 cm
Rear camera field of view (F angle	00)	75°	Shipping (inner) case width	18.4 cm
Digital zoom		4x	Shipping (inner) case height	2.14 cm
Auto focus		1	Quantity per pack	1 pc(s)
Rear camera flash		×	Pallet weight (US)	412 kg
Video recording		1	Layers per pallet (US)	5 pc(s)
Maximum video resolution		3840 x 2160 pixels	Master (outer) cases per pallet layer (US)	10 pc(s)
Face detection		4	Products per pallet (US)	500 pc(s)
Front camera *		1	Pallet gross width	120 cm
Second camera resolution		12 MP	Pallet gross length	80 cm
Front camera resolution (nu		12 MP	Pallet gross height	115.8 cm
Front camera aperture num		2.4	Pallet gross weight	412 kg
Front camera field of view (F angle	-0V)	120°	Products per pallet	500 pc(s)
Network			Products per pallet layer	100 pc(s)
Mobile network generation	5G		Layers per pallet	5 pc(s)
Mobile network connection *	1		Master (outer) cases per pallet layer	
4G standard	LTE		Master (outer) case width	282 mm
Bluetooth Bluetooth version	✓ 5.3		Master (outer) case length	226 mm
Top Wi-Fi standard *		302.11ax)	Master (outer) case height	201 mm
Wi-Fi standards		802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 c), Wi-Fi 6 (802.11ax)	Master (outer) case gross weight	8.24 kg
Wi-Fi Direct	√	c,, millo (002.110X)	Products per master (outer) case Harmonized System (HS) code	10 pc(s) 8471300000
Near Field Communication (NFC)	×			8471300000
4G LTE 3G bands supported	√ 850,900,	1900,2100 MHz	Other features	
		850,900,1500,1800,1900,2100,2300,2500,2600		A2DP
4G bands supported			SIM card support	v
4G bands supported	MHz			×
5G bands supported	MHz	850,900,1800,2100,2300,2500,2600,3500,3700	Package dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm
5G bands supported Dual SIM support	MHz 700,800,	850,900,1800,2100,2300,2500,2600,3500,3700	Package dimensions (WxDxH) Pen weight	273.9 x 184.5 x 21.4 mm 8.7 g
5G bands supported Dual SIM support SIM card type	MHz 700,800, MHz ✔	850,900,1800,2100,2300,2500,2600,3500,3700	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm
5G bands supported Dual SIM support SIM card type Ports & interfaces	MHz 700,800, MHz ✓ NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti	MHz 700,800, MHz ✓ NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in	MHz 700,800, MHz ✓ NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright)	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ²
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 × Bluetooth	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quanti Microphone in Headphone connectivity Combo headphone/mic port Design	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type *	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 8 Bluetooth x Mobile tablet	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor *	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 * Bluetooth * Mobile tablet Slate	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour *	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP)	MHz 700,800, MHz NanoSIM	* eSIM t eSIM Mobile tablet Slate Grey IP68	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin	MHz 700,800, MHz NanoSIM	850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 X Bluetooth X Mobile tablet Slate Grey	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) *	MHz 700,800, MHz NanoSIM	* eSIM t eSIM Mobile tablet Slate Grey IP68	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) * GLONASS	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) * GLONASS BeiDou	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite)	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
SG bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite)	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg
5G bands supported Dual SIM support SIM card type Ports & interfaces USB 2.0 Type-C ports quantit Microphone in Headphone connectivity Combo headphone/mic port Design Device type * Form factor * Product colour * International Protection (IP) Country of origin Performance Assisted GPS (A-GPS) * GLONASS BeiDou GPS (satellite) Galileo Quasi-Zenith Satellite System	MHz 700,800, MHz NanoSIM	<pre>850,900,1800,2100,2300,2500,2600,3500,3700 + eSIM 1 1 Bluetooth Bluetooth Slate Grey IP68 Vietnam</pre>	Package dimensions (WxDxH) Pen weight Dimensions (WxDxH) Battery type Battery recharge time (off) LCD brightness (AC adaptor, bright) Speakers Wi-Fi Volume control Display viewable area (HxV) Rechargeable USB cable USB cable Maximum RAM supported Total storage capacity Charging time Display type Resolution Package weight Power cord included Batteries included Dustproof	273.9 x 184.5 x 21.4 mm 8.7 g 165.8 x 254.3 x 6.5 mm Built-in Lithium-ion 1.5 h 600 cd/m ² stereo ✓ Buttons 234.87 x 146.79 mm ✓ C 6 GB 128 GB 1.5 h TFT 2304 x 1440 pixels 790 kg ✓ ✓

Performance		Other features	
Ambient light sensorImage: Constraint of the sensorGyroscopeImage: Constraint of the sensorOrientation sensorImage: Constraint of the sensorProximity sensorImage: Constraint of the sensor		Material Manufacturer Power plug type Technical details	Aluminium, Glass Samsung No plug
Hall sensor Position location * Security	1	Integrated sensors Packaging content	Accelerometer, Camera, Gyroscope Tablet, USB-C Cable, S Pen, Quick Start Guide, Warranty Card, Ejection
Fingerprint reader Password protection Face recognition	4	Screen lock Pallet net height Pallet net length	Pin ✓ 120 cm 115.8 cm
Software Platform * Operating system version Operating system installed *	Android 13 Android 13	Pallet net width Pallet net weight	80 cm 412 kg



8806095163321

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.