



**MSI PRO DP21 12M Intel Core i7 12700 Barebone, Mini PC, SFF, 2.3L, Type C, USB 3.2 Gen2, HDMI, DisplayPort, LAN, WiFi, BT, VESA, Supports Max 64GB DDR4 SO-DIMM (2 Slots), M.2 (1 Slot), 2.5'SSD/HDD (2 Slot)**



**Brand :** MSI

**Product code:** PRO DP21 12M I7 12700 BB

**Product name :** MSI PRO DP21 12M Intel Core i7 12700 Barebone, Mini PC, SFF, 2.3L, Type C, USB 3.2 Gen2, HDMI, DisplayPort, LAN, WiFi, BT, VESA, Supports Max 64GB DDR4 SO-DIMM (2 Slots), M.2 (1 Slot), 2.5'SSD/HDD (2 Slot)



- 1 x Headphone-out
- 1 x Mic-in
- 4 x USB 3.2 Type A

- 1 Power
- 1 HDMI-out (2.0)
- 1 Display Port (1.4)
- 1x RJ45
- 1 x COM Port
- 1 x USB 3.2 Gen 2 Type C
- 1 x USB 3.2 Gen 2 Type A
- 1 x USB 3.2 Gen 1 Type A
- 1 x Mic-in / 1 x Audio-out



- MSI recommends Windows 11 Pro for business
- Up to Intel® Core™ i7-12700 Processors
- Support 4K UHD Display
- Wi-Fi 6 (Optional) puts more emphasis on transmission security with speed up to 2.4Gbps
- With a complete array of I/O ports, it can connect all devices that you need and support dual display
- Get all the performance benefits from USB 3.2 Gen 2 which combines with the convenience of the reversible USB Type-C connector and a fast USB 3.2 Gen 2 Type-A port
- Customize your own user mode and increase the efficiency with MSI Center app
- Easy to access and upgrade components to keep the system up to date with the latest hardware
- TPM design secures your confidential data with encryption keys
- Supports standard VESA-mount

MSI PRO DP21 12M Intel Core i7 12700 Barebone, Mini PC, SFF, 2.3L, Type C, USB 3.2 Gen2, HDMI, DisplayPort, LAN, WiFi, BT, VESA, Supports Max 64GB DDR4 SO-DIMM (2 Slots), M.2 (1 Slot), 2.5'SSD/HDD (2 Slot)

Processor		Ports & interfaces	
Built-in processor *	✓	USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	1
Processor manufacturer	Intel	HDMI ports quantity *	1
Processor family	Intel® Core™ i7	HDMI version	2.0
Processor generation	12th gen Intel® Core™ i7	DVI port	✗
Processor model	i7-12700	DisplayPorts quantity	1
Processor frequency	2.1 GHz	DisplayPort version	1.4
Processor cores	12	Microphone in	✓
Processor threads	20	Headphone outputs	1
Processor lithography	10 nm	Ethernet LAN (RJ-45) ports *	1
Performance cores	8	COM ports quantity	1
Efficient cores	4	DC-in jack	✓
Performance-core boost frequency	4.9 GHz	Design	
Efficient-core boost frequency	3.6 GHz	Chassis type *	2.3L sized PC
Processor boost frequency	4.8 GHz	Product colour *	Black
Processor cache	25 MB	Cooling type *	Active
L2 cache	12 MB	On/off switch	✓
Memory		LED indicators	System
Memory slots type *	SO-DIMM	Housing material	Plastic
Number of memory slots *	2	Cable lock slot	✓
Maximum internal memory	64 GB	Cable lock slot type	Kensington
Supported memory clock speeds	2666,3200 MHz	VESA mounting	✓
Memory channels	Dual-channel	Panel mounting interface	100 x 100 mm
Storage		Product type *	Mini PC barebone
Supported storage drive types *	HDD & SSD	Performance	
Storage drive sizes supported *	2.5,M.2	Motherboard form factor	mini ITX
SSD form factor	M.2	Motherboard chipset	Intel H610
Storage drive interface	M.2, Serial ATA, Serial ATA II	Processor socket	LGA 1700
NVMe	✓		

<b>Storage</b>		<b>Performance</b>	
Number of storage drives supported	3	Number of processors supported	1
<b>Graphics</b>		Trusted Platform Module (TPM)	✓
On-board graphics card *	✓	<b>Software</b>	
Graphics card family	Intel	Operating system installed	✗
On-board graphics card model	Intel® UHD Graphics	<b>Power</b>	
Number of displays supported	2	Power supply type *	External AC adapter
<b>Audio</b>		Power supply	120 W
Built-in speaker(s) *	✗	Number of power supply units	1
<b>Network</b>		<b>Weight &amp; dimensions</b>	
Top Wi-Fi standard	Wi-Fi 6 (802.11ax)	Width	204 mm
Wi-Fi standards	Wi-Fi 6 (802.11ax)	Depth	208 mm
WLAN controller model	Intel Wi-Fi 6 AX201	Height	54.8 mm
Ethernet LAN *	✓	Weight	1.27 kg
Wi-Fi *	✓	Package width	275 mm
LAN controller	Realtek RTL8111H	Package depth	382 mm
Bluetooth	✓	Package height	125 mm
Bluetooth version	5.2	Package weight	2.75 kg
<b>Ports &amp; interfaces</b>		<b>Packaging content</b>	
USB 2.0 ports quantity *	4	Power cord included	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	AC adapter included	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	1	Quick start guide	✓
		Drivers included	✓
		Display included	✗
		Mouse included	✗
		Keyboard included	✗
		<b>Other features</b>	
		Country of origin	China



4711377016735

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 22-MAR-2024. Prints or copies of Information are only valid on the printed Publication date