



POLY VVX 450 IP phone Black 12 lines LED

Brand : POLY

Product code: 89B60AA

Product name : VVX 450

Poly OBi VVX 450 12-Line IP Phone and PoE-enabled

[POLY VVX 450 IP phone Black 12 lines LED:](#)

Go pro without the price tag

When you want the best small business 12-line phone system for your money, the VVX 450 is full of good surprises. Handle high volume calls easily with the sleek, color display — and be confident conversations will always sound great.

POLY VVX 450. Product type: IP Phone, Product colour: Black, Handset type: Wired handset. Lines quantity: 12 lines. Display: LED, Display diagonal: 10.9 cm (4.3"), Display resolution: 480 x 272 pixels. Voice codecs: G.711, G.722, G.722.1, G.729ab, OPUS, iLBC. Ethernet LAN interface type: Gigabit Ethernet, Ethernet LAN data rates: 10,100,1000 Mbit/s, Security algorithms: 802.1x RADIUS, HTTPS, TLS



Design		Network	
Product type *	IP Phone	Security algorithms	802.1x RADIUS, HTTPS, TLS
Handset type	Wired handset	Syslog	✓
Product colour *	Black	Technical details	
Phone features		Warranty period	1 year(s)
Lines quantity *	12 lines	Ports & interfaces	
Call waiting	✓	USB 2.0 ports quantity	2
Distinctive ring	✓	Ethernet LAN (RJ-45) ports	2
Speed dialling	✓	Certificates	
Call hold	✓	Sustainability certificates	ENERGY STAR
Call forwarding	✓	Safety	UL 60950-1/62368-1, CE Mark, CAN/CSA C22.2 No 60950-1/62368-1-1, EN 60950-1/62368-1, IEC 60950-1/62368-1, AS/NZS 60950-1
Conference call	✓		FCC Part 15 (CFR 47) Class B ICES-003 Class B EN55032 Class B CISPR32 Class B VCCI Class B EN55024 EN61000-3-2;
Redialing	✓	Certification	EN61000-3-3 NZ Telepermit Korea KCC3 UAE TRA Russia CU3 Brazil ANATEL3 Australia RCM South Africa ICASA3 Saudi Arabia CITC China CCC3 RoHS Compliant TAA
Do not disturb function	✓		
Call transfer	✓	Power	
Display		Power over Ethernet (PoE) *	✓
Display	LED	AC adapter output voltage	5 V
Display diagonal	10.9 cm (4.3")	AC adapter output current	3 A
Display resolution	480 x 272 pixels	Operational conditions	
Touchscreen *	✗	Operating temperature (T-T)	0 - 40 °C
Audio		Operating relative humidity (H-H)	5 - 95%
Speakerphone *	✓	Storage temperature (T-T)	-40 - 70 °C
Voice codecs	G.711, G.722, G.722.1, G.729ab, OPUS, iLBC	Weight & dimensions	
Voice activity detection	✓	Width	240 mm
Comfort noise generation (CNG)	✓	Depth	57 mm
Network		Height	230 mm
Ethernet LAN *	✓	Weight	1.04 kg
Ethernet LAN interface type	Gigabit Ethernet	Packaging content	
Ethernet LAN data rates	10,100,1000 Mbit/s	Number of handles included *	1 pc(s)
Quality of Service (QoS) support	✓	AC adapter included	✓



0196188444887



196188444887

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.