



## Eaton EVMIF332X power distribution unit (PDU) 42 AC outlet(s) 39U Black

**Brand :** Eaton

**Product code:** EVMIF332X

**Product name :** EVMIF332X

- Remote Site Management
  - Versatile C39 outlet supports C14 or C20 power cord plug
  - High retention outlets designed to securely fit standard power cords and support P-Lock power cords
  - Cybersecurity standards UL 2900-1 and IEC 62443-4-2
  - Hot-Swap network control module
  - Network Cascading, connect up to 32 PDUs via network loop
  - Power sharing between two network modules PDUs ensures constant access to PDU data & sensors
  - 1% IEC Class 1 billing grade measurement accuracy
  - Gigabit network card with 2x Gb ports
  - Support protocols RestAPI, Modbus TCP, SNMP, LDAP, HTTPS
- Metered Input G4 Rack PDU, 39U, 22 kW, 32 A, 24xC13, 18xC39, 3 m cord  
Eaton EVMIF332X. PDU types: Metered, Rack capacity: 39U, Type: Three-phase. AC outlets quantity: 42  
AC outlet(s), AC outlet types: C13 coupler, C39 coupler, Power plug: IEC 60309. Cable length: 3 m,  
Security algorithms: SNMP. Supported network protocols: HTTPS. Nominal input voltage: 240/415 V,  
Maximum current: 32 A, AC input frequency: 50/60 Hz



Design		Features	
PDU types *	Metered	Cable length	3 m
Type	Three-phase	Security algorithms	SNMP
Rack capacity *	39U	<b>Management features</b>	
Mounting	Vertical	Supported network protocols	HTTPS
Housing material	Aluminium	<b>Power</b>	
Product colour	Black	Nominal input voltage *	240/415 V
Display	LCD	AC input frequency	50/60 Hz
<b>Ports &amp; interfaces</b>		Maximum current *	32 A
AC outlets quantity *	42 AC outlet(s)	Maximum power	22000 W
Power plug	IEC 60309	<b>Packaging content</b>	
AC outlet types *	C13 coupler, C39 coupler	Packaging content	Rack PDU Rack mounting accessories Quickstart guide Safety Instructions
Ethernet LAN (RJ-45) ports	4	<b>Operational conditions</b>	
USB ports quantity	2	Operating temperature (T-T)	0 - 60 °C



3553340697159

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-FEB-2024. Prints or copies of Information are only valid on the printed Publication date