POLY G7500 Video Conferencing System with EagleEyelV 12x Kit

Brand : POLY

Product code: 83Z49AA



Product name : G7500 Video Conferencing System with EagleEyelV 12x Kit

G7500 Video Conferencing System with EagleEyelV 12x Kit


POLY G7500 Video Conferencing System with EagleEyelV 12x Kit:

Customize rooms with confidence

Outfit conference rooms to meet your organization's unique needs. The Poly G7500 video conferencing system offers quality audio and video, plus it's flexible and customizable for any room space. POLY G7500 Video Conferencing System with EagleEyelV 12x Kit. Product type: Group video conferencing system, Number of persons: 12 person(s). HD type: 4K Ultra HD, Maximum frame rate: 60 fps. Digital zoom: 12x. Ethernet LAN, Wi-Fi. Bluetooth, Product colour: Black

Performance		Network	
Number of persons * Bluetooth	12 person(s)	Ethernet LAN data rates Wi-Fi	10,100,1000 Mbit/s
Bluetooth version Product colour *	5.0 Black	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 5 (802.11ac)
Product type *	Group video conferencing system	Camera	
Video		Zoom capability	✓
HD type *	4K Ultra HD	Digital zoom	12x
Maximum video resolution *	3840 x 2160 pixels	Features	
Supported graphics resolutions	800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080),	Cable lock slot Cable lock slot type	✔ Kensington
		Operational conditions	
Maximum frame rate Video formats supported	(W3XGA+), 1920 x 1000 (HD 1000), 1920 x 1200 (WUXGA), 3840 x 2160 60 fps AVC, H.264, H.265	Operating temperature (T-T) Operating relative humidity (H-H) Storage temperature (T-T)	0 - 40 °C 15 - 80% -40 - 70 °C
Audio		Storage relative humidity (H-H)	5 - 95%
Voice codecs	G.711, G.719, G.722, G.722.1, G.728, G.729A	Heat dissipation	65 BTU/h
		Weight & dimensions	
Ports & interfaces		Width	349.2 mm
HDMI output ports quantity	2	Depth	38.1 mm
HDMI input ports quantity	1	Height	139.7 mm
HDMI version	1.4	Weight	952.5 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	3	Packaging content	
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1	AC adapter included	HDMI, LAN (RJ-45) ✓
DC-in jack	✓	Remote control included	✓
PC Audio in	1	Camera included	4
RS-232 ports	1		
Network			
Ethernet LAN *	<		

























































Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.