

## LG 65UH5N-E Digital signage flat panel 165.1 cm (65") LCD Wi-Fi 500 cd/m<sup>2</sup> 4K Ultra HD Black Web OS 24/7

Brand : LG

Product code: 65UH5N-E.AEU

Product name : 65UH5N-E

- Resolution : 3,840 x 2,160 (UHD)

- Brightness (Typ.) : 500 nit

- Surface Treatement (Haze) : 28 %

- Bezel : 8.9 mm (T/R/L), 12.9 mm (B)

- Interface : HDMI(3) / DP / USB 2.0 / RS232C / RJ45 / Audio / IR

- webOS Smart Platform

65", 4K UHD (3840 x 2160), IPS, 500 nit, 8 ms, IP5X, SoC, Wi-Fi, PIP, PBP, Pro:Idiom, Beacon, Control Manager, SuperSign CMS, webOS 6.0

LG 65UH5N-E. Product design: Digital signage flat panel. Display diagonal: 165.1 cm (65"), Display technology: LCD, Display resolution: 3840 x 2160 pixels, Display brightness: 500 cd/m<sup>2</sup>, HD type: 4K Ultra HD. Wi-Fi. Operating hours (hours/days): 24/7. Operating system installed: Web OS. Product colour: Black







| Display                                                                                                                                                                           |                                                                                                                                                                                                                         | Performance                                                                                                                                                                              |                                                       |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------|
| Panel type<br>LED backlight<br>LED backlighting type<br>Display diagonal *<br>Display technology *<br>Display resolution *<br>Display brightness *<br>HD type *                   | D backlight ✓<br>D backlighting type Edge-LED<br>splay diagonal * 165.1 cm (65")<br>splay technology * LCD<br>splay resolution * 3840 x 2160 pixels<br>splay brightness * 500 cd/m <sup>2</sup><br>0 type * 4K Ultra HD | Purpose *<br>Picture-in-Picture<br>On Screen Display (OSD)<br>Operating hours (hours/days)<br>HDCP<br>Automatic brightness control<br>International Protection (IP) code<br>HDCP version | Universal<br>4<br>24/7<br>4<br>IP5X<br>1.4/2.2/2.3    |
| Touchscreen *                                                                                                                                                                     | X                                                                                                                                                                                                                       | Power                                                                                                                                                                                    |                                                       |
| Native aspect ratio<br>Response time<br>Contrast ratio (typical)<br>Contrast ratio (dynamic)<br>Viewing angle, horizontal<br>Viewing angle, vertical<br>Display number of colours | me 8 ms<br>io (typical) 1100:1<br>io (dynamic) 1000000:1<br>le, horizontal 178°<br>le, vertical 178°                                                                                                                    | Power consumption (typical) *<br>Power consumption (standby) *<br>Power consumption (max)<br>Energy efficiency class (SDR)<br>AC input voltage<br>AC input frequency                     | 145 W<br>0.5 W<br>200 W<br>G<br>100-240 V<br>50-60 Hz |
| Panel life                                                                                                                                                                        | 50000 h                                                                                                                                                                                                                 | Computer system                                                                                                                                                                          |                                                       |
| Colour depth<br>Native refresh rate<br>Haze rate<br>Colour gamut<br>Ports & interfaces                                                                                            | 10 bit<br>60 Hz<br>28%<br>95%                                                                                                                                                                                           | Computer system *<br>Computer system type<br>Internal memory<br>Operating system installed<br>Operating system version                                                                   | ✓<br>System on Chip (SoC)<br>16 GB<br>Web OS<br>6.0   |
|                                                                                                                                                                                   | 4                                                                                                                                                                                                                       | Weight & dimensions                                                                                                                                                                      |                                                       |
| HDMI ports quantity *4HDMI input ports quantity3HDMI output ports quantity1DVI port *XDisplayPorts quantity *1                                                                    | 3<br>1<br><b>X</b><br>1                                                                                                                                                                                                 | Display width<br>Display depth<br>Display height<br>Display weight                                                                                                                       | 1450.3 mm<br>29.7 mm<br>830.3 mm<br>24.2 kg           |
| USB port *                                                                                                                                                                        | 4                                                                                                                                                                                                                       | Packaging data                                                                                                                                                                           |                                                       |
| USB ports quantity 1<br>USB version 2.0<br>USB connector type USB Type-A<br>Ethernet LAN * ✓<br>Ethernet LAN (RJ-45) ports 1                                                      | Package width<br>Package depth<br>Package height<br>Package weight                                                                                                                                                      | 1600 mm<br>172 mm<br>970 mm<br>30.4 kg                                                                                                                                                   |                                                       |
| Wi-Fi *                                                                                                                                                                           | <                                                                                                                                                                                                                       | Packaging content                                                                                                                                                                        |                                                       |
| RS-232C                                                                                                                                                                           | 4                                                                                                                                                                                                                       | Remote control included                                                                                                                                                                  | 4                                                     |

| Ports & interfaces       |                            | Packaging content                                                |                       |
|--------------------------|----------------------------|------------------------------------------------------------------|-----------------------|
| Remote (IR) input        | 1                          | Batteries included                                               | ✓<br>AC Dhana         |
| Audio                    |                            | Cables included                                                  | AC, Phone             |
| Built-in speaker(s) *    | 4                          | Operational conditions                                           |                       |
| Design                   |                            | Operating temperature (T-T)<br>Operating relative humidity (H-H) | 0 - 40 °C<br>10 - 80% |
| Product design *         | Digital signage flat panel | 1 3 3 , , ,                                                      |                       |
| Placement supported *    | Indoor                     | Technical details                                                |                       |
| Orientation              | Horizontal/Vertical        | Real Time Clock (RTC)                                            | 1                     |
| Product colour *         | Black                      | Other features                                                   |                       |
| VESA mounting *          | V<br>200 200               | Audio output                                                     | 1                     |
| Panel mounting interface | 300 x 300 mm               | Power consumption (PowerSave)101.5 WPlug and Play                |                       |
| Bezel width (bottom)     | 1.29 cm                    |                                                                  |                       |
| Bezel width (side)       | 8.9 mm                     |                                                                  | *                     |
| Bezel width (top)        | 8.9 mm                     |                                                                  |                       |





8806084296603



8806084537379

8806084379818

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.