## ASUS ROG MAXIMUS Z790 HERO EVA-02 EDITION Intel Z790 LGA 1700 ATX

Brand : ASUS

Product code: 90MB1FL0-M0EAY0

Product name : ROG MAXIMUS Z790 HERO EVA-02 EDITION

Intel® Z790 LGA 1700 ATX motherboard with 20 + 1 power stages, DDR5, five M.2 slots, PCle® 5.0 NVMe® SSD slot on Hyper M.2 Card, PCle 5.0 x16 SafeSlots with Q-Release, Wi-Fi 6E, two Thunderbolt™ 4 ports, USB 20Gbps Type-C® front-panel connector with Quick Charge 4+ up to 60W, Al Overclocking, Al Cooling II, and Aura Sync RGB lighting





Processor		Rear panel I/O ports	
Processor manufacturer * Processor socket *	Intel LGA 1700 Intel® Celeron®, Intel® Core™ i3,	Ethernet LAN (RJ-45) ports * HDMI ports quantity * HDMI version	1 1 2.1
Compatible processor series *	Intel® Core <sup>™</sup> i5, Intel® Core <sup>™</sup> i7, Intel® Core <sup>™</sup> i9, Intel® Pentium® Gold	S/PDIF out port Thunderbolt ports quantity	✓ 2
Supported processor sockets	LGA 1700	Network	
Memory		Ethernet LAN	1
Supported memory types DDR5-SDRAM   Number of memory slots 4   Memory slots type DIMM   Memory channels Dual-channel   Non-ECC ✓   Supported memory clock speeds MHz   Supported memory clock speeds 7800 MHz	00,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800	Ethernet interface type Wake-on-LAN ready Wi-Fi * Top Wi-Fi standard	2.5 Gigabit Ethernet Wi-Fi 6E (802.11ax) 802.11a, 802.11b, Wi-Fi 4
Maximum internal memory * 192 GB Unbuffered memory ✓		Wi-Fi standards	(802.11a), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Storage controllers		Bluetooth	1
Supported storage drive types	HDD & SSD	Bluetooth version	5.3
Supported storage drive interfaces * Number of HDDs supported	M.2, SATA III 6	Features	
Number of storage drives supported	11	Motherboard chipset *	Intel Z790
RAID support	1	Audio chip	Realtek ALC4082
RAID levels	0, 1, 5, 10	Audio output channels *	7.1 channels
	.,	Product colour	Black, Red
Internal I/O		Component for *	PC
USB 2.0 connectors *	2	Motherboard form factor *	ATX
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Motherboard chipset family *	Intel
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Cooling type Power source type	Passive ATX
Number of SATA III connectors *	6	Windows operating systems supported	Windows 10 x64, Windows 11
Front panel audio connector	4	supporteu	
ATX Power connector (24-pin)	1	Expansion slots	
CPU fan connector	1	PCI Express x16 (Gen 4.x) slots	1
Number of chassis fan connectors	4	PCI Express x16 (Gen 5.x) slots	2
EPS power connector (8-pin)	✓	Number of M.2 (M) slots	5

Internal I/O		BIOS	
12V power connector	<	BIOS type *	UEFI AMI
RGB LED pin header	✓	BIOS memory size	256 Mbit
Rear panel I/O ports		Clear CMOS button	√
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Packaging data	
		Package width	370 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	5	Package depth	312 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *		Package height	108 mm
	1	Package weight	4.56 kg
		Weight & dimensions	
		Width	305 mm

Depth

User guide

Drivers included

Other features Back-to-BIOS button

Packaging content Cables included 244 mm

SATA

∢

1

∢



4711387306031

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.