



ASUS ROG MAXIMUS Z790 HERO EVA-02 EDITION Intel Z790 LGA 1700 ATX

Brand : ASUS

Product code: 90MB1FL0-M0EAY0

Product name : ROG MAXIMUS Z790 HERO EVA-02 EDITION

Intel® Z790 LGA 1700 ATX motherboard with 20 + 1 power stages, DDR5, five M.2 slots, PCIe® 5.0 NVMe® SSD slot on Hyper M.2 Card, PCIe 5.0 x16 SafeSlots with Q-Release, Wi-Fi 6E, two Thunderbolt™ 4 ports, USB 20Gbps Type-C® front-panel connector with Quick Charge 4+ up to 60W, AI Overclocking, AI Cooling II, and Aura Sync RGB lighting



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Ethernet LAN (RJ-45) ports *	1
Processor socket *	LGA 1700	HDMI ports quantity *	1
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	HDMI version	2.1
Supported processor sockets	LGA 1700	S/PDIF out port	✓
Memory		Thunderbolt ports quantity	2
Supported memory types *	DDR5-SDRAM	Network	
Number of memory slots *	4	Ethernet LAN	✓
Memory slots type	DIMM	Ethernet interface type	2.5 Gigabit Ethernet
Memory channels	Dual-channel	Wake-on-LAN ready	✓
Non-ECC	✓	Wi-Fi *	✓
Supported memory clock speeds	4800,5000,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600,7800 MHz	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory clock speed (max)	7800 MHz	Wi-Fi standards	802.11a, 802.11b, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Maximum internal memory *	192 GB	Bluetooth	✓
Unbuffered memory	✓	Bluetooth version	5.3
Storage controllers		Features	
Supported storage drive types	HDD & SSD	Motherboard chipset *	Intel Z790
Supported storage drive interfaces *	M.2, SATA III	Audio chip	Realtek ALC4082
Number of HDDs supported	6	Audio output channels *	7.1 channels
Number of storage drives supported	11	Product colour	Black, Red
RAID support	✓	Component for *	PC
RAID levels	0, 1, 5, 10	Motherboard form factor *	ATX
Internal I/O		Motherboard chipset family *	Intel
USB 2.0 connectors *	2	Cooling type	Passive
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	Power source type	ATX
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	Windows operating systems supported	Windows 10 x64, Windows 11
Number of SATA III connectors *	6	Expansion slots	
Front panel audio connector	✓	PCI Express x16 (Gen 4.x) slots	1
ATX Power connector (24-pin)	✓	PCI Express x16 (Gen 5.x) slots	2
CPU fan connector	✓	Number of M.2 (M) slots	5
Number of chassis fan connectors	4		
EPS power connector (8-pin)	✓		

Internal I/O		BIOS	
12V power connector	✓	BIOS type *	UEFI AMI
RGB LED pin header	✓	BIOS memory size	256 Mbit
Rear panel I/O ports		Clear CMOS button	✓
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Packaging data	
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	5	Package width	370 mm
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity *	1	Package depth	312 mm
		Package height	108 mm
		Package weight	4.56 kg
		Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Packaging content	
		Cables included	SATA
		User guide	✓
		Drivers included	✓
		Other features	
		Back-to-BIOS button	✓



4711387306031

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 16-FEB-2024. Prints or copies of Information are only valid on the printed Publication date