



## Lindy 47606 networking cable Grey 5 m Cat6a S/FTP (S-STP)

**Brand :** Lindy

**Product code:** 47606

**Product name :** 47606

- Connector A: RJ45 Male
- Connector B: RJ45 Male
- Housing Material: Polycarbonate
- Connector Plating: Nickel
- Pin Construction: Brass
- Pin Plating: Gold plated
- Dimensions (approx.) WxDxH: 11.6x21.5x8.3mm (0.46x0.85x0.33in)
- Length: 5m (16.44ft)
- Colour: Grey
- Type: Cat.6A
- Jacket Diameter: 6.0mm (0.24in)
- Jacket Material: LSZH
- Conductor Material: Copper
- Conductor Gauge: 26AWG
- Shielding: Aluminium Braid
- Supported Bandwidth: 500MHz
- Nominal Attenuation: 49.3dB/100m @ 500MHz
- Minimum Bend Radius: 72mm (2.84in)
- Operating Temperature: -10°C - 60°C (14F - 140°F)
- Storage Temperature: -10°C - 60°C (14F - 140°F)
- Packaging Type: Polybag
- Warranty (Years): 10
- Product Compliance: RoHS, REACH, UL

5m Cat.6A S/FTP LSZH Network Security Cable, Grey

Lindy 47606. Cable length: 5 m, Cable standard: Cat6a, Cable shielding: S/FTP (S-STP), Connector 1:

RJ-45, Connector 2: RJ-45, Connector contacts plating: Nickel



Features		Features	
Product colour *	Grey	AWG wire size	26
Cable length *	5 m	Frequency	500 MHz
Cable standard *	Cat6a	Bend radius (min)	7.2 cm
Cable shielding *	S/FTP (S-STP)	Nominal attenuation	49.3dB/100m @ 500MHz
Connector 1 *	RJ-45	Certification	RoHS, REACH, UL
Connector 2 *	RJ-45	<b>Operational conditions</b>	
Connector 1 gender *	Male	Operating temperature (T-T)	-10 - 60 °C
Connector 2 gender *	Male	Storage temperature (T-T)	-10 - 60 °C
Connector 1 form factor	Straight	<b>Weight &amp; dimensions</b>	
Connector 2 form factor	Straight	Connector 1 dimensions (WxDxH)	11.6 x 21.5 x 8.3 mm
Connector contacts plating	Nickel	Connector 2 dimensions (WxDxH)	11.6 x 21.5 x 8.5 mm
Connector shielding	✓	<b>Packaging data</b>	
Connector shield material	Aluminium	Package type	Polybag
Jacket material	Low smoke zero halogen (LSZH)		
Conductor material	Copper		

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 25-NOV-2023. Prints or copies of Information are only valid on the printed Publication date