## iiyama

## iiyama TW2424AS-W1 Signage Display Digital signage flat panel 60.5 cm (23.8") Wi-Fi 250 cd/m<sup>2</sup> 4K Ultra HD Black Touchscreen Built-in processor Android 24/7

**Brand :** iiyama **Product code:** TW2424AS-W1

Product name: TW2424AS-W1

23.8", 60.5cm,  $1920 \times 1080$  IPS, Direct LED, 16:9, 4250 cd/m², 1000:1, HDMI, USB, RJ45,  $549.5 \times 336 \times 28$ mm, white

iiyama TW2424AS-W1 Signage Display Digital signage flat panel 60.5 cm (23.8") Wi-Fi 250 cd/m $^2$  4K Ultra HD Black Touchscreen Built-in processor Android 24/7:

The ProLite TW2424AS-B1 interactive Touchpanel-PC is a perfect choice for high-use environments. The IPS panel, integrated in a slim and elegant bezel, delivers both excellent colour performance with wide viewing angles and noticeably sharper images. The In-cell 10tp PCAP touch technology ensures a fluid and natural touch experience. This monitor can operate in landscape, portrait and face-up orientation in 24/7 operating time. Thanks to the pre-installed Android 12 operating system, it is possible to easily customize the monitor by installing applications directly to it. In combination with the 32GB storage, Wi-Fi connection, LAN (RJ45) and Bluetooth connectors, it makes the monitor especially suited for POS systems or information points in retail shops to educate customers about your products, as well as virtually limitless smart home applications.







Display		Performance	
Panel type	IPS	Mean time between failures (MTBF)	50000 h
LED backlighting type	Direct-LED	Power	
Display diagonal * Display resolution * Display brightness * HD type * Touchscreen *	lay resolution * 1920 x 1080 pixels lay brightness * 250 cd/m² ype * 4K Ultra HD thscreen * ✓	Power consumption (typical) * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency	19 W 0.5 W 0.3 W 100 - 240 V 50 - 60 Hz
Touchscreen technology	Projected capacitive system	Computer system	
Number of simultaneous touchpoints  Native aspect ratio Response time Contrast ratio (typical) Viewing angle, horizontal Viewing angle, vertical Display number of colours Pixel pitch Active display area (W x H) Display diagonal (metric) Panel life Horizontal scan range Surface hardness	10 16:9 14 ms 1000:1 178° 178° 16.7 million colours 0.275 x 0.275 mm 527 x 296.5 mm 60.5 cm 50000 h 31 - 83 kHz 3H	Computer system * Built-in processor * Processor manufacturer Processor family Processor model Processor frequency Processor cores Internal memory Internal storage capacity Operating system installed Operating system version Weight & dimensions	Rockchip ARM Rockchip RK3399 1.8 GHz 2 4 GB 32 GB Android 12
Ports & interfaces		Display width	549.5 mm
HDMI ports quantity * HDMI input ports quantity VGA (D-Sub) input ports	* 1 antity 1	Display depth Display height Display weight	28 mm 336 mm 4.23 kg
USB port *	<b>√</b>	Packaging data	
USB 2.0 Type-B ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity USB 3.2 Gen 1 (3.1 Gen 1) Type-C	2 1	Package width Package depth Package height Package weight	580 mm 126 mm 375 mm 6.15 kg
ports quantity Ethernet LAN *	- /	Packaging content	
hernet LAN (RJ-45) ports 1 i-Fi *	Remote control included Batteries included Stylus pen	√ ✓ ✓	

Audio		Packaging content	
Built-in speaker(s) * Number of built-in speakers	2	Number of stylus pens Cables included	4 HDMI, Power, USB
RMS rated power	5 W	Certificates	
Design		Certification	CE, EAC, RoHS support, ErP, WEEE,
Product design *	Digital signage flat panel		REACH, UKCA
Placement supported * Product colour * VESA mounting * Panel mounting interface Anti-glare screen	Indoor Black ✓ 100 x 100 mm	Features	
		Base colour Base material Suitable for indoor use	Black Metal ✓
		Technical details	
Performance		OPS slot	1
Purpose * On Screen Display (OSD) Operating hours (hours/days) HDCP	Commercial  ✓ 24/7  ✓	Other features	
		Quick start guide	✓
		Bluetooth	✓
		Bluetooth version	5.2
		Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
		Power supply type	Internal
		Bluetooth Low Energy (BLE)	✓
		Plug and Play	✓



4948570122950

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.