ASUS ProArt PA169CDV computer monitor 39.6 cm (15.6") 3840 x 2160 pixels 4K Ultra HD LED Touchscreen Tabletop Black

Brand : ASUS Product family: ProArt Product code: PA169CDV

Product name: PA169CDV

- 15.6-inch 4K UHD (3840 x 2160) IPS panel with anti-glare and capacitive 10-point multitouch
- $\hbox{-} \ \ \text{Bundled ProArt Pen with Wacom EMR technology for pen-on-paper-like writing and drawing experiences} \\$
- 100% sRGB, Calman Verified, and factory pre-calibrated to Delta E < 2 for exceptional color accuracy
- ASUS Dial and Virtual Control Panel offer productive shortcuts and programmable hotkeys for compatible creative software
- Two innovative kickstands prop the display up at different angles to suit different needs
- Extensive I/O connectivity including USB-C (with DP Alt mode) and HDMI for compatibility with various devices
- TÜV Rheinland-certified Flicker-free and Low Blue Light technologies for comfortable viewing experiences

39.6cm (15.6") 4K Ultra HD 3840×2160 LED IPS, 16:9, 450cd/m², 1.073B, 29ms, $178^{\circ}/178^{\circ}$, 1200:1







Display resolution * 384 HD type * 4K L Native aspect ratio * 16:9 Display technology * LED Panel type * IPS Backlight type LED Touchscreen * Touchscreen type Tabl Touchscreen technology Proje	340 x 2160 pixels 3 Ultra HD 5:9 D 5 D	Market positioning * Product colour * Certification Ports & interfaces	Graphics design Black Energy Star TÜV Flicker-free TÜV Low Blue Light VESA DisplayHDR 400 Calman Verified Pantone Validated
Backlight type LED Touchscreen * Touchscreen type Tabl Touchscreen technology Proje	D		
Number of simultaneous touchpoints 10	ojected capacitive system ulti-touch	Built-in USB hub * USB Type-C downstream ports quantity USB Type-C DisplayPort Alternate Mode USB Power Delivery USB Power Delivery up to	✓ 2 ✓ 15 W
Display brightness (typical) 450 Response time 29 n Anti-glare screen Screen shape * Flat Contrast ratio (typical) * 1200	00 cd/m² 00 cd/m² 0 ms ont 000:1	HDMI * HDMI ports quantity HDMI version Headphone out * HDCP HDCP version Charging port type	1 2.0 2.2 USB Type-C
Viewing angle, horizontal 178 Viewing angle, vertical 178 Display number of colours * 1.07 Pixel pitch 0.09 Pixel density 282 Viewable size, horizontal 34.6	.8° 18° 073 billion colours 09 x 0.09 mm 12 ppi 1.6 cm	Ergonomics VESA mounting * Cable lock slot * Height adjustment * Pivot Pivot angle Tilt angle range	X X X √ 0 - 90° 17 - 75°

Display		Power	
Digital vertical frequency High Dynamic Range (HDR) supported High Dynamic Range (HDR) technology Colour depth	R)	Power consumption (typical) * Power consumption (off) Power consumption (PowerSave) AC input voltage AC input frequency	15 W 0.3 W 0.5 W 100 - 240 V 50/60 Hz
RGB colour space		Weight & dimensions	
Colour gamut sRGB coverage (typical)	100% 100%	Width (without stand) Depth (without stand)	370 mm 12 mm
Performance		Height (without stand)	237 mm
NVIDIA G-SYNC * AMD FreeSync * Flicker-free technology	× ×	Weight (without stand) Packaging data Package width	1.07 kg 539 mm
Low Blue Light technology	· /	Package depth	323 mm
Multimedia		Package height	107.5 mm
Built-in speaker(s) * Built-in camera *	era * X	Package weight Package type	5.95 kg Box
Number of speakers		Sustainability	
RMS rated power	2 W	Sustainability compliance Sustainability certificates	✓ ENERGY STAR

