## ASUS ROG Swift Pro PG248QP computer monitor 61.2 cm (24.1") 1920 x 1080 pixels Full HD LCD Black

Brand : ASUS Product family: ROG Swift Product code: PG248QP

**Product name:** ROG Swift Pro

Flicker-free technology

PG248QP

- 24.1-inch FHD ( $1920 \times 1280$ ) Esports-TN (E-TN) gaming monitor with 540 Hz (OC) refresh rate is designed for professional gamers
- World's fastest TN panel; E-TN panel technology is approximately 50% more responsive than traditional TN panels available
- Adjustable base with retractable claws ensures a small footprint
- NVIDIA G-SYNC Ultra Low Motion Blur 2 (ULMB 2) provides enhanced motion blur reduction, bringing over 2000 Hz of effective motion clarity
- NVIDIA Reflex Analyzer offers accurate measurements of system latency 61.2cm (24.1") Full HD 1920 x 1080 TN, 16:9, 400cd/m², 16.7M, 0.2ms, 170°/160°, 1000:1 ASUS ROG Swift Pro PG2480P. Display diagonal: 61.2 cm (24.1") Display resolution: 1920 x 108

ASUS ROG Swift Pro PG248QP. Display diagonal:  $61.2~\rm cm$  (24.1"), Display resolution:  $1920~\rm x$  1080 pixels, HD type: Full HD, Display technology: LCD, Response time:  $0.2~\rm ms$ , Native aspect ratio: 16:9, Viewing angle, horizontal:  $170^\circ$ , Viewing angle, vertical:  $160^\circ$ . Built-in USB hub, USB hub version:  $3.2~\rm Gen$  1 ( $3.1~\rm Gen$  1). VESA mounting, Height adjustment. Product colour: Black





Display		Ports & interfaces	
Display diagonal * Display resolution * HD type * Native aspect ratio * Display technology * Panel type * Touchscreen * Display brightness (peak) Display brightness (typical) Response time Anti-glare screen Screen shape *	61.2 cm (24.1")  1920 x 1080 pixels  Full HD  16:9  LCD  TN  X  400 cd/m²  400 cd/m²  0.2 ms  ✓  Flat  1000:1  540 Hz  170°  160°  16.7 million colours  0.277 x 0.277 mm  53.6 cm  29.8 cm  510 - 510 kHz  1 - 510 Hz	USB Type-A downstream ports quantity HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone connectivity HDCP HDCP version DC-in jack	2 2 2.0 1 1.4  1 3.5 mm  2 2.2
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency High Dynamic Range (HDR) supported High Dynamic Range (HDR)		Ergonomics  VESA mounting * Panel mounting interface Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Swivelling Swivel angle range Tilt angle range Tilt adjustment	100 x 100 mm  Kensington  11 cm  -30 - 30° -5 - 20°
High Dynamic Range (HDR) technology RGB colour space Colour gamut sRGB coverage (typical)	High Dynamic Range 10 (HDR10) sRGB 100% 100%	Power  Power consumption (typical) *  Power consumption (off)  Power consumption (PowerSave)	21 W 0.3 W 0.5 W
Performance  NVIDIA G-SYNC *  AMD FreeSync *	×	AC input voltage AC input frequency Power supply type	100 - 240 V 50/60 Hz External

Performance		Packaging content	
Low Blue Light technology	✓	Stand included	✓
Game mode	✓	Weight & dimensions	
Multimedia		Width (with stand)	557 mm
Built-in speaker(s) *	×	Depth (with stand)	255 mm
Built-in camera *	×	Height (with stand)	502 mm
Design		Weight (with stand)	7.5 kg
Market positioning *	Gaming	Width (without stand)	557.3 mm
Product colour *	Black	Depth (without stand)	85.8 mm
Detachable stand	✓	Height (without stand)	330.4 mm
Feet colour	Black	Weight (without stand)	3.6 kg
Certification	TÜV Flicker-free TÜV Low Blue Light	Packaging data	
	VESA DisplayHDR 400 G-SYNC	Package width	672 mm
Ports & interfaces		Package depth	228 mm
Built-in USB hub *	<b>√</b>	Package height	520 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Package weight	11.4 kg
		Package type	Box

