ASUS ROG Swift PG49WCD computer monitor 124.5 cm (49") 5120 x 1440 pixels OLED Black

Brand : ASUS

Product family: ROG Swift

Product code: 90LM09C0-B01970

Product name : PG49WCD

- 49-inch curved super-ultrawide (5120 x 1440) QD-OLED gaming monitor with 144 Hz refresh rate and 0.03 ms response time for immersive gaming

- Highly efficient custom heatsink, improved airflow design and graphene rear for better heat management to reduce the risk of burn-in

- High perceptual 1000 nits peak brightness (3% of the screen with HDR on), 99% DCI-P3 gamut, and Delta E < 2 color difference for astonishing HDR performance

- Built-in ROG Smart KVM automatically switches a single keyboard and mouse between two devices, without any extra hardware or software — and even copy files between devices via USB 3.2 connectivity

- Optional uniform brightness setting ensures consistent luminance levels

- ASUS DisplayWidget Center enables easy OLED and monitor-settings adjustments with a mouse - Extensive connectivity options including DisplayPort[™] 1.4 (DSC), HDMI (v2.1), USB-C with 90 W Power Delivery

49" 5120 x 1440 OLED, 1800R, 1073.7M, 144Hz, HDMI, DisplayPort, USB, 100-240V, 50/60Hz, VESA, 11.7 kg

Display		Ports & interfaces	
Display diagonal *124.5 cm (49")Display resolution *5120 x 1440 pixNative aspect ratio *32:9Display technology *OLEDTouchscreen *XDisplay brightness (peak)1000 cd/m²Display brightness (typical)250 cd/m²Response time0.03 msDisplay surfaceMatt	5120 x 1440 pixels 32:9 OLED X 1000 cd/m ² 250 cd/m ² 0.03 ms	HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Headphone out * Headphone outputs Headphone connectivity Built-in KVM switch HDCP	1 2.1 1 1.4 1 3.5 mm
Screen shape *	Curved	HDCP version	2.2
Screen curvature rating	1800R	S/PDIF out port	1
Contrast ratio (typical) *	1500000:1	Ergonomics	
Contrast ratio (dynamic) Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Viewable size, horizontal Viewable size, vertical Digital horizontal frequency Digital vertical frequency Performance	10000000:1 144 Hz 178° 178° 1.073 billion colours 0.233 x 0.233 mm 119.7 cm 33.9 cm 30 - 233 kHz 48 - 144 Hz	VESA mounting * Panel mounting interface Wall mountable Cable lock slot * Cable lock slot type Height adjustment * Height adjustment Swivelling Swivel angle range Tilt angle range Tilt adjustment	100 x 100 mm Kensington 10 cm 1515° 205°
NVIDIA G-SYNC *	1	Power	
NVIDIA G-SYNC type AMD FreeSync * AMD FreeSync type Flicker-free technology Low Blue Light technology	G-SYNC Compatible FreeSync Premium Pro	Energy efficiency class (HDR) * Energy consumption (HDR) per 1000 hours * Power consumption (typical) * Power consumption (off)	F 42 kWh 47 W 0.3 W
Multimedia		Power consumption (PowerSave)	0.5 W
Built-in speaker(s) * Built-in camera *	× ×	AC input voltage AC input frequency Energy efficiency scale	100 - 240 V 50/60 Hz A to G
Design			
Market positioning * Product colour *	Gaming Black	Operational conditions Operating temperature (T-T)	0 - 40 °C





Design		Operational conditions	
Feet colour	Black	Storage temperature (T-T)	-20 - 60 °C
Certification	cTUVus, FCC, ICES-3, CB, CE, ErP, WEEE, EU Energy Label, UkrSEPRO, Ukraine Energy, CCC, BSMI, RCM, MEPS, VN MEPS, VCCI, PSE, PC Recycel, J-MOSS, KC, KCC, E- STANDBY, PSB, RoHS, SIOC, CEC, HDMI, DP, Windows 10/11 WHQL, TÜV-Flicker Free, TÜV-Low Blue Light	Weight & dimensions Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand)	1196.4 mm 282.9 mm 527.2 mm 11.7 kg 1196.4 mm 155.4 mm
Ports & interfaces		Height (without stand)	371.7 mm
Built-in USB hub *	1	Weight (without stand)	8.5 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Packaging data	
USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-A downstream ports quantity	USB Type-C 1 1 4	Package width Package depth Package height Package weight Package type	1320 mm 490 mm 250 mm 17 kg Box
USB Type-C DisplayPort Alternate Mode	✓	Sustainability	
USB Power Delivery USB Power Delivery up to HDMI *	✓ 90 W	European Product Registry for Energy Labelling (EPREL) code	1679856





4711387267097

0197105266698



197105266698

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.