



AOC AGON PRO AG456UCZD LED display 114.3 cm (45") 3440 x 1440 pixels Wide Quad HD OLED Black

Brand : AOC

Product family: AGON PRO

Product code: AG456UCZD

Product name : AG456UCZD

Screen size (inch) 44.5, Panel resolution 3440x1440, Refresh rate 240 Hz, Panel type OLED, USB-C connectivity USB-C 3.2 x 1 (DP alt mode, upstream, power delivery up to 90 W), HDMI HDMI 2.0 x 2, Display Port DisplayPort 1.4 x 1, Sync technology (VRR) G-SYNC Compatible + Adaptive Sync

AOC AGON PRO AG456UCZD LED display 114.3 cm (45") 3440 x 1440 pixels Wide Quad HD OLED Black:


Elevate your Gaming Experience with AGON PRO AG456UCZD: OLED brilliance, WQHD clarity, 240Hz speed, 800R curvature, and HDR. Splendor all in one

Elevate your gaming experience to unprecedented levels with the AGON PRO AG456UCZD. This remarkable curved monitor boasts an OLED panel, WQHD resolution (3440x1440), a lightning-fast 240Hz refresh rate, and an astonishing response time as minimum as 0.03 ms GtG. Immerse yourself in vivid HDR visuals, featuring a native 10-bit color depth of 1.07 billion colors, along with exceptional color gamut coverage of DCI-P3. AGON PRO 45" - where gaming reaches new heights.



Display		Ports & interfaces	
Display diagonal *	114.3 cm (45")	USB Type-C DisplayPort Alternate Mode	✓
Display resolution *	3440 x 1440 pixels	USB Power Delivery	✓
HD type *	Wide Quad HD	USB Power Delivery up to	90 W
Native aspect ratio *	21:9	HDMI *	✓
Display technology *	OLED	HDMI ports quantity	2
Panel type *	OLED	HDMI version	2.0
LED backlight	✓	DisplayPorts quantity	1
Backlight type	W-LED	DisplayPort version	1.4
Touchscreen *	✗	Headphone out *	✓
Response time	0.03 ms	Headphone outputs	1
Anti-glare screen	✓	Built-in KVM switch	✓
Screen shape *	Curved	Charging port type	USB Type-C + USB Type-A
Screen curvature rating	800R	AC (power) in	✓
Contrast ratio (typical) *	1200:1	Ergonomics	
Contrast ratio (dynamic)	80000000:1	VESA mounting *	✓
Maximum refresh rate *	240 Hz	Panel mounting interface	100 x 100 mm
Viewing angle, horizontal	178°	Height adjustment *	✓
Viewing angle, vertical	178°	Height adjustment	10 cm
Display number of colours *	1.07 billion colours	Swivelling	✓
Pixel pitch	0.303 x 0.303 mm	Swivel angle range	-15 - 15°
Horizontal scan range	30 - 385 kHz	Tilt adjustment	✓
Vertical scan range	48 - 240 Hz	Tilt angle range	-5 - 15°
Viewable size, horizontal	104.3 cm	Picture-in-Picture	✓
Viewable size, vertical	43.6 cm	On Screen Display (OSD)	✓
Display diagonal (metric)	113 cm	Plug and Play	✓
High Dynamic Range (HDR) supported	✓	LED indicators	✓
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Power	
DDC/CI	✓	Power consumption (typical) *	310 W
Surface hardness	3H	Power consumption (standby) *	0.5 W
RGB colour space	DCI-P3	Power consumption (off)	0.5 W
Colour gamut	98.5%	AC input voltage	100 - 240 V
Performance		AC input frequency	50/60 Hz
NVIDIA G-SYNC *	✓	Input current	3.5 A
NVIDIA G-SYNC type	G-SYNC Compatible	Power supply type	Internal
AMD FreeSync *	✓		

Performance		Operational conditions	
AMD FreeSync type	FreeSync Premium	Operating temperature (T-T)	0 - 40 °C
Fast charging	✓	Storage temperature (T-T)	-25 - 55 °C
Fast charging technology	Power Delivery 3.0	Operating relative humidity (H-H)	10 - 85%
Low Blue Light technology	✓	Storage relative humidity (H-H)	5 - 93%
Low input lag	✓	Operating altitude	0 - 5000 m
Multimedia		Non-operating altitude	0 - 12192 m
Built-in speaker(s) *	✓	Packaging content	
Design		Stand included	✓
Market positioning *	Gaming	Cables included	AC
Product colour *	Black	Remote control included	✓
Frameless design	✓	Remote control batteries included	✓
Front bezel colour	Black	Screws included	✓
Detachable stand	✓	Quick start guide	✓
Feet colour	Black	Weight & dimensions	
Ports & interfaces		Weight (with stand)	13.3 kg
Built-in USB hub *	✓	Weight (without stand)	11.3 kg
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Packaging data	
USB upstream port type	USB Type-B, USB Type-C	Package weight	19.2 kg
Number of upstream ports	2	Package type	Box
Number of USB Type-B upstream ports quantity	1	Technical details	
Number of USB Type-C upstream ports quantity	1	Warranty period	3 year(s)
USB Type-A downstream ports quantity	4	Other features	
USB Type-C downstream ports quantity	1	Picture-by-Picture (PbP)	✓
		Exterior finish type	Textured
		Bezel thickness type	Frameless
		Anti-Blue-Light technology	✓



4038986111416

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 20-APR-2024. Prints or copies of Information are only valid on the printed Publication date